

Pipeline and Hazardous Materials Safety Admin., DOT**§ 172.101****Subpart H—Training**

- 172.700 Purpose and scope.
- 172.701 Federal-State relationship.
- 172.702 Applicability and responsibility for training and testing.
- 172.704 Training requirements.

Subpart I—Safety and Security Plans

- 172.800 Purpose and applicability.
 - 172.802 Components of a security plan.
 - 172.804 Relationship to other Federal requirements.
 - 172.820 Additional planning requirements for transportation by rail.
 - 172.822 Limitation on actions by states, local governments, and Indian tribes.
- APPENDIX A TO PART 172—OFFICE OF HAZARDOUS MATERIALS TRANSPORTATION COLOR TOLERANCE CHARTS AND TABLES
- APPENDIX B TO PART 172—TREFOIL SYMBOL
- APPENDIX C TO PART 172—DIMENSIONAL SPECIFICATIONS FOR RECOMMENDED PLACARD HOLDER
- APPENDIX D TO PART 172—RAIL RISK ANALYSIS FACTORS

AUTHORITY: 49 U.S.C. 5101–5128, 44701; 49 CFR 1.53.

SOURCE: Amdt. 172–29, 41 FR 15996, Apr. 15, 1976, unless otherwise noted.

Subpart A—General**§ 172.1 Purpose and scope.**

This part lists and classifies those materials which the Department has designated as hazardous materials for purposes of transportation and prescribes the requirements for shipping papers, package marking, labeling, and transport vehicle placarding applicable to the shipment and transportation of those hazardous materials.

[Amdt. 172–29, 41 FR 15997, Apr. 15, 1976, as amended by 66 FR 45379, Aug. 28, 2001]

§ 172.3 Applicability.

- (a) This part applies to—
 - (1) Each person who offers a hazardous material for transportation, and
 - (2) Each carrier by air, highway, rail, or water who transports a hazardous material.
 - (b) When a person, other than one of those provided for in paragraph (a) of this section, performs a packaging labeling or marking function required by

this part, that person shall perform the function in accordance with this part.

[Amdt. 172–29, 41 FR 15996, Apr. 15, 1976, as amended by Amdt. 172–32, 41 FR 38179, Sept. 9, 1976]

Subpart B—Table of Hazardous Materials and Special Provisions**§ 172.101 Purpose and use of hazardous materials table.**

(a) The Hazardous Materials Table (Table) in this section designates the materials listed therein as hazardous materials for the purpose of transportation of those materials. For each listed material, the Table identifies the hazard class or specifies that the material is forbidden in transportation, and gives the proper shipping name or directs the user to the preferred proper shipping name. In addition, the Table specifies or references requirements in this subchapter pertaining to labeling, packaging, quantity limits aboard aircraft and stowage of hazardous materials aboard vessels.

(b) *Column 1: Symbols.* Column 1 of the Table contains six symbols (“+”, “A”, “D”, “G”, “I” and “W”) as follows:

(1) The plus (+) sign fixes the proper shipping name, hazard class and packing group for that entry without regard to whether the material meets the definition of that class, packing group or any other hazard class definition. When the plus sign is assigned to a proper shipping name in Column (1) of the § 172.101 Table, it means that the material is known to pose a risk to humans. When a plus sign is assigned to mixtures or solutions containing a material where the hazard to humans is significantly different from that of the pure material or where no hazard to humans is posed, the material may be described using an alternative shipping name that represents the hazards posed by the material. An appropriate alternate proper shipping name and hazard class may be authorized by the Associate Administrator.

(2) The letter “A” denotes a material that is subject to the requirements of this subchapter only when offered or intended for transportation by aircraft, unless the material is a hazardous substance or a hazardous waste. A shipping description entry preceded by an

§ 172.101

"A" may be used to describe a material for other modes of transportation provided all applicable requirements for the entry are met.

(3) The letter "D" identifies proper shipping names which are appropriate for describing materials for domestic transportation but may be inappropriate for international transportation under the provisions of international regulations (e.g., IMO, ICAO). An alternate proper shipping name may be selected when either domestic or international transportation is involved.

(4) The letter "G" identifies proper shipping names for which one or more technical names of the hazardous material must be entered in parentheses, in association with the basic description. (See §172.203(k).)

(5) The letter "I" identifies proper shipping names which are appropriate for describing materials in international transportation. An alternate proper shipping name may be selected when only domestic transportation is involved.

(6) The letter "W" denotes a material that is subject to the requirements of this subchapter only when offered or intended for transportation by vessel, unless the material is a hazardous substance or a hazardous waste. A shipping description entry preceded by a "W" may be used to describe a material for other modes of transportation provided all applicable requirements for the entry are met.

(c) *Column 2: Hazardous materials descriptions and proper shipping names.* Column 2 lists the hazardous materials descriptions and proper shipping names of materials designated as hazardous materials. Modification of a proper shipping name may otherwise be required or authorized by this section. Proper shipping names are limited to those shown in Roman type (not italics).

(1) Proper shipping names may be used in the singular or plural and in either capital or lower case letters. Words may be alternatively spelled in the same manner as they appear in the ICAO Technical Instructions or the IMDG Code. For example "aluminum" may be spelled "aluminium" and "sulfur" may be spelled "sulphur". However, the word "inflammable" may not

49 CFR Ch. I (10-1-08 Edition)

be used in place of the word "flammable".

(2) Punctuation marks and words in italics are not part of the proper shipping name, but may be used in addition to the proper shipping name. The word "or" in italics indicates that terms in the sequence may be used as the proper shipping name, as appropriate.

(3) The word "poison" or "poisonous" may be used interchangeably with the word "toxic" when only domestic transportation is involved. The abbreviation "n.o.i." or "n.o.i.b.n." may be used interchangeably with "n.o.s."

(4) Except for hazardous wastes, when qualifying words are used as part of the proper shipping name, their sequence in the package markings and shipping paper description is optional. However, the entry in the Table reflects the preferred sequence.

(5) When one entry references another entry by use of the word "see", if both names are in Roman type, either name may be used as the proper shipping name (e.g., Ethyl alcohol, *see* Ethanol).

(6) When a proper shipping name includes a concentration range as part of the shipping description, the actual concentration, if it is within the range stated, may be used in place of the concentration range. For example, an aqueous solution of hydrogen peroxide containing 30 percent peroxide may be described as "Hydrogen peroxide, aqueous solution with not less than 20 percent but not more than 40 percent hydrogen peroxide" or "Hydrogen peroxide, aqueous solution with 30 percent hydrogen peroxide".

(7) Use of the prefix "mono" is optional in any shipping name, when appropriate. Thus, Iodine monochloride may be used interchangeably with Iodine chloride. In "Glycerol alpha-monochlorohydrin" the term "mono" is considered a prefix to the term "chlorhydrin" and may be deleted.

(8) Use of the word "liquid" or "solid". The word "liquid" or "solid" may be added to a proper shipping name when a hazardous material specifically listed by name may, due to differing physical states, be a liquid or solid. When the packaging specified in Column 8 is inappropriate for the physical state of the material, the table

provided in paragraph (i)(4) of this section should be used to determine the appropriate packaging section.

(9) *Hazardous wastes*. If the word "waste" is not included in the hazardous material description in Column 2 of the Table, the proper shipping name for a hazardous waste (as defined in §171.8 of this subchapter), shall include the word "Waste" preceding the proper shipping name of the material. For example: Waste acetone.

(10) *Mixtures and solutions*. (i) A mixture or solution not identified specifically by name, comprised of a hazardous material identified in the Table by technical name and non-hazardous material, shall be described using the proper shipping name of the hazardous material and the qualifying word "mixture" or "solution", as appropriate, unless—

(A) Except as provided in §172.101(i)(4) the packaging specified in Column 8 is inappropriate to the physical state of the material;

(B) The shipping description indicates that the proper shipping name applies only to the pure or technically pure hazardous material;

(C) The hazard class, packing group, or subsidiary hazard of the mixture or solution is different from that specified for the entry;

(D) There is a significant change in the measures to be taken in emergencies;

(E) The material is identified by special provision in Column 7 of the §172.101 Table as a material poisonous by inhalation; however, it no longer meets the definition of poisonous by inhalation or it falls within a different hazard zone than that specified in the special provision; or

(F) The material can be appropriately described by a shipping name that describes its intended application, such as "Coating solution", "Extracts, flavoring" or "Compound, cleaning liquid".

(ii) If one or more of the conditions specified in paragraph (c)(10)(i) of this section is satisfied, then a proper shipping name shall be selected as prescribed in paragraph (c)(12)(ii) of this section.

(iii) A mixture or solution not identified in the Table specifically by name,

comprised of two or more hazardous materials in the same hazard class, shall be described using an appropriate shipping description (e.g., "Flammable liquid, n.o.s."). The name that most appropriately describes the material shall be used; e.g., an alcohol not listed by its technical name in the Table shall be described as "Alcohol, n.o.s." rather than "Flammable liquid, n.o.s.". Some mixtures may be more appropriately described according to their application, such as "Coating solution" or "Extracts, flavoring liquid" rather than by an n.o.s. entry. Under the provisions of subparts C and D of this part, the technical names of at least two components most predominately contributing to the hazards of the mixture or solution may be required in association with the proper shipping name.

(11) Except for a material subject to or prohibited by §173.21, 173.54, 173.56(d), 173.56(e), 173.224(c) or 173.225(b) of this subchapter, a material that is considered to be a hazardous waste or a sample of a material for which the hazard class is uncertain and must be determined by testing may be assigned a tentative proper shipping name, hazard class, identification number and packing group, if applicable, based on the shipper's tentative determination according to:

(i) Defining criteria in this subchapter;

(ii) The hazard precedence prescribed in §173.2a of this subchapter;

(iii) The shipper's knowledge of the material;

(iv) In addition to paragraphs (c)(11)(i) through (iii) of this section, for a sample of a material other than a waste, the following must be met:

(A) Except when the word "Sample" already appears in the proper shipping name, the word "Sample" must appear as part of the proper shipping name or in association with the basic description on the shipping paper.

(B) When the proper shipping description for a sample is assigned a "G" in Column (1) of the §172.101 Table, and the primary constituent(s) for which the tentative classification is based are not known, the provisions requiring a technical name for the constituent(s) do not apply; and

§ 172.101

(C) A sample must be transported in a combination packaging that conforms to the requirements of this subchapter that are applicable to the tentative packing group assigned, and may not exceed a net mass of 2.5 kg (5.5 pounds) per package.

NOTE TO PARAGRAPH (c)(11): For the transportation of samples of self-reactive materials, organic peroxides, explosives or lighters, see §§173.224(c)(3), 173.225(c)(2), 173.56(d) or 173.308(b)(2) of this subchapter, respectively.

(12) Except when the proper shipping name in the Table is preceded by a plus (+)—

(i) If it is specifically determined that a material meets the definition of a hazard class, packing group or hazard zone, other than the class, packing group or hazard zone shown in association with the proper shipping name, or does not meet the defining criteria for a subsidiary hazard shown in Column 6 of the Table, the material shall be described by an appropriate proper shipping name listed in association with the correct hazard class, packing group, hazard zone, or subsidiary hazard for the material.

(ii) *Generic or n.o.s. descriptions.* If an appropriate technical name is not shown in the Table, selection of a proper shipping name shall be made from the generic or n.o.s. descriptions corresponding to the specific hazard class, packing group, hazard zone, or subsidiary hazard, if any, for the material. The name that most appropriately describes the material shall be used; e.g., an alcohol not listed by its technical name in the Table shall be described as "Alcohol, n.o.s." rather than "Flammable liquid, n.o.s.". Some mixtures may be more appropriately described according to their application, such as "Coating solution" or "Extracts, flavoring, liquid", rather than by an n.o.s. entry, such as "Flammable liquid, n.o.s." It should be noted, however, that an n.o.s. description as a proper shipping name may not provide sufficient information for shipping papers and package markings. Under the provisions of subparts C and D of this part, the technical name of one or more constituents which makes the product a hazardous material may be required in

49 CFR Ch. I (10-1-08 Edition)

association with the proper shipping name.

(iii) *Multiple hazard materials.* If a material meets the definition of more than one hazard class, and is not identified in the Table specifically by name (e.g., acetyl chloride), the hazard class of the material shall be determined by using the precedence specified in §173.2a of this subchapter, and an appropriate shipping description (e.g., "Flammable liquid, corrosive n.o.s.") shall be selected as described in paragraph (c)(12)(ii) of this section.

(iv) If it is specifically determined that a material is not a forbidden material and does not meet the definition of any hazard class, the material is not a hazardous material.

(13) *Self-reactive materials and organic peroxides.* A generic proper shipping name for a self-reactive material or an organic peroxide, as listed in Column 2 of the Table, must be selected based on the material's technical name and concentration, in accordance with the provisions of §§173.224 or 173.225 of this subchapter, respectively.

(14) A proper shipping name that describes all isomers of a material may be used to identify any isomer of that material if the isomer meets criteria for the same hazard class or division, subsidiary risk(s) and packing group, unless the isomer is specifically identified in the Table.

(15) Unless a hydrate is specifically listed in the Table, a proper shipping name for the equivalent anhydrous substance may be used, if the hydrate meets the same hazard class or division, subsidiary risk(s) and packing group.

(16) Unless it is already included in the proper shipping name in the §172.101 Table, the qualifying words "liquid" or "solid" may be added in association with the proper shipping name when a hazardous material specifically listed by name in the §172.101 Table may, due to the differing physical states of the various isomers of the material, be either a liquid or a solid (for example "Dinitrotoluenes, liquid" and "Dinitrotoluenes, solid"). Use of the words "liquid" or "solid" is subject to the limitations specified for the use of the words "mixture" or "solution" in paragraph (c)(10) of this section. The

qualifying word "molten" may be added in association with the proper shipping name when a hazardous material, which is a solid in accordance with the definition in § 171.8 of this subchapter, is offered for transportation in the molten state (for example, "Alkylphenols, solid, n.o.s., molten").

(d) *Column 3: Hazard class or Division.* Column 3 contains a designation of the hazard class or division corresponding to each proper shipping name, or the word "Forbidden".

(1) A material for which the entry in this column is "Forbidden" may not be offered for transportation or transported. This prohibition does not apply if the material is diluted, stabilized or incorporated in a device and it is classed in accordance with the definitions of hazardous materials contained in part 173 of this subchapter.

(2) When a reevaluation of test data or new data indicates a need to modify the "Forbidden" designation or the hazard class or packing group specified for a material specifically identified in the Table, this data should be submitted to the Associate Administrator.

(3) A basic description of each hazard class and the section reference for class definitions appear in § 173.2 of this subchapter.

(4) Each reference to a Class 3 material is modified to read "Combustible liquid" when that material is reclassified in accordance with § 173.150(e) or (f) of this subchapter or has a flash point above 60 °C (140 °F) but below 93 °C (200 °F).

(e) *Column 4: Identification number.* Column 4 lists the identification number assigned to each proper shipping name. Those preceded by the letters "UN" are associated with proper shipping names considered appropriate for international transportation as well as domestic transportation. Those preceded by the letters "NA" are associated with proper shipping names not recognized for international transportation, except to and from Canada. Identification numbers in the "NA9000" series are associated with proper shipping names not appropriately covered by international hazardous materials (dangerous goods) transportation standards, or not appropriately addressed by international transpor-

tation standards for emergency response information purposes, except for transportation between the United States and Canada.

(f) *Column 5: Packing group.* Column 5 specifies one or more packing groups assigned to a material corresponding to the proper shipping name and hazard class for that material. Class 2, Class 7, Division 6.2 (other than regulated medical wastes), and ORM-D materials, do not have packing groups. Packing Groups I, II and III indicate the degree of danger presented by the material is either great, medium or minor, respectively. If more than one packing group is indicated for an entry, the packing group for the hazardous material is determined using the criteria for assignment of packing groups specified in subpart D of part 173. When a reevaluation of test data or new data indicates a need to modify the specified packing group(s), the data should be submitted to the Associate Administrator. Each reference in this column to a material which is a hazardous waste or a hazardous substance, and whose proper shipping name is preceded in Column 1 of the Table by the letter "A" or "W", is modified to read "III" on those occasions when the material is offered for transportation or transported by a mode in which its transportation is not otherwise subject to requirements of this subchapter.

(g) *Column 6: Labels.* Column 6 specifies codes which represent the hazard warning labels required for a package filled with a material conforming to the associated hazard class and proper shipping name, unless the package is otherwise excepted from labeling by a provision in subpart E of this part, or part 173 of this subchapter. The first code is indicative of the primary hazard of the material. Additional label codes are indicative of subsidiary hazards. Provisions in § 172.402 may require that a label other than that specified in Column 6 be affixed to the package in addition to that specified in Column 6. No label is required for a material classed as a combustible liquid or for a Class 3 material that is reclassified as a combustible liquid. For "Empty" label

§ 172.101

requirements, see § 173.428 of this subchapter. The codes contained in Column 6 are defined according to the following table:

LABEL SUBSTITUTION TABLE

Label code	Label name
1	Explosive
1.1 ¹	Explosive 1.1 ¹
1.2 ¹	Explosive 1.2 ¹
1.3 ¹	Explosive 1.3 ¹
1.4 ¹	Explosive 1.4 ¹
1.5 ¹	Explosive 1.5 ¹
1.6 ¹	Explosive 1.6 ¹
2.1	Flammable Gas
2.2	Non-Flammable Gas
2.3	Poison Gas
3	Flammable Liquid
4.1	Flammable Solid
4.2	Spontaneously Combustible
4.3	Dangerous When Wet
5.1	Oxidizer
5.2	Organic Peroxide
6.1 (Inhalation hazard, Zone A or B).	Poison Inhalation Hazard
6.1 (other than inhalation hazard, Zone A or B) ² .	Poison
6.2	Infectious substance
7	Radioactive
8	Corrosive
9	Class 9

¹Refers to the appropriate compatibility group letter.

²The packing group for a material is indicated in column 5 of the table.

(h) *Column 7: Special provisions.* Column 7 specifies codes for special provisions applicable to hazardous materials. When Column 7 refers to a special provision for a hazardous material, the meaning and requirements of that special provision are as set forth in § 172.102 of this subpart.

(i) *Column 8: Packaging authorizations.* Columns 8A, 8B and 8C specify the applicable sections for exceptions, non-bulk packaging requirements and bulk packaging requirements, respectively, in part 173 of this subchapter. Columns 8A, 8B and 8C are completed in a manner which indicates that “§ 173.” precedes the designated numerical entry. For example, the entry “202” in Column 8B associated with the proper shipping name “Gasoline” indicates that for this material conformance to non-bulk packaging requirements prescribed in § 173.202 of this subchapter is required. When packaging requirements are specified, they are in addition to the standard requirements for all packagings prescribed in § 173.24 of this subchapter and any other applicable requirements in subparts A and B of part 173 of this subchapter.

49 CFR Ch. I (10-1-08 Edition)

(1) *Exceptions.* Column 8A contains exceptions from some of the requirements of this subchapter. The referenced exceptions are in addition to those specified in subpart A of part 173 and elsewhere in this subchapter. A “None” in this column means no packaging exceptions are authorized, except as may be provided by special provisions in Column 7.

(2) *Non-bulk packaging.* Column 8B references the section in part 173 of this subchapter which prescribes packaging requirements for non-bulk packagings. A “None” in this column means non-bulk packagings are not authorized, except as may be provided by special provisions in Column 7. Each reference in this column to a material which is a hazardous waste or a hazardous substance, and whose proper shipping name is preceded in Column 1 of the Table by the letter “A” or “W”, is modified to include “§ 173.203” or “§ 173.213”, as appropriate for liquids and solids, respectively, on those occasions when the material is offered for transportation or transported by a mode in which its transportation is not otherwise subject to the requirements of this subchapter.

(3) *Bulk packaging.* Column (8C) specifies the section in part 173 of this subchapter that prescribes packaging requirements for bulk packagings, subject to the limitations, requirements, and additional authorizations of Columns (7) and (8B). A “None” in Column (8C) means bulk packagings are not authorized, except as may be provided by special provisions in Column (7) and in packaging authorizations Column (8B). Additional authorizations and limitations for use of UN portable tanks are set forth in Column 7. For each reference in this column to a material that is a hazardous waste or a hazardous substance, and whose proper shipping name is preceded in Column 1 of the Table by the letter “A” or “W” and that is offered for transportation or transported by a mode in which its transportation is not otherwise subject to the requirements of this subchapter:

(4) For a hazardous material which is specifically named in the Table and whose packaging sections specify packagings not applicable to the form of the material (e.g., packaging specified is

for solid material and the material is being offered for transportation in a liquid form) the following table should be used to determine the appropriate packaging section:

Packaging section reference for solid materials	Corresponding packaging section for liquid materials
§ 173.187	§ 173.181
§ 173.211	§ 173.201
§ 173.212	§ 173.202
§ 173.213	§ 173.203
§ 173.240	§ 173.241
§ 173.242	§ 173.243

(5) *Cylinders.* For cylinders, both non-bulk and bulk packaging authorizations are set forth in Column (8B). Notwithstanding a designation of "None" in Column (8C), a bulk cylinder may be used when specified through the section reference in Column (8B).

(j) *Column 9: Quantity limitations.* Columns 9A and 9B specify the maximum quantities that may be offered for transportation in one package by passenger-carrying aircraft or passenger-carrying rail car (Column 9A) or by cargo aircraft only (Column 9B), subject to the following:

(1) "Forbidden" means the material may not be offered for transportation or transported in the applicable mode of transport.

(2) The quantity limitation is "net" except where otherwise specified, such as for "Consumer commodity" which specifies "30 kg gross."

(3) When articles or devices are specifically listed by name, the net quantity limitation applies to the entire article or device (less packaging and packaging materials) rather than only to its hazardous components.

(4) A package offered or intended for transportation by aircraft and which is filled with a material forbidden on passenger-carrying aircraft but permitted on cargo aircraft only, or which exceeds the maximum net quantity authorized on passenger-carrying aircraft, shall be labelled with the CARGO AIRCRAFT ONLY label specified in § 172.448 of this part.

(5) The total net quantity of hazardous material for an outer non-bulk packaging that contains more than one hazardous material may not exceed the lowest permitted maximum net quantity per package as shown in Column

9A or 9B, as appropriate. If one material is a liquid and one is a solid, the maximum net quantity must be calculated in kilograms. See § 173.24a(c)(1)(iv).

(k) *Column 10: Vessel stowage requirements.* Column 10A [Vessel stowage] specifies the authorized stowage locations on board cargo and passenger vessels. Column 10B [Other provisions] specifies codes for stowage requirements for specific hazardous materials. The meaning of each code in Column 10B is set forth in § 176.84 of this subchapter. Section 176.63 of this subchapter sets forth the physical requirements for each of the authorized locations listed in Column 10A. (For bulk transportation by vessel, see 46 CFR parts 30 to 40, 70, 98, 148, 151, 153 and 154.) The authorized stowage locations specified in Column 10A are defined as follows:

(1) Stowage category "A" means the material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

(2) Stowage category "B" means—

(i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and

(ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

(3) Stowage category "C" means the material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.

(4) Stowage category "D" means the material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded.

(5) Stowage category "E" means the material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

the larger of 25 passengers, or one passenger per each 3 m of overall vessel length, but is prohibited from carriage on passenger vessels in which the limiting number of passengers is exceeded.

(6) Stowage category "01" means the material may be stowed "on deck" or "under deck" on a cargo vessel (up to 12 passengers) and on a passenger vessel.

(7) Stowage category "02" means the material may be stowed "on deck" or "under deck" on a cargo vessel (up to 12 passengers) and "on deck" in closed cargo transport units or "under deck" in closed cargo transport units on a passenger vessel.

(8) Stowage category "03" means the material may be stowed "on deck" or "under deck" on a cargo vessel (up to 12 passengers) and "on deck" in closed cargo transport units on a passenger vessel.

(9) Stowage category "04" means the material may be stowed "on deck" or "under deck" on a cargo vessel (up to 12 passengers) but the material is prohibited on a passenger vessel.

(10) Stowage category "05" means the material may be stowed "on deck" in closed cargo transport units or "under deck" on a cargo vessel (up to 12 passengers) and on a passenger vessel.

(11) Stowage category "06" means the material may be stowed "on deck" in closed cargo transport units or "under deck" on a cargo vessel (up to 12 passengers) and "on deck" in closed cargo transport units or "under deck" in closed cargo transport units on a passenger vessel.

(12) Stowage category "07" means the material may be stowed "on deck" in closed cargo transport units or "under deck" on a cargo vessel (up to 12 passengers) and "on deck" only in closed cargo transport units on a passenger vessel.

(13) Stowage category "08" means the material may be stowed "on deck" in closed cargo transport units or "under deck" on a cargo vessel (up to 12 passengers) but the material is prohibited on a passenger vessel.

(14) Stowage category "09" means the material may be stowed "on deck only" in closed cargo transport units or "under deck" in closed cargo trans-

port units on a cargo vessel (up to 12 passengers) and on a passenger vessel.

(15) Stowage category "10" means the material may be stowed "on deck" in closed cargo transport units or "under deck" in closed cargo transport units on a cargo vessel (up to 12 passengers) and "on deck" only in closed cargo transport units on a passenger vessel.

(16) Stowage category "11" means the material may be stowed "on deck" in closed cargo transport units or "under deck" in magazine stowage type "c" on a cargo vessel (up to 12 passengers) and "on deck" only in closed cargo transport units on a passenger vessel.

(17) Stowage category "12" means the material may be stowed "on deck" in closed cargo transport units or "under deck" in magazine stowage type "c" on a cargo vessel (up to 12 passengers) but the material is prohibited on a passenger vessel.

(18) Stowage category "13" means the material may be stowed "on deck" in closed cargo transport units or "under deck" in magazine stowage type "A" on a cargo vessel (up to 12 passengers) and "on deck" only in closed cargo transport units on a passenger vessel.

(19) Stowage category "14" means the material may be stowed "on deck" in closed cargo transport units on a cargo vessel (up to 12 passengers) but the material is prohibited on a passenger vessel.

(20) Stowage category "15" means the material may be stowed "on deck" in closed cargo transport units or "under deck" in closed cargo transport units on a cargo vessel (up to 12 passengers) but the material is prohibited on a passenger vessel.

(l) *Changes to the Table.* (1) Unless specifically stated otherwise in a rule document published in the FEDERAL REGISTER amending the Table—

(i) Such a change does not apply to the shipment of any package filled prior to the effective date of the amendment; and

(ii) Stocks of preprinted shipping papers and package markings may be continued in use, in the manner previously authorized, until depleted or for a one-year period, subsequent to the effective date of the amendment, whichever is less.

(2) Except as otherwise provided in this section, any alteration of a shipping description or associated entry which is listed in the §172.101 Table must receive prior written approval from the Associate Administrator.

(3) The proper shipping name of a hazardous material changed in the May

6, 1997 final rule, in effect on October 1, 1997, only by the addition or omission of the word "compressed," "inhibited," "liquefied" or "solution" may continue to be used to comply with package marking requirements, until January 1, 2003.

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air-craft only (9B)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)						(10A)	(10B)
	Accellerene, see p-Nitrosodimethylaniline.												
	Accumulators, electric, see Batteries, wet etc.												
	Accumulators, pressurized, pneumatic or hydraulic (containing non-flammable gas), see Articles pressurized, pneumatic or hydraulic (containing non-flammable gas).												
	Acetal	3	UN1088	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E
	Acetaldehyde	3	UN1089	I	3	A3, B16, T11, TP2, TP7	None	201	243	Forbidden	30 L	E
A	Acetaldehyde ammonia	9	UN1841	III	9	IB8, IP3, IP7, T1, TP33	155	204	240	200 kg	200 kg	A	34
	Acetaldehyde oxime	3	UN2332	III	3	B1, IB3, T4, TP1	150	203	242	60 L	220 L	A
	Acetic acid, glacial or Acetic acid solution, with more than 80 percent acid, by mass.	8	UN2789	II	8, 3	A3, A6, A7, A10, B2, IB2, T7, TP2	154	202	243	1 L	30 L	A
	Acetic acid solution, not less than 50 percent but not more than 80 percent acid, by mass.	8	UN2790	II	8	A3, A6, A7, A10, B2, IB2, T7, TP2	154	202	242	1 L	30 L	A
	Acetic acid solution, with more than 10 percent and less than 50 percent acid, by mass.	8	UN2790	III	8	IB3, T4, TP1	154	203	242	5 L	60 L	A
	Acetic anhydride	8	UN1715	II	8, 3	A3, A6, A7, A10, B2, IB2, T7, TP2	154	202	243	1 L	30 L	A	40
	Acetone	3	UN1090	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Acetone cyanohydrin, stabilized	6.1	UN1541	I	6.1	2, B9, B14, B32, B76, B77, N34, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	25, 40, 52, 53
	Acetone oils	3	UN1091	II	3	IB2, T4, TP1, TP8	150	202	242	5 L	60 L	B
	Acetonitrile	3	UN1648	II	3	IB2, T7, TP2	150	202	242	5 L	60 L	B	40
	Acetyl acetone peroxide with more than 9 percent by mass active oxygen.	Forbidden											

<i>Acetyl benzoyl peroxide, solid, or with more than 40 percent in solution.</i>	Forbidden			B2, IB2, T8, TP2, TP12	154	202	242
Acetyl bromide	8	UN1716	II	8	B2, IB2, T8, TP2, TP12	154	202	242	1 L	30 L	C	40	
Acetyl chloride	3	UN1717	II	3, 8	A3, A6, A7, IB1, N34, T8, TP2, TP12	150	202	243	1 L	5 L	B	40	
<i>Acetyl cyclohexanesulfonyl peroxide, with more than 82 percent wetted with less than 12 percent water.</i>	Forbidden		
Acetyl iodide	8	UN1898	II	8	B2, IB2, T7, TP2, TP13	154	202	242	1 L	30 L	C	40	
Acetyl methyl carbinol	3	UN2621	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
<i>Acetyl peroxide, solid, or with more than 25 percent in solution.</i>	Forbidden		
Acetylene, dissolved	2.1	UN1001	2.1	N86, N88	None	303	None	Forbidden	15 kg	D	25, 40, 57	
<i>Acetylene (liquefied)</i>	Forbidden		
<i>Acetylene silver nitrate</i>	Forbidden		
<i>Acetylene, solvent free</i>	Forbidden		
<i>Acetylene tetrabromide, see Tetra(bromomethane).</i>
<i>Acid butyl phosphate, see Butyl acid phosphate.</i>
<i>Acid sludge, see Sludge acid ...</i>
Acridine	6.1	UN2713	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	
Acrolein dimer, stabilized	3	UN2607	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	40	
Acrolein, stabilized	6.1	UN1092	I	6.1, 3	1, B9, B14, B30, B42, B72, B77, T22, TP2, TP7, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40	
Acrylamide, solid	6.1	UN2074	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	12	
Acrylamide solution	6.1	UN3426	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	12	
Acrylic acid, stabilized	8	UN2218	II	8, 3	B2, IB2, T7, TP2	154	202	243	1 L	30 L	C	25, 40	
Acrylonitrile, stabilized	3	UN1093	I	3, 6.1	B9, T14, TP2, TP13	None	201	243	Forbidden	30 L	E	40	
<i>Actuating cartridge, explosive, see Cartridges, power device.</i>
<i>Adhesives, containing a flammable liquid.</i>	3	UN1133	I	3	B42, T11, TP1, TP8, TP27	150	201	243	1 L	30 L	B	
.....	II	3	149, B52, IB2, T4, TP1, TP8	150	173	242	5 L	60 L	B	
.....	III	3	B1, B52, IB3, T2, TP1	150	173	242	60 L	220 L	A	

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions (8A)	Non- bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8A)	(8B)	(8C)	(9A)	(9B)	(10A)	(10B)
I	Adiponitrile	6.1	UN2205	III	6.1	IB3, T3, TP1	153	203	241	60 L	220 L	A
	Aerosols, corrosive, Packing Group II or III, (each not exceeding 1 L capacity).	2.2	UN1950	2.2, 8	A34	306	None	None	75 kg	150 kg	A	48, 87, 126
	Aerosols, flammable, (each not exceeding 1 L capacity).	2.1	UN1950	2.1	N82	306	None	None	75 kg	150 kg	A	48, 87, 126
	Aerosols, flammable, n.o.s. (engine starting fluid) (each not exceeding 1 L capacity).	2.1	UN1950	2.1	N82	306	304	None	ForbIDDEN	150 kg	A	48, 87, 126
	Aerosols, non-flammable,(each not exceeding 1 L capacity).	2.2	UN1950	2.2	306	None	None	75 kg	150 kg	A	48, 87, 126.
	Aerosols, poison, (each not exceeding 1 L capacity).	2.2	UN1950	2.2, 6.1.	306	None	None	ForbIDDEN	ForbIDDEN	A	48, 87, 126
	Air bag inflators, or Air bag modules, or Seat-belt pretensioners..	1.4G	UN0503	II	1.4G ..	161	None	62	None	ForbIDDEN	75 kg	02
	Air bag inflators, or Air bag modules, or Seat-belt pretensioners..	9	UN3268	III	9	160	166	166	166	25 kg	100 kg	A
	Air, compressed	2.2	UN1002	2.2	78	306, 307.	302	302	75 kg	150 kg	A
	Air, refrigerated liquid, (cryogenic liquid).	2.2	UN1003	2.2, 5.1.	T75, TP5, TP22	320	316	318, 319.	ForbIDDEN	ForbIDDEN	D	51
	Air, refrigerated liquid, (cryogenic liquid) non-pressurized.	2.2	UN1003	2.2, 5.1.	T75, TP5, TP22	320	316	318, 319.	ForbIDDEN	ForbIDDEN	D	51
	Aircraft engines (including turbines), see Engines, internal combustion.
	Aircraft evacuation slides, see Life saving appliances etc.
	Aircraft hydraulic power unit fuel tank (containing a mixture of anhydrous hydrazine and monomethyl hydrazine) (M86 fuel).	3	UN3165	I	3, 6.1, 8.	None	172	None	ForbIDDEN	42 L	E
	Aircraft survival kits, see Life saving appliances etc.

135	G	Alcoholates solution, n.o.s., <i>in alcohol.</i>	3	UN3274	II	3, 8	IB2	150	202	243	1 L	5 L	B
	G	Alcoholic beverages	3	UN3065	II	3	24, 149, B1, IB2, T4, TP1	150	202	242	5 L	60 L	A
					III	3	24, B1, IB3, N11, T2, TP1	150	203	242	60 L	220 L	A
	G	Alcohols, n.o.s.	3	UN1987	I	3	172, T11, TP1, TP8, TP27	None	201	243	1 L	30 L	E
					II	3	172, IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L	B
					III	3	172, B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A.
	G	Alcohols, flammable, toxic n.o.s	3	UN1986	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	E	40
					II	3, 6.1	IB2, T11, TP2, TP27	150	202	243	1 L	60 L	B	40
					III	3, 6.1	B1, IB3, T7, TP1, TP28	150	203	242	60 L	220 L	A
	G	Aldehydes, n.o.s.	3	UN1989	I	3	T11, TP1, TP27	None	201	243	1 L	30 L	E
					II	3	IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L	B
					III	3	B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A
	G	Aldehydes, flammable, toxic, n.o.s..	3	UN1988	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	E	40
					II	3, 6.1	IB2, T11, TP2, TP27	150	202	243	1 L	60 L	B	40
					III	3, 6.1	B1, IB3, T7, TP1, TP28	150	203	242	60 L	220 L	A
	G	Aldol	6.1	UN2839	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	12
	G	Alkali metal alcoholates, self-heating, corrosive, n.o.s..	4.2	UN3206	II	4.2, 8	64, A7, IB5, IP2, T3, TP33	None	212	242	15 kg	50 kg	B
					III	4.2, 8	64, A7, IB8, IP3, T1, TP33	None	213	242	25 kg	100 kg	B
	G	Alkali metal alloys, liquid, n.o.s.	4.3	UN1421	I	4.3	A2, A3, A7, B48, N34	None	201	244	Forbidden	1 L	D	52
	G	Alkali metal amalgam, liquid	4.3	UN1389	I	4.3	A2, A3, A7, N34 IB4, IP1, N40,	None	201	244	Forbidden	1 L	D	40, 52
	G	Alkali metal amalgam, solid	4.3	UN3401	I	4.3	IB4, IP1, N40, T9, TP7, TP33	None	211	242	Forbidden	15 kg	D	52
	G	Alkali metal amides	4.3	UN1390	II	4.3	A6, A7, A8, A19, A20, IB7, IP2, T3, TP33	151	212	241	15 kg	50 kg	E	40, 52
	G	Alkali metal dispersions, or Alkaline earth metal dispersions. <i>Alkaline corrosive liquids, n.o.s., see Caustic alkali liquids, n.o.s..</i>	4.3	UN1391	I	4.3	A2, A3, A7	None	201	244	Forbidden	1 L	D	52
	G	Alkaline earth metal alcoholates, n.o.s..	4.2	UN3205	II	4.2	65, A7, IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	B

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air-craft only (9B)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8A)	(8B)	(8C)	(9A)	(9B)	(10A)	(10B)
G	III	4.2	65, A7, IB8, IP3, T1, TP33	None	213	241	25 kg	100 kg	B
	Alkaline earth metal alloys, n.o.s..	4.3	UN1393	II	4.3	A19, IB7, IP2, T3, TP33	151	212	241	15 kg	50 kg	E	52
	Alkaline earth metal amalgams, liquid.	4.3	UN1392	I	4.3	A19, N34, N40	None	201	244	Forbidden	1 L	E	40, 52
	Alkaline earth metal amalgams, solid.	4.3	UN3402	I	4.3	A19, N34, N40, T9, TP7, TP33	None	211	242	Forbidden	15 kg	D	52
	Alkaloids, liquid, n.o.s., or Alkaloid salts, liquid, n.o.s..	6.1	UN3140	I	6.1	A4, T14, TP2, TP27	None	201	243	1 L	30 L	A
	II	6.1	IB2, T11, TP2, TP27	153	202	243	5 L	60 L	A
G	III	6.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A
	Alkaloids, solid, n.o.s. or Alkaloid salts, solid, n.o.s. poisonous.	6.1	UN1544	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A
	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Alkyl sulfonic acids, liquid or Aryl sulfonic acids, liquid with more than 5 percent free sulfuric acid.	8	UN2584	II	8	B2, IB2, T8, TP2, TP12, TP13	154	202	242	1 L	30 L	B
	Alkyl sulfonic acids, liquid or Aryl sulfonic acids, liquid with not more than 5 percent free sulfuric acid.	8	UN2586	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	B
G	Alkyl sulfonic acids, solid or Aryl sulfonic acids, solid, with more than 5 percent free sulfuric acid.	8	UN2583	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A
	Alkyl sulfonic acids, solid or Aryl sulfonic acids, solid, with not more than 5 percent free sulfuric acid.	8	UN2585	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A

Alkylphenols, liquid, n.o.s. (<i>including C₂-C₁₂ homologues</i>)	8	UN3145	I	8	A6, T14, TP2	None	201	243	0.5 L	2.5 L	B
.....	II	8	IB2, T11, TP2, TP27	154	202	242	1 L	30 L	B
.....	III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A
Alkylphenols, solid, n.o.s. (<i>including C₂-C₁₂ homologues</i>)	8	UN2430	I	8	IB7, IP1, T6, TP33	None	211	242	1 kg	25 kg	B
.....	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	B
.....	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
Alkylsulfuric acids	8	UN2571	II	8	B2, IB2, T8, TP2, TP12, TP13, TP28	154	202	242	1 L	30 L	C	14
<i>Allethrin, see Pesticides, liquid, toxic, n.o.s..</i>
Allyl acetate	3	UN2333	II	3, 6.1	IB2, T7, TP1, TP13	150	202	243	1 L	60 L	E	40
Allyl alcohol	6.1	UN1098	I	6.1, 3	2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
Allyl bromide	3	UN1099	I	3, 6.1	T14, TP2, TP13	None	201	243	Forbidden	30 L	B	40
Allyl chloride	3	UN1100	I	3, 6.1	T14, TP2, TP13	None	201	243	Forbidden	30 L	E	40
<i>Allyl chlorocarbonate, see Allyl chloroformate.</i>
Allyl chloroformate	6.1	UN1722	I	6.1, 3, 8.	2, B9, B14, B32, B74, N41, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
Allyl ethyl ether	3	UN2335	II	3, 6.1	IB2, T7, TP1, TP13	150	202	243	1 L	60 L	E	40
Allyl formate	3	UN2336	I	3, 6.1	T14, TP2, TP13	None	201	243	Forbidden	30 L	E	40
Allyl glycidyl ether	3	UN2219	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Allyl iodide	3	UN1723	II	3, 8	A3, A6, IB1, N34, T7, TP2, TP13	150	202	243	1 L	5 L	B	40
Allyl isothiocyanate, stabilized ...	6.1	UN1545	II	6.1, 3	A3, A7, IB2, T7, TP2	None	202	243	Forbidden	60 L	D	40
Allylamine	6.1	UN2334	I	6.1, 3	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
Allyltrichlorosilane, stabilized	8	UN1724	II	8, 3	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	243	Forbidden	30 L	C	40
Aluminum alkyl halides, liquid	4.2	UN3052	I	4.2, 4.3.	173, B9, B11, T21, TP2, TP7	None	181	244	Forbidden	Forbidden	D	134

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air-craft only (9B)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8A)	(8B)	(8C)	(9A)	(9B)	(10A)	(10B)
	Aluminum alkyl halides, solid	4.2	UN3461	I	4.2, 4.3.	173, T21, TP7, TP33	None	181	244	Forbidden	Forbidden	D	134
	Aluminum alkyl hydrides	4.2	UN3076	I	4.2, 4.3.	173, B9, B11, T21, TP2, TP7	None	181	244	Forbidden	Forbidden	D
	Aluminum alkyls	4.2	UN3051	I	4.2, 4.3.	173, B9, B11, T21, TP2, TP7	None	181	244	Forbidden	Forbidden	D
	Aluminum borohydride or Alu-minum borohydride in devices.	4.2	UN2870	I	4.2, 4.3.	B11, T21, TP7, TP33	None	181	244	Forbidden	Forbidden	D
	Aluminum bromide, anhydrous ..	8	UN1725	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	40
	Aluminum bromide, solution	8	UN2580	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Aluminum carbide	4.3	UN1394	II	4.3	A20, IB7, IP2,	151	212	242	15 kg	50 kg	A	52
	Aluminum chloride, anhydrous ..	8	UN1726	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	40
	Aluminum chloride, solution	8	UN2581	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Aluminum dross, wet or hot	Forbidden
	Aluminum ferrosilicon powder ..	4.3	UN1395	II	4.3, 6.1.	A19, IB5, IP2, T3, TP33	151	212	242	15 kg	50 kg	A	39, 40, 52, 53, 85, 103
	III	4.3, 6.1.	A19, A20, IB4	151	213	241	25 kg	100 kg	A	39, 40, 52, 53, 85, 103
D	Aluminum hydride	4.3	UN2463	I	4.3	A19, N40	None	211	242	Forbidden	15 kg	E
	Aluminum, molten	9	NA9260	III	9	IB3, T1, TP3	None	None	247	Forbidden	Forbidden	D
	Aluminum nitrate	5.1	UN1438	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
	Aluminum phosphate solution, see Corrosive liquids, etc.
	Aluminum phosphide	4.3	UN1397	I	4.3, 6.1.	A8, A19, N40	None	211	242	Forbidden	15 kg	E	40, 52, 85
	Aluminum phosphide pesticides	6.1	UN3048	I	6.1	A8, IB7, IP1, T6, TP33	None	211	242	Forbidden	15 kg	E	40, 85
	Aluminum powder, coated	4.1	UN1309	II	4.1	IB8, IP2, IP4, T3, TP33	151	212	240	15 kg	50 kg	A	13, 39, 52, 53, 74, 101
	III	4.1	IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	A	13, 39, 52, 53, 74, 101

G	Aluminum powder, uncoated	4.3	UN1396	II	4.3	A19, A20, IB7, IP2, T3, TP33	151	212	242	15 kg	50 kg	A	39, 52, 53
	III	4.3	A19, A20, IB8, IP4, T1, TP33	151	213	241	25 kg	100 kg	A	39, 52, 53
	Aluminum resinate	4.1	UN2715	III	4.1	IB6, T1, TP33	151	213	240	25 kg	100 kg	A
	Aluminum silicon powder, uncoated.	4.3	UN1398	III	4.3	A1, A19, IB8, IP4, T1, TP33	151	213	241	25 kg	100 kg	A	39, 40, 52, 53, 85, 103
	Aluminum smelting by-products or Aluminum remelting by- products.	4.3	UN3170	II	4.3	128, B115, IB7, IP2, T3, TP33	None	212	242	15 kg	50 kg	B	85, 103
	III	4.3	128, B115, IB8, IP4, T1, TP33	None	213	241	25 kg	100 kg	B	85, 103
	Amatols, see Explosives, blast- ing, type B.
	Amines, flammable, corrosive, n.o.s. or Polyamines, flam- mable, corrosive, n.o.s.	3	UN2733	I	3, 8	T14, TP1, TP27	None	201	243	0.5 L	2.5 L	D	40, 52.
	Amines, liquid, corrosive, flam- mable n.o.s. or Polyamines, liquid corrosive, flammable n.o.s.	8	UN2734	I	8,3	A3, A6, N34, T14, TP2, TP27	None	201	243	0.5L	2.5L	A	52
	II	3, 8	IB2, T11, TP1, TP27	150	202	243	1 L	5 L	B	40, 52.
	III	3, 8	B1, IB3, T7, TP1, TP28	150	203	242	5 L	60 L	A	40, 52.
	II	8, 3	IB2, T11, TP2, TP27	None	202	243	1 L	30 L	A	52
	Amines, liquid, corrosive, n.o.s., or Polyamines, liquid, corro- sive, n.o.s..	8	UN2735	I	8	A3, A6, B10, N34, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	A	52
	II	8	B2, IB2, T11, TP1, TP27	154	202	242	1 L	30 L	A	52
	III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A	52
	Amines, solid, corrosive, n.o.s., or Polyamines, solid, corro- sive n.o.s..	8	UN3259	I	8	IB7, IP1, T6, TP33	None	211	242	1 kg	25 kg	A	52
	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	52
	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	52
	2-Amino-4-chlorophenol	6.1	UN2673	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	2-Amino-5-diethylaminopentane	6.1	UN2946	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	2-Amino-4,6-Dinitrophenol, wetted with not less than 20 percent water by mass.	4.1	UN3317	I	4.1	23, A8, A19, A20, N41	None	211	None	1 kg	15 kg	E	28, 36
	2-(2-Aminoethoxy) ethanol	8	UN3055	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	N-Aminoethylpiperazine	8	UN2815	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A	12

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols (1)	Hazardous materials descrip- tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica- tion Num- bers (4)	PG (5)	Label Codes (6)	Special provi- sions (& 172.102) (7)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion (10A)	Other (10B)
							Excep- tions (8A)	Non- bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
+	Aminophenols (o-; m-; p-)	6.1	UN2512	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	<i>Aminopropylidethanolamine, see Amines, etc.</i>
	<i>n-Aminopropylmorpholine, see Amines, etc.</i>
	Aminopyridines (o-; m-; p-)	6.1	UN2671	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B	12, 40, 52.
I	Ammonia, anhydrous	2.3	UN1005	2.3, 8	4, N87, T50	None	304	314, 315.	Forbidden	Forbidden	D	40, 52, 57
D	Ammonia, anhydrous	2.2	UN1005	2.2	13, T50	None	304	314, 315.	Forbidden	Forbidden	D	40, 52, 57
I	Ammonia solution, relative den- sity less than 0.880 at 15 de- grees C in water, with more than 50 percent ammonia.	2.3	UN3318	2.3, 8	4, N87, T50	None	304	314, 315.	Forbidden	Forbidden	D	40, 52, 57
D	Ammonia solution, relative den- sity less than 0.880 at 15 de- grees C in water, with more than 50 percent ammonia.	2.2	UN3318	2.2	13, T50	None	304	314, 315.	Forbidden	Forbidden	D	40, 52, 57
	Ammonia solutions, relative den- sity less than 0.880 at 15 de- grees C in water, with more than 35 percent but not more than 50 percent ammonia.	2.2	UN2073	2.2	N87	306	304	314, 315.	Forbidden	150 kg	E	40, 52, 57
	Ammonia solution, relative den- sity between 0.880 and 0.957 at 15 degrees C in water, with more than 10 percent but not more than 35 percent ammo- nia.	8	UN2672	III	8	IB3, IP8, T7, TP1	154	203	241	5 L	60 L	A	40, 52, 85
	Ammonium arsenate	6.1	UN1546	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	53
	<i>Ammonium azide</i>	Forbidden
	<i>Ammonium bifluoride, solid, see Ammonium hydrogen difluoride, solid.</i>

	<i>Ammonium bifluoride solution, see Ammonium hydrogen difluoride, solution.</i>													
	<i>Ammonium bromate</i>	Forbidden													
	<i>Ammonium chlorate</i>	Forbidden													
	<i>Ammonium dichromate</i>	5.1	UN1439	II	5.1	IB8, IP2, IP4, T3, TP33	152	212	242		5 kg	25 kg	A	52	
D	<i>Ammonium dinitro-o-cresolate, solid.</i>	6.1	UN1843	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242		25 kg	100 kg	B	36, 65, 66, 77	
	<i>Ammonium dinitro-o-cresolate solution.</i>	6.1	UN3424	II	6.1	IB2, T7, TP2	153	202	243		5 L	60 L	B	36, 66, 78, 91	
				III	6.1	IB2, T7, TP2	153	203	241		60 L	220 L	A	36, 66, 78, 91	
	<i>Ammonium fluoride</i>	6.1	UN2505	III	6.1	IB8, IP3, T1, TP33	153	213	240		100 kg	200 kg	A	52	
	<i>Ammonium fluorosilicate</i>	6.1	UN2854	III	6.1	IB8, IP3, T1, TP33	153	213	240		100 kg	200 kg	A	52	
	<i>Ammonium fulminate</i>	Forbidden													
D	<i>Ammonium hydrogen sulfate</i>	8	UN2506	II	8	IB8, IP2, IP4, T3, TP33	154	212	240		15 kg	50 kg	A	40	
	<i>Ammonium hydrogendifluoride, solid.</i>	8	UN1727	II	8	IB8, IP2, IP4, N34, T3, TP33	154	212	240		15 kg	50 kg	A	25, 40, 52	
	<i>Ammonium hydrogendifluoride, solution.</i>	8	UN2817	II	8, 6.1	IB2, N34, T8, TP2, TP12, TP13	154	202	243		1 L	30 L	B	40	
				III	8, 6.1	IB3, N3, T4, TP1, TP12, TP13	154	203	241		5 L	60 L	B	40, 95	
	<i>Ammonium hydrosulfide, solution, see Ammonium sulfide solution.</i>													
D	<i>Ammonium hydroxide, see Ammonia solutions, etc.</i>													
	<i>Ammonium metavanadate</i>	6.1	UN2859	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242		25 kg	100 kg	A	44, 89, 100, 141	
A W	<i>Ammonium nitrate based fertilizer.</i>	5.1	UN2067	III	5.1	52, 150, IB8, IP3, T1, TP33	152	213	240		25 kg	100 kg	B	48, 59, 60, 66, 117	
	<i>Ammonium nitrate based fertilizer.</i>	9	UN2071	III	9	132, IB8, IP3	155	213	240		200 kg	200 kg	A	
	<i>Ammonium nitrate emulsion or Ammonium nitrate suspension or Ammonium nitrate gel, intermediate for blasting explosives.</i>	5.1	UN3375	II	5.1	147, 163	None	214	214	Forbidden	Forbidden	D	48, 59, 60, 66, 124		
D	<i>Ammonium nitrate-fuel oil mixture containing only prilled ammonium nitrate and fuel oil.</i>	1.5D	NA0331	II	1.5D		None	62	None	Forbidden	Forbidden	10	19E		
	<i>Ammonium nitrate, liquid (hot concentrated solution).</i>	5.1	UN2426	5.1	B5, T7	None	None	243	Forbidden	Forbidden	D	59, 60		

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	Ammonium nitrate, with more than 0.2 percent combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance.	1.1D	UN0222	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	19E
	Ammonium nitrate, with not more than 0.2% total combustible material, including any organic substance, calculated as carbon to the exclusion of any other added substance.	5.1	UN1942	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	48, 59, 60, 116
	Ammonium nitrite	Forbidden											
	Ammonium perchlorate	1.1D	UN0402	II	1.1D	10	19E
	Ammonium perchlorate	5.1	UN1442	II	5.1	107, A9, IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	E	58, 69
	Ammonium permanganate	Forbidden											
	Ammonium persulfate	5.1	UN1444	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
	Ammonium picrate, dry or wetted with less than 10 percent water, by mass.	1.1D	UN0004	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	5E, 19E
	Ammonium picrate, wetted with not less than 10 percent water, by mass.	4.1	UN1310	I	4.1	23, A2, N41	None	211	None	0.5 kg	0.5 kg	D	28, 36
	Ammonium polysulfide, solution	8	UN2818	II	8, 6.1	IB2, T7, TP2, TP13	154	202	243	1 L	30 L	B	12, 40, 52
			III	8, 6.1	IB3, T4, TP1, TP13	154	203	241	5 L	60 L	B	12, 40, 52
	Ammonium polyvanadate	6.1	UN2861	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	44, 89, 100, 141
	Ammonium silicofluoride, see Ammonium fluorosilicate.		
	Ammonium sulfide solution	8	UN2683	II	8, 6.1, 3.	IB1, T7, TP2, TP13	154	202	243	1 L	30 L	B	12, 22, 52, 100
	Ammunition, blank, see Cartridges for weapons, blank.		

Ammunition, illuminating with or without burster, expelling charge or propelling charge.	1.2G	UN0171	II	1.2G	62	None	Forbidden	Forbidden	03
Ammunition, illuminating with or without burster, expelling charge or propelling charge.	1.3G	UN0254	II	1.3G	62	None	Forbidden	Forbidden	03
Ammunition, illuminating with or without burster, expelling charge or propelling charge.	1.4G	UN0297	II	1.4G	62	None	Forbidden	75 kg	02
Ammunition, incendiary liquid or gel, with burster, expelling charge or propelling charge.	1.3J	UN0247	II	1.3J	62	None	Forbidden	Forbidden	04	23E
Ammunition, incendiary (water-activated contrivances) with burster, expelling charge or propelling charge, see Contrivances, water-activated, etc..
Ammunition, incendiary, white phosphorus, with burster, expelling charge or propelling charge.	1.2H	UN0243	II	1.2H	62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E
Ammunition, incendiary, white phosphorus, with burster, expelling charge or propelling charge.	1.3H	UN0244	II	1.3H	62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E
Ammunition, incendiary with or without burster, expelling charge, or propelling charge.	1.2G	UN0009	II	1.2G	62	None	Forbidden	Forbidden	03
Ammunition, incendiary with or without burster, expelling charge, or propelling charge.	1.3G	UN0010	II	1.3G	62	None	Forbidden	Forbidden	03
Ammunition, incendiary with or without burster, expelling charge or propelling charge.	1.4G	UN0300	II	1.4G	62	None	Forbidden	75 kg	02
Ammunition, practice	1.4G	UN0362	II	1.4G	62	None	Forbidden	75 kg	02
Ammunition, practice	1.3G	UN0488	II	1.3G	62	None	Forbidden	Forbidden	03
Ammunition, proof	1.4G	UN0363	II	1.4G	62	None	Forbidden	75 kg	02
Ammunition, rocket, see Warheads, rocket etc.
Ammunition, SA (small arms), see Cartridges for weapons, etc.
Ammunition, smoke (water-activated contrivances), white phosphorus, with burster, expelling charge or propelling charge, see Contrivances, water-activated, etc. (UN 0248).

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	Ammunition, smoke (water-acti-vated contrivances), without white phosphorus or phosphides, with burster, expelling charge or propelling charge, see Contrivances, water-activated, etc. (UN 0249).
	Ammunition smoke, white phosphorus with burster,expelling charge, or propelling charge.	1.2H	UN0245	II	1.2H	62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E
	Ammunition, smoke, white phosphorus with burster, expelling charge, or propelling charge.	1.3H	UN0246	II	1.3H	62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E
	Ammunition, smoke with or with-out burster, expelling charge or propelling charge.	1.2G	UN0015	II	1.2G	62	None	Forbidden	Forbidden	8E, 17E, 20E
	Ammunition, smoke with or with-out burster, expelling charge or propelling charge.	1.3G	UN0016	II	1.3G	62	None	Forbidden	Forbidden	8E, 17E, 20E
	Ammunition, smoke with or with-out burster, expelling charge or propelling charge.	1.4G	UN0303	II	1.4G	62	None	Forbidden	75 kg	7E, 8E, 14E, 15E, 17E
	Ammunition, sporting, see Car-trtridges for weapons, etc. (UN 0012; UN 0328; UN 0339).
	Ammunition, tear-producing, non-explosive, without burster or expelling charge, non-fuzed.	6.1	UN2017	II	6.1, 8	None	212	None	Forbidden	50 kg	E	13, 40
	Ammunition, tear-producing with burster, expelling charge or propelling charge.	1.2G	UN0018	II	1.2G, 8, 6.1.	62	None	Forbidden	Forbidden	8E, 17E, 20E
	Ammunition, tear-producing with burster, expelling charge or propelling charge.	1.3G	UN0019	II	1.3G, 8, 6.1.	62	None	Forbidden	Forbidden	8E, 17E, 20E

	Ammunition, tear-producing with burster, expelling charge or propelling charge.	1.4G	UN0301	II	1.4G, 8, 6.1.		62	None	Forbidden	75 kg		7E, 8E, 14E, 15E, 17E
	Ammunition, toxic, non-explosive, without burster or expelling charge, non-fuzed.	6.1	UN2016	II	6.1		None	212	None	Forbidden	100 kg	E	13, 40
	Ammunition, toxic (water-activated contrivances), with burster, expelling charge or propelling charge, see Contrivances, water-activated, etc.
G	Ammunition, toxic with burster, expelling charge, or propelling charge.	1.2K	UN0020	II	1.2K, 6.1.		62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E
G	Ammunition, toxic with burster, expelling charge, or propelling charge.	1.3K	UN0021	II	1.3K, 6.1.		62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E
	Amyl acetates	3	UN1104	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Amyl acid phosphate	8	UN2819	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Amyl butyrates	3	UN2620	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Amyl chlorides	3	UN1107	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Amyl formates	3	UN1109	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Amyl mercaptans	3	UN1111	II	3	A3, A6, IB2, T4, TP1	None	202	242	5 L	60 L	B	95, 102
	n-Amyl methyl ketone	3	UN1110	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Amyl nitrate	3	UN1112	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	40
	Amyl nitrites	3	UN1113	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E	40
	Amylamines	3	UN1106	II	3, 8 ...	IB2, T7, TP1	150	202	243	1 L	5 L	B
	III	3, 8 ...	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A
	Amyltrichlorosilane	8	UN1728	II	8	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40
	Anhydrous ammonia, see Ammonia, anhydrous.
	Anhydrous hydrofluoric acid, see Hydrogen fluoride, anhydrous.
+	Aniline	6.1	UN1547	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	40, 52
	Aniline hydrochloride	6.1	UN1548	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Aniline oil, see Aniline
	Anisidines	6.1	UN2431	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Anisole	3	UN2222	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Anisoyl chloride	8	UN1729	II	8	B2, B4, IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A
	Anti-freeze, liquid, see Flammable liquids, n.o.s..

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num- bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non- bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	<i>Antimonous chloride, see Anti-mony trichloride.</i>												
	Antimony compounds, inorganic, liquid, n.o.s..	6.1	UN3141	III	6.1	35, IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A
	Antimony compounds, inorganic, solid, n.o.s..	6.1	UN1549	III	6.1	35, IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Antimony lactate	6.1	UN1550	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Antimony pentachloride, liquid ...	8	UN1730	II	8	B2, IB2, T7, TP2	None	202	242	1 L	30 L	C	40
	Antimony pentachloride, solu-tions.	8	UN1731	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	C	40
			III	8	IB3, T4, TP1	154	203	241	5 L	60 L	C	40
	Antimony pentafluoride	8	UN1732	II	8, 6.1	A3, A6, A7, A10, IB2, N3, N36, T7, TP2	None	202	243	Forbidden	30 L	D	44, 89, 100, 141
	Antimony potassium tartrate	6.1	UN1551	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Antimony powder	6.1	UN2871	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	<i>Antimony sulfide and a chlorate, mixtures of.</i>	Forbidden											
	<i>Antimony sulfide, solid, see Antimony compounds, inorganic, n.o.s..</i>												
	Antimony trichloride, liquid	8	UN1733	II	8	B2, IB2	154	202	242	1 L	30 L	C	40
	Antimony trichloride, solid	8	UN1733	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	40
	<i>Aqua ammonia, see Ammonia solution, etc.</i>												
	Argon, compressed	2.2	UN1006	2.2		306	302	314, 315.	75 kg	150 kg	A
	Argon, refrigerated liquid (<i>cryo-genic liquid</i>).	2.2	UN1951	2.2	T75, TP5	320	316	318	50 kg	500 kg	B
	Arsenic	6.1	UN1558	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Arsenic acid, liquid	6.1	UN1553	I	6.1	T20, TP2, TP7, TP13	None	201	243	1 L	30 L	B	46
	Arsenic acid, solid	6.1	UN1554	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A

Arsenic bromide	6.1	UN1555	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	12, 40
<i>Arsenic chloride, see Arsenic trichloride.</i>
Arsenic compounds, liquid, n.o.s. <i>inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic sulfides, n.o.s.; and organic compounds of arsenic, n.o.s..</i>	6.1	UN1556	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40, 137
.....	II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40, 137
.....	III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	B	40, 137
Arsenic compounds, solid, n.o.s. <i>inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic sulfides, n.o.s.; and organic compounds of arsenic, n.o.s..</i>	6.1	UN1557	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	137
.....	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	137
.....	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	137
Arsenic pentoxide	6.1	UN1559	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
<i>Arsenic sulfide and a chlorate, mixtures of.</i>	Forbidden
Arsenic trichloride	6.1	UN1560	I	6.1	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	B	40
Arsenic trioxide	6.1	UN1561	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
<i>Arsenic, white, solid, see Arsenic trioxide.</i>
Arsenical dust	6.1	UN1562	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
Arsenical pesticides, liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN2760	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40
.....	II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40
Arsenical pesticides, liquid, toxic	6.1	UN2994	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....	II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
.....	III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions (8A)	Non- bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8A)	(8B)	(8C)	(9A)	(9B)	(10A)	(10B)
	Arsenical pesticides, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN2993	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
	II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
	III	6.1, 3	B1, IB3, T7, TP2, TP28	153	203	242	60 L	220 L	A	40
	Arsenical pesticides, solid, toxic	6.1	UN2759	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
	<i>Arsenious acid, solid, see Arsenic trioxide.</i>
	<i>Arsenious and mercuric iodide solution, see Arsenic compounds, liquid, n.o.s..</i>
	Arsine	2.3	UN2188	2.3, 2.1.	1	None	192	245	Forbidden	Forbidden	D	40
	Articles, explosive, extremely insensitive or Articles, EEI.	1.6N	UN0486	II	1.6N	None	62	None	Forbidden	Forbidden	07	
G	Articles, explosive, n.o.s	1.4S	UN0349	II	1.4S	None	62	None	25 kg	100 kg	05	
G	Articles, explosive, n.o.s	1.4B	UN0350	II	1.4B	None	62	None	Forbidden	Forbidden	06	
G	Articles, explosive, n.o.s	1.4C	UN0351	II	1.4C	None	62	None	Forbidden	75 kg	06	
G	Articles, explosive, n.o.s	1.4D	UN0352	II	1.4D	None	62	None	Forbidden	75 kg	06	
G	Articles, explosive, n.o.s	1.4G	UN0353	II	1.4G	None	62	None	Forbidden	75 kg	06	
G	Articles, explosive, n.o.s	1.1L	UN0354	II	1.1L	None	62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E.
G	Articles, explosive, n.o.s	1.2L	UN0355	II	1.2L	None	62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E.

G	Articles, explosive, n.o.s	1.3L	UN0356	II	1.3L	None	62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E.	
G	Articles, explosive, n.o.s	1.1C	UN0462	II	1.1C	None	62	None	Forbidden	Forbidden	07		
G	Articles, explosive, n.o.s	1.1D	UN0463	II	1.1D	None	62	None	Forbidden	Forbidden	07		
G	Articles, explosive, n.o.s	1.1E	UN0464	II	1.1E	None	62	None	Forbidden	Forbidden	07		
G	Articles, explosive, n.o.s	1.1F	UN0465	II	1.1F	None	62	None	Forbidden	Forbidden	08		
G	Articles, explosive, n.o.s	1.2C	UN0466	II	1.2C	None	62	None	Forbidden	Forbidden	07		
G	Articles, explosive, n.o.s	1.2D	UN0467	II	1.2D	None	62	None	Forbidden	Forbidden	07.		
G	Articles, explosive, n.o.s	1.2E	UN0468	II	1.2E	None	62	None	Forbidden	Forbidden	07		
G	Articles, explosive, n.o.s	1.2F	UN0469	II	1.2F	None	62	None	Forbidden	Forbidden	08		
G	Articles, explosive, n.o.s	1.3C	UN0470	II	1.3C	None	62	None	Forbidden	Forbidden	07		
G	Articles, explosive, n.o.s	1.4E	UN0471	II	1.4E	None	62	None	Forbidden	75 kg	06		
G	Articles, explosive, n.o.s	1.4F	UN0472	II	1.4F	None	62	None	Forbidden	Forbidden	08		
	Articles, pressurized pneumatic or hydraulic containing non-flammable gas.	2.2	UN3164	2.2		306	302,	None	No limit	No limit	A		
								304.						
	Articles, pyrophoric	1.2L	UN0380	II	1.2L	None	62	None	Forbidden	Forbidden	08	8E, 14E, 15E, 17E	
	Articles, pyrotechnic for technical purposes.	1.1G	UN0428	II	1.1G	None	62	None	Forbidden	Forbidden	07		
	Articles, pyrotechnic for technical purposes.	1.2G	UN0429	II	1.2G	None	62	None	Forbidden	Forbidden	07		
	Articles, pyrotechnic for technical purposes.	1.3G	UN0430	II	1.3G	None	62	None	Forbidden	Forbidden	07		
	Articles, pyrotechnic for technical purposes.	1.4G	UN0431	II	1.4G	None	62	None	Forbidden	75 kg	06		
	Articles, pyrotechnic for technical purposes.	1.4S	UN0432	II	1.4S	None	62	None	25 kg	100 kg	05		
D	Asbestos	9	NA2212	III	9	156, IB8, IP2, IP4	155	216	240	200 kg	200 kg	A	34, 40	
D	Ascaridole (organic peroxide)	Forbidden												
D	Asphalt, at or above its flash point.	3	NA1999	III	3	IB3, T1, TP3	150	203	247	Forbidden	Forbidden	D		
D	Asphalt, cut back, see Tars, liquid, etc.													
	Automobile, motorcycle, tractor, other self-propelled vehicle, engine, or other mechanical apparatus, see Vehicles or Battery etc.													
A G	Aviation regulated liquid, n.o.s. ..	9	UN3334	9		A35	155	204	No limit	No limit	A	
A G	Aviation regulated solid, n.o.s.	9	UN3335	9		A35	155	204	No limit	No limit	A	
	Azaurolic acid (salt of) (dry)	Forbidden												
	Azido guanidine picrate (dry)	Forbidden												
	5-Azido-1-hydroxy tetrazole	Forbidden												

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	Azido hydroxy tetrazole (<i>mer-cury and silver salts</i>). 3-Azido-1,2-Propylene glycol dinitrate. Azidodithiocarbonic acid	Forbidden		
	3-Azido-1,2-Propylene glycol dinitrate.	Forbidden		
	Azidodithiocarbonic acid	Forbidden		
	Azidoethyl nitrate	Forbidden		
	1-Aziridinylphosphine oxide- (tris, see Tris-(1-aziridinyl) phosphine oxide, solution.
	Azodicarbonamide	4.1	UN3242	II	4.1	38, IB8, T3, TP33	151	212	240	Forbidden	Forbidden	D	12, 52, 53, 74
	Azotetrazole (<i>dry</i>)	Forbidden		
	Barium	4.3	UN1400	II	4.3	A19, IB7, IP2, T3, TP33	151	212	241	15 kg	50 kg	E	52
	Barium alloys, pyrophoric	4.2	UN1854	I	4.2	T21, TP7, TP33	None	181	None	Forbidden	Forbidden	D
	Barium azide, <i>dry</i> or wetted with less than 50 percent water, by mass.	1.1A	UN0224	II	1.1A, 6.1.	111, 117	None	62	None	Forbidden	Forbidden	12
	Barium azide, wetted with <i>not</i> <i>less than 50 percent water, by</i> <i>mass.</i>	4.1	UN1571	I	4.1, 6.1.	162, A2	None	182	None	Forbidden	0.5 kg	D	28
	Barium bromate	5.1	UN2719	II	5.1, 6.1.	IB8, IP2, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Barium chlorate, solid	5.1	UN1445	II	5.1, 6.1.	A9, IB6, IP2, N34, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Barium chlorate, solution	5.1	UN3405	II	5.1, 6.1.	A9, IB2, N34, T4, TP1	152	202	243	1 L	5 L	A	56, 58, 133
	III	5.1, 6.1.	A9, IB2, N34, T4, TP1	152	203	242	2.5 L	30 L	A	56, 58, 133
	Barium compounds, n.o.s.	6.1	UN1564	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Barium cyanide	6.1	UN1565	I	6.1	IB7, IP1, N74, N75, T6, TP33	None	211	242	5 kg	50 kg	A	40, 52
	Barium hypochlorite with more than 22 percent available chlorine.	5.1	UN2741	II	5.1, 6.1.	A7, A9, IB8, IP2, IP4, N34, T3, TP33	152	212	None	5 kg	25 kg	B	4, 52, 56, 58, 106

Barium nitrate	5.1	UN1446	II	5.1, 6.1.	IB8, IP2, IP4, T3, TP33	152	212	242	5 kg	25 kg	A
Barium oxide	6.1	UN1884	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
Barium perchlorate, solid	5.1	UN1447	II	5.1, 6.1.	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
Barium perchlorate, solution	5.1	UN3406	II	5.1, 6.1.	IB2, T4, TP1	152	202	243	1 L	5 L	A	56, 58, 133
.....	III	5.1, 6.1.	IB2, T4, TP1	152	203	242	2.5 L	30 L	A	56, 58, 133
Barium permanganate	5.1	UN1448	II	5.1, 6.1.	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	D	56, 58, 138
Barium peroxide	5.1	UN1449	II	5.1, 6.1.	A9, IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	13, 52, 56, 75
<i>Barium selenate, see Selenates or Selenites.</i>
<i>Barium selenite, see Selenates or Selenites.</i>
Batteries, containing sodium	4.3	UN3292	II	4.3	189	189	189	Forbidden	No limit	A
Batteries, dry, containing potassium hydroxide solid, electric, storage.	8	UN3028	III	8	None	213	None	25 kg gross	230 kg gross	A	52.
Batteries, wet, filled with acid, electric storage.	8	UN2794	III	8	159	159	159	30 kg gross	No limit	A
Batteries, wet, filled with alkali, electric storage.	8	UN2795	III	8	159	159	159	30 kg gross	No limit	A	52.
Batteries, wet, non-spillable, electric storage.	8	UN2800	III	8	159	159	159	No Limit	No Limit	A
Batteries, dry, <i>not subject to the requirements of this sub-chapter.</i>	130
Battery fluid, acid	8	UN2796	II	8	A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12	154	202	242	1 L	30 L	B
Battery fluid, alkali	8	UN2797	II	8	B2, IB2, N6, T7, TP2, TP28	154	202	242	1 L	30 L	A	29
<i>Battery lithium type, see Lithium batteries etc.</i>
Battery-powered vehicle or Battery-powered equipment.	9	UN3171	9	134	220	220	None	No limit	No limit
Battery, wet, filled with acid or alkali with vehicle or mechanical equipment containing an internal combustion engine, see Vehicle, etc. or Engines, internal combustion, etc.
+ Benzaldehyde	9	UN1990	III	9	IB3, T2, TP1	155	203	241	100 L	220 L	A
Benzene	3	UN1114	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
<i>Benzene diazonium chloride (dry).</i>	Forbidden

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	<i>Benzene diazonium nitrate (dry)</i> <i>Benzene phosphorus dichloride, see Phenyl phosphorus dichloride.</i>	Forbidden											
	<i>Benzene phosphorus thioc dichloride, see Phenyl phosphorus thioc dichloride.</i>												
	<i>Benzene sulfonyl chloride</i>	8	UN2225	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A	40
	<i>Benzene triozonide</i>	Forbiden											
	<i>Benzenethiol, see Phenyl mercaptan.</i>												
	<i>Benzidine</i>	6.1	UN1885	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
	<i>Benzol, see Benzene</i>												
	<i>Benzonitrile</i>	6.1	UN2224	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	40, 52
	<i>Benzoquinone</i>	6.1	UN2587	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
	<i>Benzotrichloride</i>	8	UN2226	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	40
	<i>Benzotrifluoride</i>	3	UN2338	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
	<i>Benzoxadiazoles (dry)</i>	Forbiden											
	<i>Benzoyl azide</i>	Forbiden											
	<i>Benzoyl chloride</i>	8	UN1736	II	8	B2, IB2, T8, TP2, TP12, TP13	154	202	242	1 L	30 L	C	40
	<i>Benzyl bromide</i>	6.1	UN1737	II	6.1, 8	A3, A7, IB2, N33, N34, T8, TP2, TP12, TP13	None	202	243	1 L	30 L	D	13, 40.
	<i>Benzyl chloride</i>	6.1	UN1738	II	6.1, 8	A3, A7, B70, IB2, N33, N42, T8, TP2, TP12, TP13	None	202	243	1 L	30 L	D	13, 40.
	<i>Benzyl chloride unstabilized</i>	6.1	UN1738	II	6.1, 8	A3, A7, B8, B11, IB2, N33, N34, N43, T8, TP2, TP12, TP13	153	202	243	1 L	30 L	D	13, 40
	<i>Benzyl chloroformate</i>	8	UN1739	I	8	A3, A6, B4, N41, T10, TP2, TP12, TP13	None	201	243	Forbidden	2.5 L	D	40
	<i>Benzyl iodide</i>	6.1	UN2653	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	B	12, 40
	<i>Benzylidimethylamine</i>	8	UN2619	II	8, 3	B2, IB2, T7, TP2	154	202	243	1 L	30 L	A	40, 48
	<i>Benzylidene chloride</i>	6.1	UN1886	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	D	40

Beryllium compounds, n.o.s.	6.1	UN1566	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
.....	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
Beryllium nitrate	5.1	UN2464	II	5.1, 6.1.	IB8, IP2, IP4, T3, TP33	152	212	242	5 kg	25 kg	A
Beryllium, powder	6.1	UN1567	II	6.1, 4.1.	IB8, IP2, IP4, T3, TP33	153	212	242	15 kg	50 kg	A
Bicyclo [2.2.1] hepta-2,5-diene, stabilized or 2,5-Norbornadiene, stabilized. Biological substance, Category B.	3	UN2251	II	3	IB2, T7, TP2	150	202	242	5 L	60 L	D
Biphenyl triozonide	Forbidden 3	UN2782	I	A82	134	199	None ...	4 L or 4 kg	4 L or 4 kg	A	40
Bipyridilium pesticides, liquid, flammable, toxic, <i>flash point</i> <i>less than 23 degrees C.</i>	II	3, 6.1	IB2, T11, TP2, TP13, TP27	None	201	243	Forbidden	30 L	E
Bipyridilium pesticides, liquid, toxic.	6.1	UN3016	I	6.1	T14, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40
.....	II	6.1	IB2, T11, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....	III	6.1	IB3, T7, TP2, TP28	153	202	243	5 L	60 L	B	40
Bipyridilium pesticides, liquid, toxic, flammable, <i>flash point</i> <i>not less than 23 degrees C.</i>	6.1	UN3015	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	60 L	220 L	A	40
.....	II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	1 L	30 L	B	21, 40
.....	III	6.1, 3	B1, IB3, T7, TP2, TP28	153	203	242	5 L	60 L	B	21, 40
Bipyridilium pesticides, solid, toxic.	6.1	UN2781	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
.....	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
.....	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
Bis (Aminopropyl) piperazine, see Corrosive liquid, n.o.s..
Bisulfate, aqueous solution	8	UN2837	II	8	A7, B2, IB2, N34, T7, TP2	154	202	242	1 L	30 L	A
.....	III	8	A7, IB3, N34, T4, TP1	154	203	241	5 L	60 L	A
Bisulfites, aqueous solutions, n.o.s..	8	UN2693	III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A	40, 52
Black powder, compressed or Gunpowder, compressed or Black powder, in pellets or Gunpowder, in pellets.	1.1D	UN0028	II	1.1D	None	62	None ...	Forbidden	Forbidden	10

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10)	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Vessel stow-age
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8A)	(8B)	(8C)	(9A)	(9B)	(10A)	(10B)
D	Black powder or Gunpowder, granular or as a meal.	1.1D	UN0027	II	1.1D ..	70	None	62	None	Forbidden	Forbidden	10
	Black powder for small arms	4.1	NA0027	I	4.1		None	170	None	Forbidden	Forbidden	E
	Blasting agent, n.o.s., see Explosives, blasting etc.
	Blasting cap assemblies, see Detonator assemblies, non-electric, for blasting.
	Blasting caps, electric, see Detonators, electric for blasting.
	Blasting caps, non-electric, see Detonators, non-electric, for blasting.
	Bleaching powder, see Calcium hypochlorite mixtures, etc.
I	Blue asbestos (Crocidolite) or Brown asbestos (amosite, maysorite).	9	UN2212	II	9	156, IB8, IP2, IP4, T3, TP33	155	216	240	Forbidden	Forbidden	A	34, 40
	Bombs, photo-flash	1.1F	UN0037	II	1.1F	62	None	Forbidden	Forbidden	08
	Bombs, photo-flash	1.1D	UN0038	II	1.1D	62	None	Forbidden	Forbidden	03
	Bombs, photo-flash	1.2G	UN0039	II	1.2G	62	None	Forbidden	Forbidden	03
	Bombs, photo-flash	1.3G	UN0299	II	1.3G	62	None	Forbidden	Forbidden	03
	Bombs, smoke, non-explosive, with corrosive liquid, without initiating device.	8	UN2028	II	8		None	160	None	Forbidden	50 kg	E	40
	Bombs, with bursting charge	1.1F	UN0033	II	1.1F	62	None	Forbidden	Forbidden	08
	Bombs, with bursting charge	1.1D	UN0034	II	1.1D	62	None	Forbidden	Forbidden	03
	Bombs, with bursting charge	1.2D	UN0035	II	1.2D	62	None	Forbidden	Forbidden	03
	Bombs, with bursting charge	1.2F	UN0291	II	1.2F	62	None	Forbidden	Forbidden	08
	Bombs with flammable liquid, with bursting charge.	1.1J	UN0399	II	1.1J	62	None	Forbidden	Forbidden	04	23E
	Bombs with flammable liquid, with bursting charge.	1.2J	UN0400	II	1.2J	62	None	Forbidden	Forbidden	04	23E
	Boosters with detonator	1.1B	UN0225	II	1.1B ..		None	62	None	Forbidden	Forbidden	11
	Boosters with detonator	1.2B	UN0268	II	1.2B ..		None	62	None	Forbidden	Forbidden	07
	Boosters, without detonator	1.1D	UN0042	II	1.1D ..		None	62	None	Forbidden	Forbidden	07
	Boosters, without detonator	1.2D	UN0283	II	1.2D ..		None	62	None	Forbidden	Forbidden	07

	<i>Borate and chlorate mixtures, see Chlorate and borate mixtures.</i>											
	Borneol	4.1	UN1312	III	4.1	A1, IB8, IP3, T1, TP33	None	213	240	25 kg	100 kg	A
+	Boron tribromide	8	UN2692	I	8, 6.1	2, B9, B14, B32, B74, N34, T20, TP2, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	C	12
	Boron trichloride	2.3	UN1741	2.3, 8	3, B9, B14	None	304	314	Forbidden	Forbidden	D	25, 40
	Boron trifluoride	2.3	UN1008	2.3	2, B9, B14	None	302	314, 315.	Forbidden	Forbidden	D	40
	Boron trifluoride acetic acid complex, liquid.	8	UN1742	II	8	B2, B6, IB2, T8, TP2, TP12	154	202	242	1 L	30 L	A
	Boron trifluoride acetic acid complex, solid.	8	UN3419	II	8	B2, B6, IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A
	Boron trifluoride diethyl etherate	8	UN2604	I	8, 3	A3, A19, T10, TP2	None	201	243	0.5 L	2.5 L	D	40
	Boron trifluoride dihydrate	8	UN2851	II	8	IB2, T7, TP2	154	212	240	15 kg	50 kg	B	12, 40,
	Boron trifluoride dimethyl etherate.	4.3	UN2965	I	4.3, 8, 3.	A19, T10, TP2, TP7	None	201	243	Forbidden	1 L	D	21, 28, 40, 49, 100
	Boron trifluoride propionic acid complex, liquid.	8	UN1743	II	8	B2, IB2, T8, TP2, TP12	154	202	242	1 L	30 L	A
	Boron trifluoride propionic acid complex, solid.	8	UN3420	II	8	B2, IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A
	<i>Box toe gum, see Nitrocellulose etc.</i>											
	Bromates, inorganic, aqueous solution, n.o.s..	5.1	UN3213	II	5.1	IB2, T4, TP1	152	202	242	1 L	5 L	B	56, 58, 133
			III	5.1	IB2, T4, TP1	152	203	241	2.5 L	30 L	B	56, 58, 133
	Bromates, inorganic, n.o.s.	5.1	UN1450	II	5.1	IB8, IP2, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
+	Bromine	8	UN1744	I	8, 6.1	1, B9, B64, B85, N34, N43, T22, TP2, TP10, TP12, TP13	None	226	249	Forbidden	Forbidden	D	12, 40, 66, 74, 89, 90
	<i>Bromine azide</i>	Forbidden											
	Bromine chloride	2.3	UN2901	2.3, 8, 5.1.	2, B9, B14, N86	None	304	314, 315.	Forbidden	Forbidden	D	40, 89, 90
+	Bromine pentafluoride	5.1	UN1745	I	5.1, 6.1, 8.	1, B9, B14, B30, B72, T22, TP2, TP12, TP13, TP38, TP44	None	228	244	Forbidden	Forbidden	D	25, 40, 66, 90
+	Bromine solutions	8	UN1744	I	8, 6.1	1, B9, B64, B85, N34, N43, T22, TP2, TP10, TP12, TP13	None	226	249	Forbidden	Forbidden	D	12, 40, 66, 74, 89, 90

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
+	Bromine solutions	8	UN1744	I	8, 6.1	2, B9, B64, B85, N34, N43, T22, TP2, TP10, TP12, TP13	None	227	249	Forbidden	Forbidden	D	12, 40, 66, 74, 89, 90
+	Bromine trifluoride	5.1	UN1746	I	5.1, 6.1, 8.	2, B9, B14, B32, B74, T22, TP2, TP12, TP13, TP38, TP45	None	228	244	Forbidden	Forbidden	D	25, 40, 66, 90
	4-Bromo-1,2-dinitrobenzene	Forbidden											
	4-Bromo-1,2-dinitrobenzene (<i>unstable at 59 degrees C.</i>)	Forbidden											
	1-Bromo-3-chloropropane	6.1	UN2688	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	1-Bromo-3-methylbutane	3	UN2341	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	1-Bromo-3-nitrobenzene (<i>unsta-ble at 56 degrees C.</i>)	Forbidden											
	2-Bromo-2-nitropropane-1,3-diol	4.1	UN3241	III	4.1	46, IB8, IP3	151	213	None	25 kg	50 kg	C	12, 25, 40
	Bromoacetic acid, solid	8	UN3425	II	8	A7, IB8, IP2, IP4, N34, T3, TP33	154	212	240	15 kg	50 kg	A
	Bromoacetic acid solution	8	UN1938	II	8	A7, B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	40
+	Bromoacetone	6.1	UN1569	III	8	B2, IB3, T7, TP2	154	203	241	5 L	60 L	A	40
				II	6.1, 3	2, T20, TP2, TP13	None	193	245	Forbidden	Forbidden	D	40
	Bromoacetyl bromide	8	UN2513	II	8	B2, IB2, T8, TP2, TP12	154	202	242	1 L	30 L	C	40, 53
	Bromobenzene	3	UN2514	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Bromobenzyl cyanides, liquid	6.1	UN1694	I	6.1	T14, TP2, TP13	None	201	243	Forbidden	30 L	D	12, 40, 52
	Bromobenzyl cyanides, solid	6.1	UN3449	I	6.1	T6, TP33	None	211	242	5 kg	50 kg	D	12, 40, 52
	1-Bromobutane	3	UN1126	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
	2-Bromobutane	3	UN2339	II	3	B1, IB2, T4, TP1	150	202	242	5 L	60 L	B	40
	Bromochloromethane	6.1	UN1887	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	2-Bromoethyl ethyl ether	3	UN2340	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
	Bromoform	6.1	UN2515	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	12, 40
	Bromomethylpropanes	3	UN2342	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	2-Bromopentane	3	UN2343	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Bromopropanes	3	UN2344	II	3	IB2, T4, TP1	150	203	242	60 L	220 L	A	40
	3-Bromopropyne	3	UN2345	II	3	IB3, T2, TP1	150	202	242	5 L	60 L	D	40

	Bromosilane	Forbidden												
	Bromotoluene-alpha, see Benzyl bromide.													
	Bromotrifluoroethylene	2.1	UN2419	2.1									
	Bromotrifluoromethane or Refrigerant gas, R 13B1..	2.2	UN1009	2.2	T50	None	304	314, 315.	ForbIDDEN	150 kg	B	40	
	Brucine	6.1	UN1570	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A		
	Bursters, explosive	1.1D	UN0043	II	1.1D ..									
	Butadienes, stabilized or Butadienes and Hydrocarbon mixture, stabilized containing more than 40% butadienes.	2.1	UN1010	2.1	T50	None	62	None	ForbIDDEN	ForbIDDEN	07 150 kg	B	40
	Butane see also Petroleum gases, liquefied.	2.1	UN1011	2.1	19, T50	306	304	314, 315.	ForbIDDEN	150 kg	E	40	
	Butane, butane mixtures and mixtures having similar properties in cartridges each not exceeding 500 grams, see Receptacles, etc.											
	Butanedione	3	UN2346	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B		
	1,2,4-Butanetriol trinitrate	Forbidden												
	Butanols	3	UN1120	II	3	IB2, T4, TP1, TP29	150	202	242	5 L	60 L	B		
				III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A		
	tert-Butoxycarbonyl azide	Forbidden												
	Butyl acetates	3	UN1123	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B		
				III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A		
	Butyl acid phosphate	8	UN1718	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A		
	Butyl acrylates, stabilized	3	UN2348	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A		
	Butyl alcohols, see Butanols													
	Butyl benzenes	3	UN2709	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A		
	n-Butyl bromide, see 1-Bromobutane.													
	n-Butyl chloride, see Chlorobutanes.													
D	sec-Butyl chloroformate	6.1	NA2742	I	6.1, 3, 8.	2, B9, B14, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	ForbIDDEN	ForbIDDEN	A	12, 13, 22, 25, 40, 48, 100	
	n-Butyl chloroformate	6.1	UN2743	I	6.1, 8, 3.	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	ForbIDDEN	ForbIDDEN	A	12, 13, 21, 25, 40, 100	
	Butyl ethers, see Dibutyl ethers													
	Butyl ethyl ether, see Ethyl butyl ether.													
	n-Butyl formate	3	UN1128	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B		

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	<i>tert-Butyl hydroperoxide, with more than 90 percent with water.</i>	Forbidden											
	tert-Butyl hypochlorite	4.2	UN3255	I	4.2, 8	IB2, T7, TP2	None	211	243	Forbidden	Forbidden	D
	N-n-Butyl imidazole	6.1	UN2690	II	6.1	1, B9, B14, B30,	153	202	243	5 L	60 L	A
	tert-Butyl isocyanate	6.1	UN2484	I	6.1, 3	B72, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40
	n-Butyl isocyanate	6.1	UN2485	I	6.1, 3	2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
	Butyl mercaptans	3	UN2347	II	3	A3, A6, IB2, T4, TP1	150	202	242	5 L	60 L	D	52, 95
	n-Butyl methacrylate, stabilized	3	UN2227	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Butyl methyl ether	3	UN2350	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Butyl nitrites	3	UN2351	I	3	T11, TP1, TP8, TP27	150	201	243	1 L	30 L	E	40
	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	40
	<i>tert-Butyl peroxyacetate, with more than 76 percent in solution.</i>	Forbidden											
	<i>n-Butyl peroxydicarbonate, with more than 52 percent in solution.</i>	Forbidden											
	<i>tert-Butyl peroxyisobutyrate, with more than 77 percent in solution.</i>	Forbidden											
	<i>Butyl phosphoric acid, see Butyl acid phosphate.</i>										
	Butyl propionates	3	UN1914	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	5-tert-Butyl-2,4,6-trinitro-m-xy- lene or Musk xylene.	4.1	UN2956	III	4.1	159	None	223	None	Forbidden	Forbidden	D	12, 25, 48, 127
	Butyl vinyl ether, stabilized	3	UN2352	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
	n-Butylamine	3	UN1125	II	3, 8	IB2, T7, TP1	150	202	242	1 L	5 L	B	40
	N-Butylaniline	6.1	UN2738	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	74
	tert- Butylcyclohexylchloroformate.	6.1	UN2747	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	12, 13, 25

Butylene see also Petroleum gases, liquefied.	2.1	UN1012	2.1	19, T50	306	304	314, 315.	Forbidden	150 kg	E	40
1,2-Butylene oxide, stabilized	3	UN3022	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	27, 49
Butyltoluenes	6.1	UN2667	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
Butyltrichlorosilane	8	UN1747	II	8, 3	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	243	Forbidden	30 L	C	40
1,4-Butynediol	6.1	UN2716	III	6.1	A1, IB8, IP3, T1, TP33	None	213	240	100 kg	200 kg	A	52, 53, 70, 139, 140
Butyraldehyde	3	UN1129	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
Butyraldoxime	3	UN2840	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Butyric acid	8	UN2820	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A	12
Butyric anhydride	8	UN2739	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
Butyronitrile	3	UN2411	II	3, 6.1	IB2, T7, TP1, TP13	150	202	243	1 L	60 L	E	40
Butyryl chloride	3	UN2353	II	3, 8	IB2, T8, TP2, TP12, TP13	150	202	243	1 L	5 L	C	40
Cacodylic acid	6.1	UN1572	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	E	52
Cadmium compounds	6.1	UN2570	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A
.....	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
.....	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
Caesium hydroxide	8	UN2682	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	29, 52.
Caesium hydroxide solution	8	UN2681	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	29, 52
Calcium	4.3	UN1401	II	4.3	IB3, T4, TP1 IB7, IP2, T3, TP33	154	203	241	5 L	60 L	A	29, 52
Calcium arsenate	6.1	UN1573	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
Calcium arsenate and calcium arsenite, mixtures, solid.	6.1	UN1574	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
Calcium bisulfite solution, see Bisulfites, aqueous solutions, n.o.s..
Calcium carbide	4.3	UN1402	I	4.3	A1, A8, B55, B59, IB4, IP1, N34, T9, TP7, TP33	None	211	242	Forbidden	15 kg	B	52
.....	II	4.3	A1, A8, B55, B59, IB7, IP2, N34, T3, TP33	151	212	241	15 kg	50 kg	B	52
Calcium chlorate	5.1	UN1452	II	5.1	A9, IB8, IP2, IP4, N34, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	Calcium chlorate aqueous solu-tion.	5.1	UN2429	II	5.1	A2, IB2, N41, T4, TP1	152	202	242	1 L	5 L	B	56, 58, 133
			III	5.1	A2, IB2, N41, T4, TP1	152	203	241	2.5 L	30 L	B	56, 68, 133
	Calcium chlorite	5.1	UN1453	II	5.1	A9, IB8, IP2, IP4, N34, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Calcium cyanamide with more than 0.1 percent of calcium carbide.	4.3	UN1403	III	4.3	A1, A19, IB8, IP4, T1, TP33	151	213	241	25 kg	100 kg	A	52
	Calcium cyanide	6.1	UN1575	I	6.1	IB7, IP1, N79, N80, T6, TP33	None	211	242	5 kg	50 kg	A	40, 52
	Calcium dithionite or Calcium hydrosulfite.	4.2	UN1923	II	4.2	A19, A20, IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	E	13
	Calcium hydride	4.3	UN1404	I	4.3	A19, N40	None	211	242	Forbidden	15 kg	E	52
	Calcium hydrosulfite, see Calcium dithionite.				
	Calcium hypochlorite, dry or Calcium hypochlorite mixtures dry with more than 39 percent available chlorine (8.8 percent available oxygen).	5.1	UN1748	II	5.1	165, 166, A7, A9, IB8, IP2, IP4, IP13, N34, W9	152	212	None	5 kg	25 kg	D	4, 25, 48, 52, 56, 58, 69, 142
			III	5.1	165, 171, A7, A9, IB8, IP4, IP13, N34, W9	152	213	240	25 kg	100 kg	D	4, 25, 48, 52, 56, 58, 69, 142
	Calcium hypochlorite, hydrated or Calcium hypochlorite, hy-drated mixtures, with not less than 5.5 percent but not more than 16 percent water.	5.1	UN2880	II	5.1	165, IB8, IP2, IP4, IP13, W9	152	212	240	5 kg	25 kg	D	4, 25, 48, 52, 56, 58, 69,
		142.
	Calcium hypochlorite mixtures, dry, with more than 10 per-cent but not more than 39 percent available chlorine.	5.1	UN2208	III	5.1	165, A1, A29, IB8, IP3, IP13, N34, W9	152	213	240	25 kg	100 kg	D	4, 25, 48, 52, 56, 58, 69, 142
	Calcium manganese silicon	4.3	UN2844	III	4.3	A1, A19, IB8, IP2, IP4, T1, TP33	151	213	241	25 kg	100 kg	A	52, 85, 103
	Calcium nitrate	5.1	UN1454	III	5.1	34, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
A	Calcium oxide	8	UN1910	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A

Calcium perchlorate	5.1	UN1455	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
Calcium permanganate	5.1	UN1456	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	D	56, 58, 138
Calcium peroxide	5.1	UN1457	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	13, 52, 56, 75
Calcium phosphide	4.3	UN1360	I	4.3, 6.1.	A8, A19, N40	None	211	242	Forbidden	15 kg	E	40, 52, 85
Calcium, pyrophoric or Calcium alloys, pyrophoric.	4.2	UN1855	I	4.2		None	187	None	Forbidden	Forbidden	D
Calcium resinate	4.1	UN1313	III	4.1	A1, A19, IB6, T1, TP33	None	213	240	25 kg	100 kg	A
Calcium resinate, fused	4.1	UN1314	III	4.1	A1, A19, IB4, T1, TP33	None	213	240	25 kg	100 kg	A
<i>Calcium selenate, see Selenates or Selenites.</i>											
Calcium silicide	4.3	UN1405	II	4.3	A19, IB7, IP2, T3, TP33	151	212	241	15 kg	50 kg	B	52, 85, 103
.....			III	4.3	A1, A19, IB8, IP4, T1, TP33	151	213	241	25 kg	100 kg	B	52, 85, 103
Camphor oil	3	UN1130	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Camphor, synthetic	4.1	UN2717	III	4.1	A1, IB8, IP3, T1, TP33	None	213	240	25 kg	100 kg	A
Cannon primers, see Primers, tubular.											
Caproic acid	8	UN2829	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
Caps, blasting, see Detonators, etc.											
Carbamate pesticides, liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN2758	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40
.....			II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40
Carbamate pesticides, liquid, toxic.	6.1	UN2992	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....			II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
.....			III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40
Carbamate pesticides, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN2991	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....			II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
.....			III	6.1, 3	B1, IB3, T7, TP2, TP28	153	203	242	60 L	220 L	A	40
Carbamate pesticides, solid, toxic.	6.1	UN2757	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
.....			II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10)		
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other	
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only			
						IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40	
	<i>Carbolic acid, see Phenol, solid or Phenol, molten.</i>													
	<i>Carbolic acid solutions, see Phenol solutions.</i>													
I	Carbon, activated	4.2	UN1362	III	4.2	IB8, IP3, T1, TP33	None	213	241	0.5 kg	0.5 kg	A	12	
I	Carbon, animal or vegetable ori- gin.	4.2	UN1361	II	4.2	IB6, T3, TP33	None	212	242	Forbidden	Forbidden	A	12	
	<i>Carbon bisulfide, see Carbon di- sulfide.</i>													
	Carbon dioxide	2.2	UN1013		2.2		306	302, 304.	302, 314, 315.	75 kg	150 kg	A		
	Carbon dioxide, refrigerated liq- uid.	2.2	UN2187		2.2	T75, TP5	306	304	314, 315.	50 kg	500 kg	B		
A W	Carbon dioxide, solid or Dry ice	9	UN1845	III	None		217	217	240	200 kg	200 kg	C	40	
	Carbon disulfide	3	UN1131	I	3, 6.1	B16, T14, TP2, TP7, TP13	None	201	243	Forbidden	Forbidden	D	18, 40, 115	
	Carbon monoxide, compressed	2.3	UN1016		2.3, 2.1.	4	None	302	314, 315.	Forbidden	25 kg	D	40	
D	Carbon monoxide, refrigerated liquid (<i>cryogenic liquid</i>).	2.3	NA9202		2.3, 2.1.	4, T75, TP5	None	316	318	Forbidden	Forbidden	D		
	Carbon tetrabromide	6.1	UN2516	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	25	
	Carbon tetrachloride	6.1	UN1846	II	6.1	IB2, N36, T7, TP2	153	202	243	5 L	60 L	A	40	
	<i>Carbonyl chloride, see Phos- gene.</i>													
	Carbonyl fluoride	2.3	UN2417		2.3, 8		2	None	302	None	Forbidden	Forbidden	D	40
	Carbonyl sulfide	2.3	UN2204		2.3, 2.1.	3, B14	None	304	314, 315.	Forbidden	Forbidden	D	40	
	<i>Cartridge cases, empty primed, see Cases, cartridge, empty, with primer.</i>													

Cartridges, actuating, for aircraft ejector seat catapult, fire extinguisher, canopy removal or apparatus, see Cartridges, power device.												
Cartridges, explosive, see Charges, demolition.												
Cartridges, flash	1.1G	UN0049	II	1.1G ..									
Cartridges, flash	1.3G	UN0050	II	1.3G ..									
Cartridges for weapons, blank ...	1.1C	UN0326	II	1.1C ..									
Cartridges for weapons, blank ...	1.2C	UN0413	II	1.2C ..									
Cartridges for weapons, blank or Cartridges, small arms, blank.	1.4S	UN0014	II	None									
Cartridges for weapons, blank or Cartridges, small arms, blank.	1.3C	UN0327	II	1.3C ..									
Cartridges for weapons, blank or Cartridges, small arms, blank.	1.4C	UN0338	II	1.4C ..									
Cartridges for weapons, blank or Cartridges, small arms, blank.	1.2C	UN0328	II	1.2C ..									
Cartridges for weapons, inert projectile.	1.4S	UN0012	II	None									
Cartridges for weapons, inert projectile or Cartridges, small arms.	1.4C	UN0339	II	1.4C ..									
Cartridges for weapons, inert projectile or Cartridges, small arms.	1.3C	UN0417	II	1.3C ..									
Cartridges for weapons, with bursting charge.	1.1F	UN0005	II	1.1F ..									
Cartridges for weapons, with bursting charge.	1.1E	UN0006	II	1.1E ..									
Cartridges for weapons, with bursting charge.	1.2F	UN0007	II	1.2F ..									
Cartridges for weapons, with bursting charge.	1.2E	UN0321	II	1.2E ..									
Cartridges for weapons, with bursting charge.	1.4F	UN0348	II	1.4F ..									
Cartridges for weapons, with bursting charge.	1.4E	UN0412	II	1.4E ..									
Cartridges, oil well	1.3C	UN0277	II	1.3C ..									
Cartridges, oil well	1.4C	UN0278	II	1.4C ..									
Cartridges, power device	1.3C	UN0275	II	1.3C ..									
Cartridges, power device	1.4C	UN0276	II	1.4C ..									
Cartridges, power device	1.4S	UN0323	II	1.4S ..									
Cartridges, power device	1.2C	UN0381	II	1.2C ..									
Cartridges, safety, blank, see Cartridges for weapons, blank (UN 0014).									
					110								
					110	63	62	None ...	25 kg	100 kg	05		
						None	62	None ...	Forbidden	Forbidden	07		
						None	62	None ...	Forbidden	75 kg	07		
						None	62	None ...	Forbidden	75 kg	07		
						None	62	None ...	Forbidden	75 kg	07		
						None	62	None ...	Forbidden	75 kg	07		
						None	62	None ...	Forbidden	100 kg	05		
						None	62	None ...	Forbidden	Forbidden	07		

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
D	Cartridges, safety, see Cartridges for weapons, inert projectile, or Cartridges, small arms or Cartridges, power device (UN 0323).
	Cartridges, signal	1.3G	UN0054	II	1.3G	None	62	None	Forbidden	75 kg	07
	Cartridges, signal	1.4G	UN0312	II	1.4G	None	62	None	Forbidden	75 kg	06
	Cartridges, signal	1.4S	UN0405	II	1.4S	None	62	None	25 kg	100 kg	05
	Cartridges, small arms	ORM-D	None	63	None	None	30 kg gross	30 kg gross	A
	Cartridges power device (<i>used to project fastening devices</i>).	ORM-D	None	63	None	None	30 kg gross	30 kg gross	A
	Cartridges, sporting, see Cartridges for weapons, inert projectile, or Cartridges, small arms.
	Cartridges, starter, jet engine, see Cartridges, power device.
	Cases, cartridge, empty with primer.	1.4S	UN0055	II	1.4S ..	50	None	62	None	25 kg	100 kg	05
	Cases, cartridges, empty with primer.	1.4C	UN0379	II	1.4C ..	50	None	62	None	Forbidden	75 kg	06
A W	Cases, combustible, empty, without primer.	1.4C	UN0446	II	1.4C	None	62	None	Forbidden	75 kg	06
	Cases, combustible, empty, without primer.	1.3C	UN0447	II	1.3C	None	62	None	Forbidden	Forbidden	07
	Casinghead gasoline see Gasoline.
	Castor beans or Castor meal or Castor pomace or Castor flake.	9	UN2969	II	None	IB8, IP2, IP4, T3, TP33	155	204	240	No limit	No limit	E	34, 40
	Caustic alkali liquids, n.o.s.	8	UN1719	II	8	B2, IB2, T11, TP2, TP27	154	202	242	1 L	30 L	A	29, 52
	III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A	29, 52
	Caustic potash, see Potassium hydroxide etc.
	Caustic soda, (etc.) see Sodium hydroxide etc.
	Cells, containing sodium	4.3	UN3292	II	4.3	189	189	189	25 kg gross	No limit	A

	Celluloid, <i>in block, rods, rolls, sheets, tubes, etc., except scrap.</i>	4.1	UN2000	III	4.1		None	213	240	25 kg	100 kg	A
	Celluloid, scrap	4.2	UN2002	III	4.2	IB8, IP3	None	213	241	Forbidden	Forbidden	D
	Cement, see <i>Adhesives containing flammable liquid.</i>					
	Cerium, slabs, ingots, or rods ...	4.1	UN1333	II	4.1	IB8, IP2, IP4, N34	None	212	240	15 kg	50 kg	A	74, 91
	Cerium, turnings or gritty powder.	4.3	UN3078	II	4.3	A1, IB7, IP2, T3, TP33	151	212	242	15 kg	50 kg	E	52
	Cesium or Caesium	4.3	UN1407	I	4.3	A7, A19, IB4, IP1, N34, N40	None	211	242	Forbidden	15 kg	D	52
	Cesium nitrate or Caesium nitrate.	5.1	UN1451	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
D	Charcoal briquettes, shell, screenings, wood, etc..	4.2	NA1361	III	4.2	IB8, T1, TP33	151	213	240	25 kg	100 kg	A	12
	Charges, bursting, plastics bonded.	1.1D	UN0457	II	1.1D ..		None	62	None	Forbidden	Forbidden	07
	Charges, bursting, plastics bonded.	1.2D	UN0458	II	1.2D ..		None	62	None	Forbidden	Forbidden	07
	Charges, bursting, plastics bonded.	1.4D	UN0459	II	1.4D ..		None	62	None	Forbidden	75 kg	06
	Charges, bursting, plastics bonded.	1.4S	UN0460	II	1.4S ..		None	62	None	25 kg	100 kg	05
	Charges, demolition	1.1D	UN0048	II	1.1D ..		None	62	None	Forbidden	Forbidden	03
	Charges, depth	1.1D	UN0056	II	1.1D ..		None	62	None	Forbidden	Forbidden	03
	Charges, expelling, explosive, for fire extinguishers, see Cartridges, power device.					
	Charges, explosive, commercial without detonator.	1.1D	UN0442	II	1.1D ..		None	62	None	Forbidden	Forbidden	07
	Charges, explosive, commercial without detonator.	1.2D	UN0443	II	1.2D ..		None	62	None	Forbidden	Forbidden	07
	Charges, explosive, commercial without detonator.	1.4D	UN0444	II	1.4D ..		None	62	None	Forbidden	75 kg	06
	Charges, explosive, commercial without detonator.	1.4S	UN0445	II	1.4S ..		None	62	None	25 kg	100 kg	05
	Charges, propelling	1.1C	UN0271	II	1.1C ..		None	62	None	Forbidden	Forbidden	07
	Charges, propelling	1.3C	UN0272	II	1.3C ..		None	62	None	Forbidden	Forbidden	07
	Charges, propelling	1.2C	UN0415	II	1.2C ..		None	62	None	Forbidden	Forbidden	07
	Charges, propelling	1.4C	UN0491	II	1.4C ..		None	62	None	Forbidden	75 kg	06
	Charges, propelling, for cannon	1.3C	UN0242	II	1.3C ..		None	62	None	Forbidden	Forbidden	10
	Charges, propelling, for cannon	1.1C	UN0279	II	1.1C ..		None	62	None	Forbidden	Forbidden	10
	Charges, propelling, for cannon	1.2C	UN0414	II	1.2C ..		None	62	None	Forbidden	Forbidden	10
	Charges, shaped, flexible, linear	1.4D	UN0237	II	1.4D ..		None	62	None	Forbidden	75 kg	06
	Charges, shaped, flexible, linear	1.1D	UN0288	II	1.1D	None	62	None	Forbidden	Forbidden	07
	Charges, shaped, <i>without detonator.</i>	1.1D	UN0059	II	1.1D	None	62	None	Forbidden	Forbidden	07
	Charges, shaped, <i>without detonator.</i>	1.2D	UN0439	II	1.2D ..		None	62	None	Forbidden	Forbidden	07

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10)		
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other	
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only			
D	Charges, shaped, <i>without detonator.</i>	1.4D	UN0440	II	1.4D ..		None	62	None	Forbidden	75 kg	06	
	Charges, shaped, <i>without detonator.</i>	1.4S	UN0441	II	1.4S ..		None	62	None	25 kg	100 kg	05	
	Charges, supplementary explosive.	1.1D	UN0060	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	
	Chemical kit	8	NA1760	II	8		154	161	None	1 L	30 L	B	40	
	Chemical kits	9	UN3316	9		161	161	None	10 kg	10 kg	A	
	Chloral, anhydrous, stabilized	6.1	UN2075	II	6.1		153	202	243	5 L	60 L	D	40	
	Chlorate and borate mixtures	5.1	UN1458	II	5.1		152	212	240	5 kg	25 kg	A	56, 58	
	III	5.1		152	213	240	25 kg	100 kg	A	56, 58	
	Chlorate and magnesium chloride mixture solid.	5.1	UN1459	II	5.1		152	212	240	5 kg	25 kg	A	56, 58	
	Chlorate and magnesium chloride mixture solution.	5.1	UN3407	II	5.1		152	202	242	1 L	5 L	A	56, 58, 133	
	III	5.1		152	203	241	2.5 L	30 L	A	56, 58, 133	
	<i>Chlorate of potash, see Potassium chloride.</i>	
	<i>Chlorate of soda, see Sodium chloride.</i>	
	Chlorates, inorganic, aqueous solution, n.o.s..	5.1	UN3210	II	5.1		IB2, T4, TP1	152	202	242	1 L	5 L	B	56, 58, 133
	III	5.1		IB2, T4, TP1	152	203	241	2.5 L	30 L	B	56, 58, 133
	Chlorates, inorganic, n.o.s.	5.1	UN1461	II	5.1		A9, IB6, IP2, N34, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Chloric acid aqueous solution, with not more than 10 percent chloric acid.	5.1	UN2626	II	5.1		IB2, T4, TP1	None	229	None	Forbidden	Forbidden	D	56, 58
	<i>Chloride of phosphorus, see Phosphorus trichloride.</i>	
	<i>Chloride of sulfur, see Sulfur chloride.</i>	
	<i>Chlorinated lime, see Calcium hypochlorite mixtures, etc.</i>	

D	Chlorine	2.3	UN1017	2.3, 8	2, B9, B14, N86, T50, TP19	None	304	314, 315.	Forbidden	Forbidden	D	40, 51, 55, 62, 68, 89, 90	
	<i>Chlorine azide</i>	Forbidden	5.1	NA9191	II	5.1, 6.1.	E	
	Chlorine dioxide, hydrate, frozen	5.1					None	229	None	Forbidden	Forbidden			
	<i>Chlorine dioxide (not hydrate) ...</i>	Forbidden	2.3	UN2548	2.3, 5.1, 8.	1, B7, B9, B14, N86	None	304	314	
	Chlorine pentafluoride									Forbidden	Forbidden	D	40, 89, 90	
	Chlorine trifluoride	2.3	UN1749	2.3, 5.1, 8.	2, B7, B9, B14, N86	None	304	314	Forbidden	Forbidden	D	40, 89, 90	
	Chlorite solution	8	UN1908	II	8	A3, A6, A7, B2, IB2, N34, T7, TP2, TP24	154	202	242	1 L	30 L	B	26, 44, 89, 100, 141	
				III	8	A3, A6, A7, B2, IB3, N34, T4, TP2, TP24	154	203	241	5 L	60 L	B	26, 44, 89, 100, 141
	Chlorites, inorganic, n.o.s.	5.1	UN1462	II	5.1	A7, IB6, IP2, N34, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58	
	1-Chloro-1,1-difluoroethane or Refrigerant gas R 142b.	2.1	UN2517	2.1	T50	306	304	314, 315.	Forbidden	150 kg	B	40	
	3-Chloro-4-methylphenyl isocyanate, liquid.	6.1	UN2236	II	6.1	IB2	153	202	243	5 L	60 L	B	40	
	3-Chloro-4-methylphenyl isocyanate, solid.	6.1	UN3428	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B	40	
	1-Chloro-1,2,2,2-tetrafluoroethane or Refrigerant gas R 124.	2.2	UN1021	2.2	T50	306	304	314, 315.	75 kg	150 kg	A	
	4-Chloro-o-toluidine hydrochloride, solid.	6.1	UN1579	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	
	4-Chloro-o-toluidine hydrochloride, solution.	6.1	UN3410	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	
	1-Chloro-2,2,2-trifluoroethane or Refrigerant gas R 133a.	2.2	UN1983	2.2	T50	306	304	314, 315.	75 kg	150 kg	A	
	Chloroacetic acid, molten	6.1	UN3250	II	6.1, 8	IB1, T7, TP3, TP28	None	202	243	Forbidden	Forbidden	C	40	
	Chloroacetic acid, solid	6.1	UN1751	II	6.1, 8	A3, A7, IB8, IP4, N34, T3, TP33	153	212	242	15 kg	50 kg	A	40	
	Chloroacetic acid, solution	6.1	UN1750	II	6.1, 8	A7, IB2, N34, T7, TP2	153	202	243	1 L	30 L	C	40	
	Chloroacetone, stabilized	6.1	UN1695	I	6.1, 3, 8.	2, B9, B14, B32, B74, N12, N32, N34, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	21, 40, 100	

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)			
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only	Loca- tion	Other
+	Chloroacetone (<i>unstabilized</i>) Chloroacetonitrile	Forbidden 6.1	UN2668	II	6.1, 3	2, B9, B14, B32, B74, IB9, T20, TP2, TP38, TP45 A3, IB2, N12, N32, N33, T7, TP2, TP13	None	227	244	ForbIDDEN	ForbIDDEN	A	12, 40, 52
	Chloroacetophenone, liquid, (CN).	6.1	UN3416	II	6.1	A3, IB8, IP2, IP4, N12, N32, N33, N34, T3, TP2, TP13, TP33 2, B3, B8, B9, B14, B32, B74, B77, N34, N43, T20, TP2, TP13, TP38, TP45	None	202	243	ForbIDDEN	60 L	D	12, 40
	Chloroacetophenone, solid, (CN)	6.1	UN1697	II	6.1	A3, IB8, IP2, IP4, N12, N32, N33, N34, T3, TP2, TP13, TP33 2, B3, B8, B9, B14, B32, B74, B77, N34, N43, T20, TP2, TP13, TP38, TP45	None	212	None	ForbIDDEN	100 kg	D	12, 40
	Chloroacetyl chloride	6.1	UN1752	I	6.1, 8	IB8, IP2, IP4, N12, N32, N33, N34, T3, TP2, TP13, TP33 2, B3, B8, B9, B14, B32, B74, B77, N34, N43, T20, TP2, TP13, TP38, TP45	None	227	244	ForbIDDEN	ForbIDDEN	D	40
	Chloroanilines, liquid	6.1	UN2019	II	6.1	IB2, T7, TP2 IB8, IP2, IP4, T3, TP33	153	202	243	5 L 25 kg	60 L 100 kg	A	52
	Chloroanilines, solid	6.1	UN2018	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	100 kg	200 kg	A
	Chloroanisidines	6.1	UN2233	III	6.1	IB8, IP3, T1, TP33	153	213	240	60 L	220 L	A
	Chlorobenzene	3	UN1134	III	3	B1, IB3, T2, TP1	150	203	242
	Chlorobenzol, see Chloro- benzene.												
	Chlorobenzotrifluorides	3	UN2234	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	40
	Chlorobenzyl chlorides, liquid ...	6.1	UN2235	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Chlorobenzyl chlorides, solid ...	6.1	UN3427	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Chlorobutanes	3	UN1127	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Chlorocresols solution	6.1	UN2669	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	12
	Chlorocresols, solid	6.1	UN3437	II	6.1	IB3, T7, TP2	153	203	241	60 L	220 L	A	12
	Chlorodifluorobromomethane or Refrigerant gas R 12B1.	2.2	UN1974	2.2	TP33 T50	306	304	314, 315.	75 kg	150 kg	A
	Chlorodifluoromethane and chloropentfluoroethane mix- ture or Refrigerant gas R 502 with fixed boiling point, with approximately 49 percent chlorodifluoromethane.	2.2	UN1973	2.2	T50	306	304	314, 315.	75 kg	150 kg	A

						T50	306	304	314, 315.	75 kg	150 kg	A
+ Chlorodifluoromethane or Refrigerant gas R 22.	2.2	UN1018	2.2		IB2, T7, TP2	153	202	243	5 L	60 L	B	91
+ Chlorodinitrobenzenes, liquid	6.1	UN1577	II	6.1		IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	91
+ Chlorodinitrobenzenes, solid	6.1	UN3441	II	6.1									
2-Chloroethanal	6.1	UN2232	I	6.1		2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
G Chloroform	6.1	UN1888	III	6.1		IB3, N36, T7, TP2	153	203	241	60 L	220 L	A	40
G Chloroformates, toxic, corrosive, flammable, n.o.s..	6.1	UN2742	II	6.1, 8, 3.		5, IB1, T7, TP2	153	202	243	1 L	30 L	A	12, 13, 21, 25, 40, 100
G Chloroformates, toxic, corrosive, n.o.s..	6.1	UN3277	II	6.1, 8		IB2, T8, TP2, TP13, TP28	153	202	243	1 L	30 L	A	12, 13, 25, 40
Chloromethyl chloroformate	6.1	UN2745	II	6.1, 8		IB2, T7, TP2, TP13	153	202	243	1 L	30 L	A	12, 13, 21, 25, 40, 100
Chloromethyl ethyl ether	3	UN2354	II	3, 6.1		IB2, T7, TP1, TP13	150	202	243	1 L	60 L	E	40
Chloronitroanilines	6.1	UN2237	III	6.1		IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
+ Chloronitrobenzene, liquid <i>ortho</i>	6.1	UN3409	II	6.1		IB2, T7, TP2	153	202	243	5 L	60 L	A
+ Chloronitrobenzenes, solid <i>meta</i> or <i>para</i> .	6.1	UN1578	II	6.1		IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
Chloronitrotoluenes, liquid	6.1	UN2433	III	6.1		IB3, T4, TP1	153	203	241	60 L	220 L	A	44, 89, 100, 141
Chloronitrotoluenes, solid	6.1	UN3457	III	6.1		IB8, IP3, T1, TP33	153	213	240	25 kg	200 kg	A
Chloropentafluoroethane or Refrigerant gas R 115.	2.2	UN1020	2.2		T50	306	304	314, 315.	75 kg	150 kg	A
Chlorophenolates, liquid or Phenolates, liquid.	8	UN2904	III	8		IB3	154	203	241	5 L	60 L	A
Chlorophenolates, solid or Phenolates, solid.	8	UN2905	III	8		IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
Chlorophenols, liquid	6.1	UN2021	III	6.1		IB3, T4, TP1	153	203	241	60 L	220 L	A
Chlorophenols, solid	6.1	UN2020	III	6.1		IB8, IP3, T1, TP1, TP33	153	213	240	100 kg	200 kg	A
Chlorophenyltrichlorosilane	8	UN1753	II	8		A7, B2, B6, IB2, N34, T7, TP2	None	202	242	Forbidden	30 L	C	40
+ Chloropicrin	6.1	UN1580	I	6.1		2, B7, B9, B14, B32, B46, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
Chloropicrin and methyl bromide mixtures.	2.3	UN1581	2.3		2, B9, B14, N86, T50	None	193	314, 315.	Forbidden	Forbidden	D	25, 40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions (8A)	Non- bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8A)	(8B)	(8C)	(9A)	(9B)	(10A)	(10B)
D	<i>Chloropicrin mixture, flammable (pressure not exceeding 14.7 psia at 115 degrees F flash point below 100 degrees F) see Toxic liquids, flammable, etc.</i>
	Chloropicrin mixtures, n.o.s.	6.1	UN1583	I	6.1	5	None	201	243	Forbidden	Forbidden	C	40
	II	6.1	IB2	153	202	243	Forbidden	Forbidden	C	40
	III	6.1	IB3	153	203	241	Forbidden	Forbidden	C	40
	Chloropivaloyl chloride	6.1	NA9263	I	6.1, 8	2, B9, B14, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	B	40
	Chloroplatinic acid, solid	8	UN2507	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
	Chloroprene, stabilized	3	UN1991	I	3, 6.1	B57, T14, TP2, TP13	None	201	243	Forbidden	30 L	D	40
	<i>Chloroprene, uninhibited</i>	Forbidden
	1-Chloropropane	3	UN1278	II	3	IB2, IP8, N34, T7, TP2	None	202	242	Forbidden	60 L	E
	2-Chloropropane	3	UN2356	I	3	N36, T11, TP2, TP13	150	201	243	1 L	30 L	E
170	3-Chloropropanol-1	6.1	UN2849	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	2-Chloropropene	3	UN2456	I	3	A3, N36, T11, TP2	150	201	243	1 L	30 L	E
	2-Chloropropionic acid	8	UN2511	III	8	IB3, T4, TP2	154	203	241	5 L	60 L	A	8
	2-Chloropyridine	6.1	UN2822	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	40
	Chlorosilanes, corrosive, n.o.s ...	8	UN2987	II	8	B2, IB2, T14, TP2, TP2, TP27	None	202	242	1 L	30 L	C	40
	Chlorosilanes, flammable, corro- sive, n.o.s.	3	UN2985	II	3, 8	IB1, T11, TP2, TP13, TP27	None	201	243	1 L	5 L	B	40
	Chlorosilanes, toxic, corrosive, n.o.s.	6.1	UN3361	II	6.1, 8	IB1, T11, TP2, TP13	None	202	243	1 L	30 L	C	40
	Chlorosilanes, toxic, corrosive, flammable, n.o.s.	6.1	UN3362	II	6.1, 3, 8.	IB1, T11, TP2, TP13	None	202	243	1 L	30 L	C	40,
	Chlorosilanes, water-reactive, flammable, corrosive, n.o.s..	4.3	UN2988	I	4.3, 3, 8.	A2, T10, TP2, TP7, TP13	None	201	244	Forbidden	1 L	D	125, 21, 28, 40, 49, 100

+ Chlorosulfonic acid (with or without sulfur trioxide).	8	UN1754	I	8, 6.1	2, B9, B10, B14, B32, B74, T20, TP2, TP12, TP38, TP45	None	227	244	Forbidden	Forbidden	C	40
Chlorotoluenes	3	UN2238	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Chlorotolidines, liquid	6.1	UN3429	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
Chlorotolidines, solid	6.1	UN2239	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
Chlorotrifluoromethane and trifluoromethane azeotropic mixture or Refrigerant gas R 503 with approximately 60 percent chlorotrifluoromethane.	2.2	UN2599	2.2		306	304	314, 315.	75 kg	150 kg	A
Chlorotrifluoromethane or Refrigerant gas R 13.	2.2	UN1022	2.2		306	304	314, 315.	75 kg	150 kg	A
Chromic acid solution	8	UN1755	II	8	B2, IB2, T8, TP2, TP12	154	202	242	1 L	30 L	C	40, 44, 89, 100, 141
.....	III	8	IB3, T4, TP1, TP12	154	203	241	5 L	60 L	C	40, 44, 89, 100, 141
Chromic anhydride, see Chromium trioxide, anhydrous.
Chromic fluoride, solid	8	UN1756	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	52
Chromic fluoride, solution	8	UN1757	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	A
.....	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
Chromium nitrate	5.1	UN2720	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
Chromium oxychloride	8	UN1758	I	8	A3, A6, A7, B10, N34, T10, TP2, TP12	None	201	243	0.5 L	2.5 L	C	40, 66, 74, 89, 90
Chromium trioxide, anhydrous ...	5.1	UN1463	II	5.1, 6.1, 8.	IB8, IP4, T3, TP33	None	212	242	5 kg	25 kg	A
Chromosulfuric acid	8	UN2240	I	8	A3, A6, A7, B4, B6, N34, T10, TP2, TP12, TP13	None	201	243	0.5 L	2.5 L	B	40, 66, 74, 89, 90
Chromyl chloride, see Chromium oxychloride.
Cigar and cigarette lighters, charged with fuel, see Lighters or Lighter refills containing flammable gas..
Coal briquettes, hot	Forbidden
Coal gas, compressed	2.3	UN1023	2.3, 2.1.	3	None	302	314, 315.	Forbidden	Forbidden	D	40
Coal tar distillates, flammable	3	UN1136	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols (1)	Hazardous materials descrip- tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica- tion Num- bers (4)	PG (5)	Label Codes (6)	Special provi- sions (\$ 172.102) (7)	(8)			(9)		(10) Vessel stow- age			
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion (10A)	Other (10B)		
							Excep- tions (8A)	Non- bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)				
							150	203	242	60 L	220 L	A		
	Coal tar dye, corrosive, liquid, n.o.s. see Dyes, liquid or solid, n.o.s. or Dye intermediates, liquid or solid, corrosive, n.o.s.														
	Coating solution (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining).	3	UN1139	I	3	T11, TP1, TP8, TP27	150	201	243	1 L	30 L	E		
							149, IB2, T4, TP1, TP8	150	202	242	5 L	60 L	B	
	Cobalt naphthenates, powder	4.1	UN2001	III	3	B1, IB3, T2, TP1 A19, IB8, IP3, T1, TP33	150	203	242	60 L	220 L	A		
							151	213	240	25 kg	100 kg	A		
	Cobalt resinate, precipitated	4.1	UN1318	III	4.1	A1, A19, IB6, T1, TP33	151	213	240	25 kg	100 kg	A		
D G	Coke, hot	Forbidden													
G	Collodion, see Nitrocellulose etc														
G	Combustible liquid, n.o.s.	Comb liq 1.2B	NA1993 UN0382	III None	II 1.2B	IB3, T1, T4, TP1	150	203	241	60 L	220 L	A		
G	Components, explosive train, n.o.s.						None	62	None	Forbidden	Forbidden	11			
G	Components, explosive train, n.o.s.	1.4B	UN0383	II	1.4B		None	62	None	Forbidden	75 kg	06			
G	Components, explosive train, n.o.s.	1.4S	UN0384	II	1.4S		None	62	None	25 kg	100 kg	05			
G	Components, explosive train, n.o.s.	1.1B	UN0461	II	1.1B		None	62	None	Forbidden	Forbidden	11			
D G	Composition B, see Hexolite, etc														
D G	Compounds, cleaning liquid	8	NA1760	I	8	A7, B10, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	B	40		
							II	8	202	242	1 L	30 L	B	40	
							III	8	154	203	241	5 L	60 L	A	40

D G	Compounds, cleaning liquid	3	NA1993	I 3	T11, TP1 IB2, T7, TP1, TP8, TP28	150 150	201 202	243 242	1 L 5 L	30 L 60 L	E B
D G	Compounds, tree killing, liquid or Compounds, weed killing, liquid.	8	NA1760	I 8	B1, B52, IB3, T4, TP1, TP29 A7, B10, T14, TP2, TP27	150 None	203 201	242 243	60 L 0.5 L	220 L 2.5 L	A B 40
D G	Compounds, tree killing, liquid or Compounds, weed killing, liquid.	3	NA1993	I 3	B2, IB2, N37, T11, TP2, TP27 IB3, N37, T7, TP1, TP28 T11, TP1	154 154	202 203	242 241	1 L 5 L	30 L 60 L	B A	40 40
D G	Compounds, tree killing, liquid or Compounds, weed killing, liquid.	6.1	NA2810	I 6.1	B1, B52, IB3, T4, TP1, TP29 T14, TP2, TP13, TP27	150 None	203 201	242 243	60 L 1 L	220 L 30 L	A B 40
G	Compressed gas, flammable, n.o.s..	2.1	UN1954 2.1	IB2, T11, TP2, TP27 IB3, T7, TP1, TP28	306 153	302, 305. 306, 307. 306	314, 315. 314, 315. 314, 315.	ForbIDDEN 60 L	150 kg 220 L	D A	40 40
G	Compressed gas, n.o.s	2.2	UN1956 2.2 77	306	302, 305. 306, 307. 306	314, 315. 314, 315. 314, 315.	75 kg 75 kg	150 kg 150 kg	A. D
G I	Compressed gas, oxidizing, n.o.s..	2.2	UN3156 2.2, 5.1.	A14	306	302	314, 315. 314, 315. 314, 315.	75 kg	150 kg	D
G I	Compressed gas, toxic, corrosive, n.o.s. <i>Inhalation Hazard Zone A</i> .	2.3	UN3304 2.3, 8	1	None	192	245	ForbIDDEN None	ForbIDDEN	D	40
G I	Compressed gas, toxic, corrosive, n.o.s. <i>Inhalation Hazard Zone B</i> .	2.3	UN3304 2.3, 8	2, B9, B14	None	302, 305.	314, 315.	ForbIDDEN None	ForbIDDEN	D	40
G I	Compressed gas, toxic, corrosive, n.o.s. <i>Inhalation Hazard Zone C</i> .	2.3	UN3304 2.3, 8	3, B14	None	302, 305.	314, 315.	ForbIDDEN None	ForbIDDEN	D	40
G I	Compressed gas, toxic, corrosive, n.o.s. <i>Inhalation Hazard Zone D</i> .	2.3	UN3304 2.3, 8	4	None	302, 305.	314, 315.	ForbIDDEN None	ForbIDDEN	D	40
G I	Compressed gas, toxic, flammable, corrosive, n.o.s. <i>Inhalation Hazard Zone A</i> .	2.3	UN3305 2.3, 2.1, 8.	1	None	192	245	ForbIDDEN None	ForbIDDEN	D	17, 40
G I	Compressed gas, toxic, flammable, corrosive, n.o.s. <i>Inhalation Hazard Zone B</i> .	2.3	UN3305 2.3, 2.1, 8.	2, B9, B14	None	302, 305.	314, 315.	ForbIDDEN None	ForbIDDEN	D	17, 40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (§ 172.102)	(8)		(9)		(10) Vessel stow-age		
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8A)	(8B)	(8C)	(9A)	(9B)	(10A)	(10B)
G I	Compressed gas, toxic, flam-mable, corrosive, n.o.s. <i>Inha-lation Hazard Zone C.</i>	2.3	UN3305	2.3, 2.1, 8.	3, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	17, 40
G I	Compressed gas, toxic, flam-mable, corrosive, n.o.s. <i>Inha-lation Hazard Zone D.</i>	2.3	UN3305	2.3, 2.1, 8.	4	None	302, 305.	314, 315.	Forbidden	Forbidden	D	17, 40
G	Compressed gas, toxic, flam-mable, n.o.s. <i>Inhalation hazard Zone A.</i>	2.3	UN1953	2.3, 2.1.	1	None	192	245	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, flam-mable, n.o.s. <i>Inhalation haz-ard Zone B.</i>	2.3	UN1953	2.3, 2.1.	2, B9, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, flam-mable, n.o.s. <i>Inhalation Haz-ard Zone C.</i>	2.3	UN1953	2.3, 2.1.	3, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, flam-mable, n.o.s. <i>Inhalation Haz-ard Zone D.</i>	2.3	UN1953	2.3, 2.1.	4	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, n.o.s. <i>Inhalation Hazard Zone A.</i>	2.3	UN1955	2.3	1	None	192	245	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, n.o.s. <i>Inhalation Hazard Zone B.</i>	2.3	UN1955	2.3	2, B9, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, n.o.s. <i>Inhalation Hazard Zone C.</i>	2.3	UN1955	2.3	3, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, n.o.s. <i>Inhalation Hazard Zone D.</i>	2.3	UN1955	2.3	4	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
G I	Compressed gas, toxic, oxi-dizing, corrosive, n.o.s. <i>In-hala-tion Hazard Zone A.</i>	2.3	UN3306	2.3, 5.1, 8.	1	None	192	244	Forbidden	Forbidden	D	40, 89, 90
G I	Compressed gas, toxic, oxi-dizing, corrosive, n.o.s. <i>In-hala-tion Hazard Zone B.</i>	2.3	UN3306	2.3, 5.1, 8.	2, B9, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40, 89, 90
G I	Compressed gas, toxic, oxi-dizing, corrosive, n.o.s. <i>In-hala-tion Hazard Zone C.</i>	2.3	UN3306	2.3, 5.1, 8.	3, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40, 89, 90
G I	Compressed gas, toxic, oxi-dizing, corrosive, n.o.s. <i>Inha-lation Hazard Zone D.</i>	2.3	UN3306	2.3, 5.1, 8.	4	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40, 89, 90

G	Compressed gas, toxic, oxidizing, n.o.s. <i>Inhalation Hazard Zone A.</i>	2.3	UN3303	2.3, 5.1.	1	None	192	245	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, oxidizing, n.o.s. <i>Inhalation Hazard Zone B.</i>	2.3	UN3303	2.3, 5.1.	2, B9, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, oxidizing, n.o.s. <i>Inhalation Hazard Zone C.</i>	2.3	UN3303	2.3, 5.1.	3, B14	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
G	Compressed gas, toxic, oxidizing, n.o.s. <i>Inhalation Hazard Zone D.</i>	2.3	UN3303	2.3, 5.1.	4	None	302, 305.	314, 315.	Forbidden	Forbidden	D	40
D	Consumer commodity	ORM-D	None		156, 306.	156, 306.	None	30 kg gross	30 kg gross	A	
G	Contrivances, water-activated, with burster, expelling charge or propelling charge.	1.2L	UN0248	II	1.2L ...	None	62	None	ForbIDDEN	ForbIDDEN	08	8E, 14E, 15E, 17E	
G	Contrivances, water-activated, with burster, expelling charge or propelling charge.	1.3L	UN0249	II	1.3L	None	62	None	ForbIDDEN	ForbIDDEN	08	8E, 14E, 15E, 17E
	Copper acetoarsenite	6.1	UN1585	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	<i>Copper acetylide</i>	Forbidden 6.1	UN1586	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	<i>Copper amine azide</i>												
	Copper arsenite	6.1	UN2776	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	ForbIDDEN	30 L	B	40
	Copper based pesticides, liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN2776	II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40
	Copper based pesticides, liquid, toxic.	6.1	UN3010	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
	II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
	III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40
	Copper based pesticides, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN3009	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
	II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
	III	6.1, 3	B1, IB3, T7, TP2, TP28	153	203	242	60 L	220 L	A	40
	Copper based pesticides, solid, toxic.	6.1	UN2775	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air-craft only (9B)		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8A)	(8B)	(8C)	(9A)	(9B)	(10A)	(10B)
A W	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
	Copper chlorate	5.1	UN2721	II	5.1	A1, IB8, IP2, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Copper chloride	8	UN2802	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
	Copper cyanide	6.1	UN1587	II	6.1	IB8, IP2, IP4, T3, TP33	153	204	242	25 kg	100 kg	A	52
	<i>Copper selenite, see Selenates or Selenites.</i>
	<i>Copper selenite, see Selenates or Selenites.</i>
	<i>Copper tetramine nitrate</i>	Forbidden
	Copra	4.2	UN1363	III	4.2	IB8, IP3, IP7	None	213	241	Forbidden	Forbidden	A	13, 19, 48, 119
	Cord, detonating, <i>flexible</i>	1.1D	UN0065	II	1.1D ..	102	63(a)	62	None	Forbidden	Forbidden	07
	Cord, detonating, <i>flexible</i>	1.4D	UN0289	II	1.4D ..		None	62	None	Forbidden	75 kg	06
	Cord detonating or Fuse deto-nating <i>metal clad</i> .	1.2D	UN0102	II	1.2D ..		None	62	None	Forbidden	Forbidden	07
G	Cord, detonating or Fuse, deto-nating <i>metal clad</i> .	1.1D	UN0290	II	1.1D	None	62	None	Forbidden	Forbidden	07
	Cord, detonating, mild effect or Fuse, detonating, mild effect <i>metal clad</i> .	1.4D	UN0104	II	1.4D	None	62	None	Forbidden	75 kg	06
	Cord, igniter	1.4G	UN0066	II	1.4G	None	62	None	Forbidden	75 kg	06
	<i>Cordeau detonant fuse, see Cord, detonating, etc; Cord, detonating, <i>flexible</i>.</i>
	<i>Cordite, see Powder, smokeless</i>
	Corrosive, liquid, acidic, inor-ganic, n.o.s.	8	UN3264	I	8	A6, B10, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	B	40.
	II	8	B2, IB2, T11, TP2, TP27	154	202	242	1 L	30 L	B	40.
	III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A	40.
	Corrosive liquid, acidic, organic, n.o.s..	8	UN3265	I	8	A6, B10, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	B	40
	II	8	B2, IB2, T11, TP2, TP27	154	202	242	1 L	30 L	B	40

G	Corrosive liquid, basic, inorganic, n.o.s..	8	UN3266	III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A	40
				I	8	A6, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	B	40, 52
				II	8	B2, IB2, T11, TP2, TP27	154	202	242	1 L	30 L	B	40, 52
				III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A	40, 52
G	Corrosive liquid, basic, organic, n.o.s..	8	UN3267	I	8	A6, B10, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	B	40, 52
				II	8	B2, IB2, T11, TP2, TP27	154	202	242	1 L	30 L	B	40, 52
				III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A	40, 52
G	Corrosive liquid, self-heating, n.o.s..	8	UN3301	I	8, 4.2	A6, B10	None	201	243	0.5 L	2.5 L	D
				II	8, 4.2	B2, IB1	154	202	242	1 L	30 L	D
				I	8, 3	A6, B10, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	C	25, 40
				II	8, 3	B2, IB2, T11, TP2, TP27	None	202	243	1 L	30 L	C	25, 40
G	Corrosive liquids, n.o.s..	8	UN1760	I	8	A6, A7, B10, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	B	40
				II	8	B2, IB2, T11, TP2, TP27	154	202	242	1 L	30 L	B	40
				III	8	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A	40
G	Corrosive liquids, oxidizing, n.o.s..	8	UN3093	I	8, 5.1	A6, A7	None	201	243	Forbidden	2.5 L	C	89
				II	8, 5.1	A6, A7, IB2	None	202	243	1 L	30 L	C	89
G	Corrosive liquids, toxic, n.o.s..	8	UN2922	I	8, 6.1	A6, A7, B10, T14, TP2, TP13, TP27	None	201	243	0.5 L	2.5 L	B	40
				II	8, 6.1	B3, IB2, T7, TP2	154	202	243	1 L	30 L	B	40
				III	8, 6.1	IB3, T7, TP1, TP28	154	203	241	5 L	60 L	B	40
G	Corrosive liquids, water-reactive, n.o.s..	8	UN3094	I	8, 4.3	A6, A7	None	201	243	Forbidden	1 L	E
G	Corrosive solid, acidic, inorganic, n.o.s..	8	UN3260	II	8, 4.3	A6, A7	None	202	243	1 L	5 L	E
				I	8	IB7, IP1, T6, TP33	None	211	242	1 kg	25 kg	B
				II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	B
G	Corrosive solid, acidic, organic, n.o.s..	8	UN3261	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
				I	8	IB7, IP1, T6, TP33	None	211	242	1 kg	25 kg	B
				II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	B

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age		
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other	
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air-craft only (9B)			
(1)	(2)	(3)	(4)	(5)	(6)	(7)						(10A)	(10B)	
G	Corrosive solid, basic, inorganic, n.o.s..	8	UN3262	I	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	
							None	211	242	1 kg	25 kg	B	52	
G	Corrosive solid, basic, organic, n.o.s..	8	UN3263	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	B	52	
							154	213	240	25 kg	100 kg	A	52	
G	Corrosive solids, flammable, n.o.s..	8	UN2921	I	8, 4.1	IB6, T6, TP33	None	211	242	1 kg	25 kg	B	12, 25	
							None	212	242	15 kg	50 kg	B	12, 25	
G	Corrosive solids, n.o.s..	8	UN1759	I	8	IB7, IP1, T6, TP33	None	211	242	1 kg	25 kg	B	
							154	212	240	15 kg	50 kg	A	
G	Corrosive solids, oxidizing, n.o.s..	8	UN3084	I	8, 5.1	IB6, IP2, T3, TP33	128, IB8, IP2, IP4, T3, TP33	154	212	240	25 kg	100 kg	A
							128, IB8, IP3, T1, TP33	154	213	240	1 kg	25 kg	C
G	Corrosive solids, self-heating, n.o.s..	8	UN3095	I	8, 4.2	IB6, IP2, T3, TP33	T6, TP33	None	211	242	15 kg	50 kg	C
							None	212	243	1 kg	25 kg	C	
G	Corrosive solids, toxic, n.o.s..	8	UN2923	I	8, 6.1	IB7, T6, TP33	IB6, IP2, T3, TP33	None	211	242	15 kg	50 kg	C
							IB8, IP2, IP4, T3, TP33	154	212	240	1 kg	25 kg	B	40
G	Corrosive solids, water-reactive, n.o.s..	8	UN3096	I	8, 4.3	IB4, IP1, T6, TP33	IB8, IP3, T1, TP33	154	213	240	15 kg	50 kg	B	40
							IB4, IP1, T6, TP33	None	211	243	1 kg	25 kg	D

D W	Cotton	9	NA1365	II	8, 4.3	IB6, IP2, T3, TP33	None	212	242	15 kg	50 kg	D
A W	Cotton waste, oily	4.2	UN1364	III	4.2	137, IB8, IP2, IP4, W41	None	None	None	No limit	No limit	A	
A I	Cotton, wet	4.2	UN1365	III	4.2	IB8, IP3, IP7 IB8, IP3, IP7	None	213	None	Forbidden	Forbidden	A	54	
W	Coumarin derivative pesticides, liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN3024	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40	
				II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40	
	Coumarin derivative pesticides, liquid, toxic.	6.1	UN3026	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40	
				II	6.1	IB2, T11, TP2, TP27	153	202	243	5 L	60 L	B	40	
				III	6.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A	40	
	Coumarin derivative pesticides, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN3025	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40	
				II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40	
				III	6.1, 3	B1, IB3, T7, TP1, TP28	153	203	242	60 L	220 L	A	40	
	Coumarin derivative pesticides, solid, toxic.	6.1	UN3027	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40	
				II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40	
				III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40	
	Cresols, liquid	6.1	UN2076	II	6.1, 8	IB2, IP2, IP4, T7, TP2	153	202	243	1 L	30 L	B	
	Cresols, solid	6.1	UN3455	II	6.1, 8	IB8, IP2, IP4, T3, TP33	153	212	242	15 kg	50 kg	B	
	Cresylic acid	6.1	UN2022	II	6.1, 8	IB2, T7, TP2, TP13	153	202	243	1 L	30 L	B	
	Crotonaldehyde or Crotonaldehyde, stabilized.	6.1	UN1143	I	6.1, 3	2, 175, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	B	40	
	Crotonic acid, liquid	8	UN3472	III	8	IB8, T1	154	203	241	5 L	60 L	A	12.	
	Crotonic acid, solid	8	UN2823	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	12.	
	Crotonylene	3	UN1144	I	3	T11, TP2	150	201	243	1 L	30 L	E	
	Cupriethylenediamine solution ...	8	UN1761	II	8, 6.1	IB2, T7, TP2	154	202	243	1 L	30 L	A	
				III	8, 6.1	IB3, T7, TP1, TP28	154	203	242	5 L	60 L	A	95	
	Cutters, cable, explosive	1.4S	UN0070	II	1.4S ...	None	62	None	None	25 kg	100 kg	05	

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age		
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)	
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)			
	<i>Cyanide or cyanide mixtures, dry, see Cyanides, inorganic, solid, n.o.s..</i>													
	Cyanide solutions, n.o.s.	6.1	UN1935	I	6.1	B37, T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40, 52	
				II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	A	40, 52	
				III	6.1	IB3, T7, TP2, TP13, TP28	153	203	241	60 L	220 L	A	40, 52	
	Cyanides, inorganic, solid, n.o.s.	6.1	UN1588	I	6.1	IB7, IP1, N74, N75, T6, TP33	None	211	242	5 kg	50 kg	A	52	
				II	6.1	IB8, IP2, IP4, N74, N75, T3, TP33	153	212	242	25 kg	100 kg	A	52	
				III	6.1	IB8, IP3, N74, N75, T1, TP33	153	213	240	100 kg	200 kg	A	52	
	Cyanogen	2.3	UN1026	2.3, 2.1.	2	None	304	245	Forbidden	Forbidden	D	40
	Cyanogen bromide	6.1	UN1889	I	6.1, 8	A6, A8, T6, TP33	None	211	242	1 kg	15 kg	D	40	
	Cyanogen chloride, stabilized	2.3	UN1589	2.3, 8	1	None	192	245	Forbidden	50 kg	D	40
	Cyanuric chloride	8	UN2670	II	8	IB8, IP2, IP4, T3, TP33	None	212	240	15 kg	50 kg	A	12, 40	
	<i>Cyanuric triazide</i>	Forbidden												
	Cyclobutane	2.1	UN2601	2.1		306	304	314, 315.	Forbidden	150 kg	B	40
	Cyclobutyl chloroformate	6.1	UN2744	II	6.1, 8, 3.	IB1, T7, TP2, TP13	153	202	243	1 L	30 L	A	12, 13, 21, 25, 40, 100	
	1,5,9-Cyclododecatriene	6.1	UN2518	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	40	
	Cycloheptane	3	UN2241	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40	
	Cycloheptatriene	3	UN2603	II	3, 6.1	IB2, T7, TP1, TP13	150	202	243	1 L	60 L	E	40	
	Cycloheptene	3	UN2242	II	3	B1, IB2, T4, TP1	150	202	242	5 L	60 L	B	
	Cyclohexane	3	UN1145	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E	
	Cyclohexanone	3	UN1915	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
	Cyclohexene	3	UN2256	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E	
	Cyclohexenyltrichlorosilane	8	UN1762	II	8	A7, B2, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40	

Cyclohexyl acetate	3	UN2243	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Cyclohexyl isocyanate	6.1	UN2488	I	6.1, 3	B2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
Cyclohexyl mercaptan	3	UN3054	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	40, 95
Cyclohexylamine	8	UN2357	II	8, 3	IB2, T7, TP2	None	202	243	1 L	30 L	A	40
Cyclohexyltrichlorosilane	8	UN1763	II	8	A7, B2, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40
Cyclonite and cyclotetramethylenetrinitramine mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.
Cyclonite and HMX mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.
Cyclonite and octogen mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.
Cyclonite, see Cyclotrimethylenetrinitramine, etc.
Cyclooctadiene phosphines, see 9-Phosphabicyclononanes.
Cyclooctadienes	3	UN2520	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Cyclooctatetraene	3	UN2358	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
Cyclopentane	3	UN1146	II	3	IB2, T7, TP1	150	202	242	5 L	60 L	E
Cyclopentane, methyl, see Methylcyclopentane.
Cyclopentanol	3	UN2244	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Cyclopentanone	3	UN2245	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Cyclopentene	3	UN2246	II	3	IB2, IP8, T7, TP2	150	202	242	5 L	60 L	E
Cyclopropane	2.1	UN1027	2.1	T50	306	304	314, 315.	Forbidden	150 kg	E	40
Cyclotetramethylene tetranitramine (dry or unphlegmatized) (HMX).	Forbidden
Cyclotetramethylenetrinitramine, desensitized or Octogen, desensitized or HMX, desensitized.	1.1D	UN0484	II	1.1D	None	62	None	Forbidden	Forbidden	10

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	Cyclotetramethylenetrinitramine, wetted or HMX, wetted or Octogen, wetted with not less than 15 percent water, by mass.	1.1D	UN0226	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
	Cyclotrimethylenetrinitramine and octogen, mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized, etc.		
	Cyclotrimethylenetrinitramine and cyclotetramethylenetrinitramine mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.
	Cyclotrimethylenetrinitramine and HMX mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.
	Cyclotrimethylenetrinitramine, desensitized or Cyclonite, desensitized or Hexogen, desensitized or RDX, desensitized.	1.1D	UN0483	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
	Cyclotrimethylenetrinitramine, wetted or Cyclonite, wetted or Hexogen, wetted or RDX, wetted with not less than 15 percent water by mass.	1.1D	UN0072	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
	Cymenes	3	UN2046	III	3	B1, IB3, T2, TP1 136, A105	150	203	242	60 L See A105	220 L See A105	A A.
	Dangerous Goods in Machinery or Dangerous Goods in Apparatus.	9	UN3363	None	222	None		
	Decaborane	4.1	UN1868	II	4.1, 6.1.	A19, A20, IB6, IP2, T3, TP33	None	212	None	Forbidden	50 kg	A	74
	Decahydronaphthalene	3	UN1147	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A

	n-Decane	3 1.3C	UN2247 UN0132	III II	3 1.3C ..	B1, IB3, T2, TP1	150 None	203 62	242 None	60 L Forbidden	220 L Forbidden	A 10 5E	
	Deflagrating metal salts of aromatic nitroderivatives, n.o.s..													
	<i>Delay electric igniter, see Igniters.</i>													
D	Denatured alcohol	3	NA1987	II III	3 3	172, T8 172, B1, T7	150 150	202 203	242 242	5 L 60 L	60 L 220 L	B A	
	<i>Depth charges, see Charges, depth.</i>													
G	Desensitized explosive, liquid, n.o.s..	3	UN3379	I	3		164	None	201	None	ForbIDDEN	ForbIDDEN	D	36
G	Desensitized explosive, solid, n.o.s..	4.1	UN3380	I	4.1		164	None	211	None	ForbIDDEN	ForbIDDEN	D	28, 36
	<i>Detonating relays, see Detonators, etc.</i>													
	Detonator assemblies, non-electric for blasting.	1.1B	UN0360	II	1.1B			None	62	None	ForbIDDEN	ForbIDDEN	11
	Detonator assemblies, non-electric, for blasting.	1.4B	UN0361	II	1.4B		103	63(f), 63(g).	62	None	ForbIDDEN	75 kg	06
	Detonator, assemblies, non-electric for blasting.	1.4S	UN0500	II	1.4S			63(f), 63(g).	62	None	25 kg	100 kg	05
	Detonators, electric, for blasting	1.1B	UN0030	II	1.1B			63(f), 63(g).	62	None	ForbIDDEN	ForbIDDEN	11
	Detonators, electric, for blasting	1.4B	UN0255	II	1.4B		103	63(f), 63(g).	62	None	ForbIDDEN	75 kg	06
	Detonators, electric for blasting	1.4S	UN0456	II	1.4S			63(f), 63(g).	62	None	25 kg	100 kg	05
	Detonators for ammunition	1.1B	UN0073	II	1.1B			None	62	None	ForbIDDEN	ForbIDDEN	11
	Detonators for ammunition	1.2B	UN0364	II	1.2B			None	62	None	ForbIDDEN	ForbIDDEN	11
	Detonators for ammunition	1.4B	UN0365	II	1.4B		103	None	62	None	ForbIDDEN	75 kg	06
	Detonators for ammunition	1.4S	UN0366	II	1.4S			None	62	None	25 kg	100 kg	05
	Detonators, non-electric, for blasting.	1.1B	UN0029	II	1.1B			None	62	None	ForbIDDEN	ForbIDDEN	11
	Detonators, non-electric, for blasting.	1.4B	UN0267	II	1.4B		103	63(f), 63(g).	62	None	ForbIDDEN	75 kg	06
	Detonators, non-electric, for blasting.	1.4S	UN0455	II	1.4S			63(f), 63(g).	62	None	25 kg	100 kg	05
	Deuterium, compressed	2.1	UN1957	2.1		N89	306	302	None	ForbIDDEN	150 kg	E	40
	Devices, small, hydrocarbon gas powered or Hydrocarbon gas refills for small devices with release device.	2.1	UN3150	2.1			306	304	None	1 kg	15 kg	B	40
	Di-n-amylamine	3	UN2841	III Forbidden	3, 6.1	B1, IB3, T4, TP1	150	203	242	60 L	220 L	A	
	Di-n-butyl peroxydicarbonate, with more than 52 percent in solution.													
	Di-n-butylamine	8	UN2248	II Forbidden	8, 3	IB2, T7, TP2	None	202	243	1 L	30 L	A	
	2,2-Di-(tert-butylperoxy) butane, with more than 55 percent in solution.													

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	<i>Di-(tert-butylperoxy) phthalate, with more than 55 percent in solution.</i>	Forbidden		
	<i>2,2-Di-(4,4-di-tert-butylperoxycyclohexyl) propane, with more than 42 percent with inert solid.</i>	Forbidden		
	<i>Di-2,4-dichlorobenzoyl peroxide, with more than 75 percent with water.</i>	Forbidden		
	<i>1,2-Di-(dimethylamino)ethane</i>	3	UN2372	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	<i>Di-2-ethylhexyl phosphoric acid, see Diisooctyl acid phosphate.</i>
	<i>Di-(1-hydroxytetrazole) (dry)</i>	Forbidden		
	<i>Di-(1-naphthoyl) peroxide</i>	Forbidden		
	<i>a,a'-Di-(nitroxy) methylether</i>	Forbidden		
	<i>Di-(beta-nitroxyethyl) ammonium nitrate.</i>	Forbidden		
	<i>Diacetone alcohol</i>	3	UN1148	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	<i>Diacetone alcohol peroxides, with more than 57 percent in solution with more than 9 percent hydrogen peroxide, less than 26 percent diacetone alcohol and less than 9 percent water; total active oxygen content more than 9 percent by mass.</i>	Forbidden		III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	<i>Diacetyl, see Butanedione</i>
	<i>Diacetyl peroxide, solid, or with more than 25 percent in solution.</i>	Forbidden		
	<i>Diallylamine</i>	3	UN2359	II	3, 6.1, 8.	IB2, T7, TP1	150	202	243	1 L	5 L	B	21, 40, 100
	<i>Diallylether</i>	3	UN2360	II	3, 6.1	IB2, N12, T7, TP1, TP13	150	202	243	1 L	60 L	E	40

	4,4'-Diaminodiphenyl methane	6.1	UN2651	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	<i>p</i> -Diazidobenzene	Forbidden										
	1,2-Diazidoethane	Forbidden										
	1,1'-Diazoaminonaphthalene	Forbidden										
	Diazoaminotetraazole (dry)	Forbidden										
	Diazodinitrophenol (dry)	Forbidden										
	Diazodinitrophenol, wetted with not less than 40 percent water or mixture of alcohol and water, by mass.	1.1A	UN0074	II	1.1A	111, 117	None	62	None	Forbidden	Forbidden	12
	Diazodiphenylmethane	Forbidden										
	Diazonium nitrates (dry)	Forbidden										
	Diazonium perchlorates (dry)	Forbidden										
	1,3-Diazopropane	Forbidden										
	Dibenzyl peroxydicarbonate, with more than 87 percent with water.	Forbidden										
	Dibenzylidchlorosilane	8	UN2434	II	8	B2, IB2, T7, TP2, TP13	154	202	242	1 L	30 L	C	40
	Diborane	2.3	UN1911	2.3, 2.1.	1, N89	None	302	None	Forbidden	Forbidden	D	40, 57
D	Diborane mixtures	2.1	NA1911	2.1	5	None	302	245	Forbidden	Forbidden	D	40, 57
	Dibromoacetylene	Forbidden										
	1,2-Dibromobutan-3-one	6.1	UN2648	II	6.1	IB2	153	202	243	5 L	60 L	B	40
	Dibromochloropropane	6.1	UN2872	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A
	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	III	6.1	T11, TP2	155	203	241	100 L	220 L	A	25
A	Dibromodifluoromethane, R12B2	9	UN1941	III	None
	1,2-Dibromoethane, see Ethyl- ene dibromide.
	Dibromomethane	6.1	UN2664	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Dibutyl ethers	3	UN1149	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Dibutylaminoethanol	6.1	UN2873	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	<i>N,N</i> -Dichlorazodicarbonamidine (salts of) (dry).	Forbidden										
	1,1-Dichloro-1-nitroethane	6.1	UN2650	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	12, 40, 74
D	3,5-Dichloro-2,4,6- trifluoropyridine.	6.1	NA9264	I	6.1	2, B9, B14, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	A	40
	Dichloroacetic acid	8	UN1764	II	8	A3, A6, A7, B2, IB2, N34, T8, TP2, TP12	154	202	242	1 L	30 L	A
	1,3-Dichloroacetone	6.1	UN2649	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B	12, 40
	Dichloroacetyl chloride	8	UN1765	II	8	A3, A6, A7, B2, B6, IB2, N34, T7, TP2	154	202	242	1 L	30 L	D	40
	Dichloroacetylene	Forbidden										

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
+	Dichloroanilines, liquid	6.1	UN1590	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	40
	Dichloroanilines, solid	6.1	UN3442	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
+	o-Dichlorobenzene	6.1	UN1591	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	2,2'-Dichlorodiethyl ether	6.1	UN1916	II	6.1, 3	IB2, N33, N34, T7, TP2	153	202	243	5 L	60 L	A
	Dichlorodifluoromethane and difluoroethane azeotropic mixture or Refrigerant gas R 500 with approximately 74 percent dichlorodifluoromethane.	2.2	UN2602	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
	Dichlorodifluoromethane or Refrigerant gas R 12.	2.2	UN1028	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
	Dichlorodimethyl ether, symmetrical.	6.1	UN2249	I	6.1, 3		None	201	243	Forbidden	Forbidden		40
	1,1-Dichloroethane	3	UN2362	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
	1,2-Dichloroethane, see Ethylene dichloride.					
	Dichloroethyl sulfide	Forbidden				
	1,2-Dichloroethylene	3	UN1150	II	3	IB2, T7, TP2	150	202	242	5 L	60 L	B
	Dichlorofluoromethane or Refrigerant gas R21.	2.2	UN1029	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
	Dichloroisocyanuric acid, dry or Dichloroisocyanuric acid salts.	5.1	UN2465	II	5.1	28, IB8, IP4, T3, TP33	152	212	240	5 kg	25 kg	A	13
	Dichloroisopropyl ether	6.1	UN2490	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	B
	Dichloromethane	6.1	UN1593	III	6.1	IB3, IP8, N36, T7, TP2	153	203	241	60 L	220 L	A
	Dichloropentanes	3	UN1152	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Dichlorophenyl isocyanates	6.1	UN2250	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B	25, 40, 48
	Dichlorophenyltrichlorosilane	8	UN1766	II	8	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40
	1,2-Dichloropropane	3	UN1279	II	3	IB2, N36, T4, TP1	150	202	242	5 L	60 L	B
	1,3-Dichloropropanol-2	6.1	UN2750	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	12, 40
	Dichloropropene and propylene dichloride mixture, see 1,2-Dichloropropane.					

	Dichloropropenes	3	UN2047	II	3	IB2, T4, TP1 B1, IB3, T2, TP1 2, B9, B14	150	202	242	5 L	60 L	B
	Dichlorosilane	2.3	UN2189	III	3	2.3, 2.1, 8.	150	203	242	60 L	220 L	A
	1,2-Dichloro-1,1,2,2-tetrafluoroethane or Refrigerant gas R 114.	2.2	UN1958	2.2	T50	306	304	314, 315.	Forbidden	Forbidden	D	17, 40
	Dichlorovinylchloroarsine	Forbidden		
	Dicycloheptadiene, see Bicyclo [2.2.1] hepta-2,5-diene, stabilized.			
	Dicyclohexylamine	8	UN2565	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Dicyclohexylammonium nitrite ..	4.1	UN2687	III	4.1	IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	A	48
	Dicyclopentadiene	3	UN2048	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Didymium nitrate	5.1	UN1465	III	5.1	A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
D	Diesel fuel	3	NA1993	III	None	144, B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A
I	Diesel fuel	3	UN1202	III	3	144, B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Diethanol nitrosamine dinitrate (dry).	Forbidden		
	Diethoxymethane	3	UN2373	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E
	3,3-Diethoxypropene	3	UN2374	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Diethyl carbonate	3	UN2366	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Diethyl cellosolve, see Ethylene glycol diethyl ether.			
	Diethyl ether or Ethyl ether	3	UN1155	I	3	T11, TP2	150	201	243	1 L	30 L	E	40
	Diethyl ketone	3	UN1156	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Diethyl peroxydicarbonate, with more than 27 percent in solution.	Forbidden		
	Diethyl sulfate	6.1	UN1594	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	C
	Diethyl sulfide	3	UN2375	II	3	IB2, T7, TP1, TP13	None	202	243	5 L	60 L	E
	Diethylamine	3	UN1154	II	3, 8	A3, IB2, N34, T7, TP1	150	202	243	1 L	5 L	E	40
	2-Diethylaminoethanol	8	UN2686	II	8, 3	B2, IB2, T7, TP2	None	202	243	1 L	30 L	A
	3-Diethylamino-propylamine.	3	UN2684	III	3, 8	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A
+	N, N-Diethylaniline	6.1	UN2432	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Diethylbenzene	3	UN2049	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Diethylchlorosilane	8	UN1767	II	8, 3	A7, B6, IB2, N34, T7, TP2, TP13	None	202	243	Forbidden	30 L	C	40
	Diethylene glycol dinitrate	Forbidden		

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	Diethylene glycol dinitrate, de-sensitized with not less than 25 percent non-volatile water-insoluble phlegmatizer, by mass.	1.1D	UN0075	II	1.1D ..		None	62	None	Forbidden	Forbidden	13	21E
	Diethylenetriamine	8	UN2079	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	40, 52
	N,N-Diethylethylenediamine	8	UN2685	II	8, 3	IB2, T7, TP2	None	202	243	1 L	30 L	A
	Diethylgold bromide	Forbidden				
	Diethylthiophosphoryl chloride	8	UN2751	II	8	B2, IB2, T7, TP2	None	212	240	15 kg	50 kg	D	12, 40
	Diethylzinc	4.2	UN1366	I	4.2, 4.3.	173, B11, T21, TP2, TP7	None	181	244	Forbidden	Forbidden	D	18
	Difluorochloroethanes, see 1-Chloro-1,1-difluoroethanes.
	1,1-Difluoroethane or Refrigerant gas R 152a.	2.1	UN1030	2.1	T50	306	304	314, 315.	Forbidden	150 kg	B	40
	1,1-Difluoroethylene or Refrigerant gas R 1132a.	2.1	UN1959	2.1		306	304	None	Forbidden	150 kg	E	40
	Difluoromethane or Refrigerant gas R 32.	2.1	UN3252	2.1	T50	306	302	314, 315.	Forbidden	150 kg	D	40
	Difluorophosphoric acid, anhydrous.	8	UN1768	II	8	A6, A7, B2, IB2, N5, N34, T8, TP2, TP12	None	202	242	1 L	30 L	A	40
	2,3-Dihydropyran	3	UN2376	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	1,8-Dihydroxy-2,4,5,7-tetranitroanthraquinone (chrysamminic acid).	Forbidden				
	Diiodoacetylene	Forbidden				
	Diisobutyl ketone	3	UN1157	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Diisobutylamine	3	UN2361	III	3, 8	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A
	Diisobutylene, isomeric compounds.	3	UN2050	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Diisooctyl acid phosphate	8	UN1902	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Diisopropyl ether	3	UN1159	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E	40
	Diisopropylamine	3	UN1158	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B
	Diisopropylbenzene hydroperoxide, with more than 72 percent in solution.	Forbidden				

Diketene, stabilized	6.1	UN2521	I	6.1, 3	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	26, 27, 40
1,2-Dimethoxyethane	3	UN2252	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
1,1-Dimethoxyethane	3	UN2377	II	3	IB2, T7, TP1	150	202	242	5 L	60 L	B
Dimethyl carbonate	3	UN1161	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
Dimethyl chlorothiophosphate, see Dimethyl thiophosphoryl chloride.
2,5-Dimethyl-2,5-dihydroperoxy hexane, with more than 82 percent with water.	Forbidden
Dimethyl disulfide	3	UN2381	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
Dimethyl ether	2.1	UN1033	2.1	T50	306	304	314, 315.	ForbIDDEN	150 kg	B	40
Dimethyl-N-propylamine	3	UN2266	II	3, 8	IB2, T7, TP2, TP13	150	202	243	1 L	5 L	B	40
Dimethyl sulfate	6.1	UN1595	I	6.1, 8	2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
Dimethyl sulfide	3	UN1164	II	3	IB2, IP8, T7, TP2	150	202	242	5 L	60 L	E	40
Dimethyl thiophosphoryl chloride	6.1	UN2267	II	6.1, 8	IB2, T7, TP2	153	202	243	1 L	30 L	B	25
Dimethylamine, anhydrous	2.1	UN1032	2.1	N87, T50	None	304	314, 315.	ForbIDDEN	150 kg	D	40
Dimethylamine solution	3	UN1160	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B	52.
2-Dimethylaminoacetonitrile	3	UN2378	II	3, 6.1	IB2, T7, TP1	150	202	243	1 L	60 L	A	40, 52
2-Dimethylaminoethanol	8	UN2051	II	8, 3	B2, IB2, T7, TP2	154	202	243	1 L	30 L	A
2-Dimethylaminoethyl acrylate	6.1	UN3302	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	D	25
2-Dimethylaminoethyl methacrylate.	6.1	UN2522	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	B	40
N,N-Dimethylaniline	6.1	UN2253	II	6.1	IB1, T7, TP2	153	202	243	5 L	60 L	A
2,3-Dimethylbutane	3	UN2457	II	3	IB2, T7, TP1	150	202	242	5 L	60 L	E
1, 3-Dimethylbutylamine	3	UN2379	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B	52.
Dimethylcarbamoyl chloride	8	UN2262	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	40
Dimethylcyclohexanes	3	UN2263	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
N,N-Dimethylcyclohexylamine	8	UN2264	II	8, 3	B2, IB2, T7, TP2	154	202	243	1 L	30 L	A	40
Dimethylidichlorosilane	3	UN1162	II	3, 8	B77, IB2, T7, TP2, TP13	None	202	243	ForbIDDEN	ForbIDDEN	B	40
Dimethyldiethoxysilane	3	UN2380	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
Dimethylioxanes	3	UN2707	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
N,N-Dimethylformamide	3	UN2265	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Dimethylhexane dihydroperoxide (dry).	Forbidden	B1, IB3, T2, TP2	150	203	242	60 L	220 L	A
Dimethylhydrazine, symmetrical	6.1	UN2382	I	6.1, 3	2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40, 52, 74.

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols (1)	Hazardous materials descrip-tions and proper shipping names (2)	Hazard class or Di- vision (3)	Identifica-tion Num-bers (4)	PG (5)	Label Codes (6)	Special provi-sions (§ 172.102) (7)	(8)			(9)		(10) Vessel stow-age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion (10A)	Other (10B)
							Excep-tions (8A)	Non-bulk (8B)	Bulk (8C)	Passenger aircraft/rail (9A)	Cargo air- craft only (9B)		
	Dimethylhydrazine, unsymmet-rical.	6.1	UN1163	I	6.1, 3, 8.	2, B7, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	21, 38, 40, 52, 100.
	2,2-Dimethylpropane	2.1	UN2044	2.1		306	304	314, 315.	Forbidden	150 kg	E	40
	Dimethylzinc	4.2	UN1370	I	4.2, 4.3. 6.1	173, B11, B16, T21, TP2, TP7 IB8, IP2, IP4, T3, TP33	None	181	244	Forbidden	Forbidden	D	18
	Dinitro-o-cresol	6.1	UN1598	II			153	212	242	25 kg	100 kg	A
	<i>1,3-Dinitro-5,5-dimethyl hydantoin.</i>	Forbidden										
	<i>Dinitro-7,8-dimethylglycoluril (dry).</i>	Forbidden										
	<i>1,3-Dinitro-4,5-dinitrosobenzene</i>	Forbidden										
	<i>1,4-Dinitro-1,1,4,4-tetramethylobutanetetrone</i> (dry).	Forbidden										
	<i>2,4-Dinitro-1,3,5-trimethylbenzene.</i>	Forbidden										
	Dinitroanilines	6.1	UN1596	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	91
	Dinitrobenzenes, liquid	6.1	UN1597	II	6.1	11, IB2, T7, TP2	153	202	243	5 L	60 L	A	91
	Dinitrobenzenes, solid	6.1	UN3443	III	6.1	11, IB3, T7, TP2	153	203	241	60 L	220 L	A	91
	Dinitrochlorobenzene, see Chlorodinitrobenzene.				IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	91
	<i>1,2-Dinitroethane</i>	Forbidden										
	<i>1,1-Dinitroethane</i> (dry)	Forbidden										
	Dinitrogen tetroxide	2.3	UN1067	2.3, 5.1, 8.	1, B7, B14, B45, B46, B61, B66, B67, B77, T50, TP21	None	336	314	Forbidden	Forbidden	D	40, 89, 90
	Dinitroglycoluril or Dingu	1.1D	UN0489	II	1.1D ..		None	62	None ...	Forbidden	Forbidden	10
	<i>Dinitromethane</i>	Forbidden	1.1D	UN0076	II 6.1.	None	62	None ...	Forbidden	Forbidden	10	5E
	<i>Dinitrophenol, dry or wetted with less than 15 percent water, by mass.</i>												

Dinitrophenol solutions	6.1	UN1599	II	6.1	IB2, T7, TP2 IB3, T4, TP1 23, A8, A19, A20, N41	153 153 None	202 203 211	243 241 None	5 L 60 L 1 kg	60 L 220 L 15 kg	A A E	36 36 28, 36	
Dinitrophenol, wetted with not less than 15 percent water, by mass.	4.1	UN1320	I	4.1, 6.1.									
Dinitrophenolates alkali metals, dry or wetted with less than 15 percent water, by mass.	1.3C	UN0077	II	1.3C, 6.1.									
Dinitrophenolates, wetted with not less than 15 percent water, by mass.	4.1	UN1321	I	4.1, 6.1.	23, A8, A19, A20, N41	None	211	None	1 kg	15 kg	E	28, 36	
Dinitropolyene glycol	Forbidden												
Dinitroresorcinol, dry or wetted with less than 15 percent water, by mass.	1.1D	UN0078	II	1.1D ..		None	62	None	ForbIDDEN	ForbIDDEN	10	5E	
2,4-Dinitroresorcinol (heavy metal salts of) (dry).	Forbidden												
4,6-Dinitroresorcinol (heavy metal salts of) (dry).	Forbidden												
Dinitroresorcinol, wetted with not less than 15 percent water, by mass.	4.1	UN1322	I	4.1	23, A8, A19, A20, N41	None	211	None	1 kg	15 kg	E	28, 36	
3,5-Dinitrosalicylic acid (lead salt) (dry).	Forbidden												
Dinitrosobenzene	1.3C	UN0406	II	1.3C ..		None	62	None	ForbIDDEN	ForbIDDEN	10	
Dinitrosobenzylamine and salts of (dry).	Forbidden												
2,2-Dinitrostilbene	Forbidden												
Dinitrotoluenes, liquid	6.1	UN2038	II	6.1	IB2, T7, TP2 T7, TP3	153 None	202 202	243 243	5 L ForbIDDEN 25 kg	60 L ForbIDDEN 100 kg	A C A	
Dinitrotoluenes, molten	6.1	UN1600	II	6.1									
Dinitrotoluenes, solid	6.1	UN3454	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242					
1,9-Dinitroxy pentamethylene-2,4,6,8-tetramine (dry).	Forbidden												
Dioxane	3	UN1165	II	3	IB2, T4, TP1 IB2, T4, TP1	150 150	202 202	242 242	5 L 5 L	60 L 60 L	B B	
Dioxolane	3	UN1166	II	3									40
Dipentene	3	UN2052	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
Diphenylamine chloroarsine	6.1	UN1698	I	6.1	T6, TP33 A8, B14, B32, N33, N34, T14, TP2, TP13, TP27	None	201	None	ForbIDDEN	ForbIDDEN	D	40	
Diphenylchloroarsine, liquid	6.1	UN1699	I	6.1		None	201	243	ForbIDDEN	30 L	D	40	
Diphenylchloroarsine, solid	6.1	UN3450	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	D	40	
Diphenyldichlorosilane	8	UN1769	II	8	A7, B2, IB2, N34, T7, TP2, TP13	None	202	242	ForbIDDEN	30 L	C	40	
Diphenylmethyl bromide	8	UN1770	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	D	40	
Dipicryl sulfide, dry or wetted with less than 10 percent water, by mass.	1.1D	UN0401	II	1.1D ..		None	62	None	ForbIDDEN	ForbIDDEN	10	

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Dipicryl sulfide, dry or wetted with less than 10 percent water, by mass.	1.1D	UN0401	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
	Dipicryl sulfide, wetted with not less than 10 percent water, by mass.	4.1	UN2852	I	4.1	162, A2, N41, N84	None	211	None	Forbidden	0.5 kg	D	28
	Dipicrylamine, see Hexanitrodiphenylamine.
	Dipropionyl peroxide, with more than 28 percent in solution.	Forbidden
G	Di-n-propyl ether	3	UN2384	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
G	Dipropyl ketone	3	UN2710	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
G	Dipropylamine	3	UN2383	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B
G	Disinfectant, liquid, corrosive, n.o.s..	8	UN1903	I	8	A6, A7, B10, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	B
G	Disinfectants, liquid, corrosive n.o.s..	8	UN1903	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	B
G	Disinfectants, liquid, toxic, n.o.s..	6.1	UN3142	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
G	I	6.1	A4, T14, TP2, TP27	None	201	243	1 L	30 L	A	40
G	II	6.1	IB2, T11, TP2, TP27	153	202	243	5 L	60 L	A	40
G	III	6.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A	40
G	Disinfectants, solid, toxic, n.o.s..	6.1	UN1601	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
G	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
G	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
G	Disodium trioxsilicate	8	UN3253	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	52.
G	Dispersant gases, n.o.s. see Refrigerant gases, n.o.s..
	Divinyl ether, stabilized	3	UN1167	I	3	A7, T11, TP2	None	201	243	1 L	30 L	E	40
	Dodecyltrichlorosilane	8	UN1771	II	8	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40
	Dry ice, see Carbon dioxide, solid.

G	Dyes, liquid, corrosive, n.o.s. or Dye intermediates, liquid, corrosive, n.o.s..	8	UN2801	I	8	11, A6, B10, T14, TP2, TP27	None	201	243	0.5 L	2.5 L	A
			II	8	11, B2, IB2, T11, TP2, TP27	154	202	242	1 L	30 L	A
			III	8	11, IB3, T7, TP1, TP28	154	203	241	5 L	60 L	A
G	Dyes, liquid, toxic, n.o.s. or Dye intermediates, liquid, toxic, n.o.s..	6.1	UN1602	I	6.1		None	201	243	1 L	30 L	A
			II	6.1	IB2	153	202	243	5 L	60 L	A
			III	6.1	IB3	153	203	241	60 L	220 L	A
G	Dyes, solid, corrosive, n.o.s. or Dye intermediates, solid, corrosive, n.o.s..	8	UN3147	I	8	IB7, IP1, T6, TP33	None	211	242	1 kg	25 kg	A
			II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A
			III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
G	Dyes, solid, toxic, n.o.s. or Dye intermediates, solid, toxic, n.o.s..	6.1	UN3143	I	6.1	A5, IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A
			II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
			III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Dynamite, see Explosive, blasting, type A.					
	Electrolyte (acid or alkali) for batteries, see Battery fluid, acid or Battery fluid, alkali.					
	Elevated temperature liquid, flammable, n.o.s., with flash point above 37.8 C, at or above its flash point.	3	UN3256	III	3	IB1, T3, TP3, TP29	None	None	247	Forbidden	Forbidden	A
	Elevated temperature liquid, n.o.s., at or above 100 C and below its flash point (including molten metals, molten salts, etc.).	9	UN3257	III	9	IB1, T3, TP3, TP29	None	None	247	Forbidden	Forbidden	A	85
	Elevated temperature solid, n.o.s., at or above 240 C, see § 173.247(h)(4).	9	UN3258	III	9		247(h) (4).	None	247	Forbidden	Forbidden	A	85
	Engines, internal combustion, flammable gas powered.	9	UN3166	9	135	220	220	220	Forbidden	No limit	A
	Engines, internal combustion, flammable liquid powered.	9	UN3166	9	135	220	220	220	No limit	No limit	A
G	Environmentally hazardous substances, liquid, n.o.s..	9	UN3082	III	9	8, 146, IB3, T4, TP1, TP29	155	203	241	No limit	No limit	A

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (\$ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)			
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only	Loca- tion	Other
G	Environmentally hazardous sub- stances, solid, n.o.s.	9	UN3077	III	9	8, 146, B54, IB8, IP3, N20, T1, TP33	155	213	240	No limit	No limit	A
+ +	Epibromohydrin	6.1	UN2558	I	6.1, 3	T14, TP2, TP13	None	201	243	Forbidden	Forbidden	D	40
	Epichlorohydrin	6.1	UN2023	II	6.1, 3	IB2, T7, TP2, TP13	153	202	243	5 L	60 L	A	40
	1,2-Epoxy-3-ethoxypropane	3	UN2752	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Esters, n.o.s.	3	UN3272	II	3	IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L	B
	III	3	B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A
	<i>Etching acid, liquid, n.o.s., see Hydrofluoric acid, etc.</i>												
D	Ethane	2.1	UN1035	2.1							E	40
	Ethane-Propane mixture, refrig- erated liquid	2.1	NA1961	2.1	T75, TP5	306	304	302	Forbiden	150 kg	D	40
	Ethane, refrigerated liquid	2.1	UN1961	2.1	T75, TP5	None	316	314, 315.	Forbiden	Forbiden	D	40
	<i>Ethanol amine dinitrate</i>												
	Ethanol and gasoline mixture or Ethanol and motor spirit mix- ture or Ethanol and petrol mixture, with more than 10% ethanol	3	UN3475	II	3	144, 177, IB2, T4, TP1	150	202	242	5 L	60 L	E
	Ethanol or Ethyl alcohol or Eth- anol solutions or Ethyl alcohol solutions	3	UN1170	II	3	24, IB2, T4, TP1	150	202	242	5 L	60 L	A
	III	3	24, B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Ethanolamine or Ethanolamine solutions	8	UN2491	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A	52.
	<i>Ether, see Diethyl ether</i>												
	Ethers, n.o.s.	3	UN3271	II	3	IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L	B
	III	3	B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A
	Ethyl acetate	3	UN1173	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Ethyl acrylate, stabilized	3	UN1917	II	3	IB2, T4, TP1, TP13	150	202	242	5 L	60 L	B	40
	Ethyl alcohol, see Ethanol
	<i>Ethyl aldehyde, see Acetal- dehyde</i>												

195	Ethyl amy1 ketone	3	UN2271	III	3	B1, IB3, T2, TP1 IB8, IP3, T1, TP33	150	203	242	60 L 100 kg	220 L 200 kg	A A
	N-Ethylbenzyltoluidines, solid	6.1	UN3460	III	6.1		153	213	240
	N-Ethyl-N-benzy1aniline	6.1	UN2274	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Ethyl borate	3	UN1176	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Ethyl bromide	6.1	UN1891	II	6.1	IB2, IP8, T7, TP2, TP13	153	202	243	5 L	60 L	B	40, 85
	Ethyl bromoacetate	6.1	UN1603	II	6.1, 3	IB2, T7, TP2	None	202	243	ForbIDDEN	ForbIDDEN	D	40
	Ethyl butyl ether	3	UN1179	II	3	B1, IB2, T4, TP1	150	202	242	5 L	60 L	B
	Ethyl butyrate	3	UN1180	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Ethyl chloride	2.1	UN1037	2.1	B77, N86, T50	None	322	314, 315.	ForbIDDEN	150 kg	B	40
	Ethyl chloroacetate	6.1	UN1181	II	6.1, 3	IB2, T7, TP2	153	202	243	5 L	60 L	A
	Ethyl chloroformate	6.1	UN1182	I	6.1, 3, 8.	2, B9, B14, B32, B74, N34, T20, TP2, TP13, TP38, TP45	None	227	244	ForbIDDEN	ForbIDDEN	D	21, 40, 100
+	Ethyl 2-chloropropionate	3	UN2935	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Ethyl chlorothioformate	8	UN2826	II	8, 6.1, 3.	2, B9, B14, B32, B74, T20, TP2, TP38, TP45	None	227	244	ForbIDDEN	ForbIDDEN	A	40
	Ethyl crotonate	3	UN1862	II	3	IB2, T4, TP2	150	202	242	5 L	60 L	B
	Ethyl ether, see Diethyl ether
	Ethyl fluoride or Refrigerant gas R161.	2.1	UN2453	2.1		306	304	314, 315.	ForbIDDEN	150 kg	E	40
	Ethyl formate	3	UN1190	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E
+	Ethyl hydroperoxide
	Ethyl isobutyrate	3	UN2385	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Ethyl isocyanate	3	UN2481	I	3, 6.1	1, B9, B14, B30, B72, T22, TP2, TP13, TP38, TP44	None	226	244	ForbIDDEN	ForbIDDEN	D	40, 52
	Ethyl lactate	3	UN1192	III	3	B1, IB3, T2, TP1 A6, T11, TP2, TP13	150	203	242	60 L	220 L	A
	Ethyl mercaptan	3	UN2363	I	3		None	201	243	ForbIDDEN	30 L	E	95, 102
	Ethyl methacrylate, stabilized	3	UN2277	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Ethyl methyl ether	2.1	UN1039	2.1		None	201	314, 315.	ForbIDDEN	150 kg	B	40
	Ethyl methyl ketone or Methyl ethyl ketone.	3	UN1193	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Ethyl nitrite solutions	3	UN1194	I	3, 6.1		None	201	None	ForbIDDEN	ForbIDDEN	E	40, 105
	Ethyl orthoformate	3	UN2524	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Ethyl oxalate	6.1	UN2525	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
D	Ethyl perchlorate
	Ethyl phosphonothioic dichloride, anhydrous.	6.1	NA2927	I	6.1, 8	2, B9, B14, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	ForbIDDEN	ForbIDDEN	D	40

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
D	Ethyl phosphorous dichloride, anhydrous <i>pyrophoric liquid</i> .	6.1	NA2845	I	6.1, 4.2.	2, B9, B14, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	18
D	Ethyl phosphorodichloridate	6.1	NA2927	I	6.1, 8	2, B9, B14, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
	Ethyl propionate	3	UN1195	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Ethyl propyl ether	3	UN2615	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E
	Ethyl silicate, see Tetraethyl silicate.											
	Ethylacetylene, stabilized	2.1	UN2452	2.1	N88	None	304	314, 315.	Forbidden	150 kg	B	40
	Ethylamine	2.1	UN1036	2.1	B77, N87, T50	None	321	314, 315.	Forbidden	150 kg	D	40
	Ethylamine, aqueous solution with not less than 50 percent but not more than 70 percent ethylamine.	3	UN2270	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B	40, 52.
	N-Ethylaniline	6.1	UN2272	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	52, 74
	2-Ethylaniline	6.1	UN2273	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	52, 74
	Ethylbenzene	3	UN1175	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	N-Ethylbenzyltoluidines liquid	6.1	UN2753	III	6.1	IB3, T7, TP1	153	203	241	60 L	220 L	A
	2-Ethylbutanol	3	UN2275	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	2-Ethylbutyl acetate	3	UN1177	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	2-Ethylbutyraldehyde	3	UN1178	II	3	B1, IB2, T4, TP1	150	202	242	5 L	60 L	B
	Ethyldichloroarsine	6.1	UN1892	I	6.1	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
	Ethyldichlorosilane	4.3	UN1183	I	4.3, 8, 3.	A2, A3, A7, N34, T10, TP2, TP7, TP13	None	201	244	Forbidden	1 L	D	21, 28, 40, 49, 100
	Ethylene, acetylene and propylene in mixture, refrigerated liquid with at least 71.5 percent ethylene with not more than 22.5 percent acetylene and not more than 6 percent propylene.	2.1	UN3138	2.1	T75, TP5	None	304	314, 315.	Forbidden	Forbidden	D	40, 57

Ethylene chlorhydrin	6.1	UN1135	I	6.1, 3	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
Ethylene	2.1	UN1962	2.1		306	304	302	Forbidden	150 kg	E	40
<i>Ethylene diamine diperchlorate</i>	Forbidden				
Ethylene dibromide	6.1	UN1605	I	6.1	2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
<i>Ethylene dibromide and methyl bromide liquid mixtures, see Methyl bromide and ethylene dibromide, liquid mixtures.</i>
Ethylene dichloride	3	UN1184	II	3, 6.1	IB2, N36, T7, TP1	150	202	243	1 L	60 L	B	40
Ethylene glycol diethyl ether	3	UN1153	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	A
<i>Ethylene glycol dinitrate</i>	Forbidden	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Ethylene glycol monoethyl ether	3	UN1171	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Ethylene glycol monoethyl ether acetate.	3	UN1172	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Ethylene glycol monomethyl ether.	3	UN1188	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Ethylene glycol monomethyl ether acetate.	3	UN1189	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Ethylene oxide and carbon dioxide mixture with more than 87 percent ethylene oxide.	2.3	UN3300	2.3, 2.1.	4	None	304	314, 315.	Forbidden	Forbidden	D	40
Ethylene oxide and carbon dioxide mixtures with more than 9 percent but not more than 87 percent ethylene oxide.	2.1	UN1041	2.1	T50	306	304	314, 315.	Forbidden	25 kg	B	40
Ethylene oxide and carbon dioxide mixtures with not more than 9 percent ethylene oxide.	2.2	UN1952	2.2		306	304	314, 315.	75 kg	150 kg	A
Ethylene oxide and chlorotetrafluoroethane mixture with not more than 8.8 percent ethylene oxide.	2.2	UN3297	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
Ethylene oxide and dichlorodifluoromethane mixture, with not more than 12.5 percent ethylene oxide.	2.2	UN3070	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
Ethylene oxide and pentafluoroethane mixture with not more than 7.9 percent ethylene oxide.	2.2	UN3298	2.2	T50	306	304	314, 315.	75 kg	150 kg	A

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	Ethylene oxide and propylene oxide mixtures, <i>with not more than 30 percent ethylene oxide.</i>	3	UN2983	I	3, 6.1	5, A11, N4, N34, T14, TP2, TP7, TP13	None	201	243	Forbidden	30 L	E	40
	Ethylene oxide and tetrafluoroethane mixture <i>with not more than 5.6 percent ethylene oxide.</i>	2.2	UN3299	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
	Ethylene oxide or Ethylene oxide with nitrogen <i>up to a total pressure of 1MPa (10 bar) at 50 degrees C.</i>	2.3	UN1040	2.3, 2.1.	4, A59, T50, TP20	None	323	323	Forbidden	Forbidden	D	40
	Ethylene, refrigerated liquid (<i>cryogenic liquid</i>).	2.1	UN1038	2.1	T75, TP5	None	316	318, 319.	Forbidden	Forbidden	D	40
	Ethylenediamine	8	UN1604	II	8, 3	IB2, T7, TP2	154	202	243	1 L	30 L	A	40, 52.
	Ethyleneimine, stabilized	6.1	UN1185	I	6.1, 3	1, B9, B14, B30, B72, B77, N25, N32, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40
	<i>Ethylhexaldehyde, see Octyl aldehydes etc.</i>
	2-Ethylhexyl chloroformate	6.1	UN2748	II	6.1, 8	IB2, T7, TP2, TP13	153	202	243	1 L	30 L	A	12, 13, 21, 25, 40, 100
	2-Ethylhexylamine	3	UN2276	III	3, 8	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A	40
	Ethylphenyldichlorosilane	8	UN2435	II	8	A7, B2, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C
	1-Ethylpiperidine	3	UN2386	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B	52.
	N-Ethyltoluidines	6.1	UN2754	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A
	Ethytrichlorosilane	3	UN1196	II	3, 8	A7, IB1, N34, T7, TP2, TP13	None	202	243	1 L	5 L	B	40.
	<i>Etiologic agent, see Infectious substances, etc.</i>
	<i>Explosive articles, see Articles, explosive, n.o.s. etc.</i>
	Explosive, blasting, type A	1.1D	UN0081	II	1.1D	None	62	None	Forbidden	Forbidden	10	19E, 21E
	Explosive, blasting, type B	1.1D	UN0082	II	1.1D	None	62	None	Forbidden	Forbidden	10	19E

	Explosive, blasting, type B or Agent blasting, Type B.	1.5D	UN0331	II	1.5D ..	105,106	None	62	None	Forbidden	Forbidden	10	19E
	Explosive, blasting, type C	1.1D	UN0083	II	1.1D ..	123	None	62	None	Forbidden	Forbidden	10	22E
	Explosive, blasting, type D	1.1D	UN0084	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
	Explosive, blasting, type E	1.1D	UN0241	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	19E
	Explosive, blasting, type E or Agent blasting, Type E.	1.5D	UN0332	II	1.5D ..	105, 106	None	62	None	Forbidden	Forbidden	10	19E
	Explosive, <i>forbidden</i> . See § 173.54.	Forbidden											
	Explosive substances, see Substances, explosive, n.o.s. etc.												
	Explosives, slurry, see Explosive, blasting, type E.												
	Explosives, water gels, see Explosive, blasting, type E.												
	Extracts, aromatic, liquid	3	UN1169	II	3	149, IB2, T4, TP1, TP8	150	202	242	5 L	60 L	B
	Extracts, flavoring, liquid	3	UN1197	III	3	B1, IB3, T2, TP1 149, IB2, T4, TP1, TP8	150	203	242	60 L	220 L	A
	Fabric with animal or vegetable oil, see Fibers or fabrics, etc.			III	3	B1, IB3, T2, TP1	150	203	242	5 L	60 L	B
	Ferric arsenate	6.1	UN1606	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Ferric arsenite	6.1	UN1607	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Ferric chloride, anhydrous	8	UN1773	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
	Ferric chloride, solution	8	UN2582	III	8	B15, IB3, T4, TP1	154	203	241	5 L	60 L	A
	Ferric nitrate	5.1	UN1466	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
	Ferrocérium	4.1	UN1323	II	4.1	59, A19, IB8, IP2, IP4, T3, TP33	151	212	240	15 kg	50 kg	A
	Ferrosilicon with 30 percent or more but less than 90 percent silicon.	4.3	UN1408	III	4.3, 6.1.	A1, A19, B6, IB8, IP4, IP7, T1, TP33	151	213	240	25 kg	100 kg	A	13, 40, 52, 53, 85, 103
D	Ferrous arsenate	6.1	UN1608	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
D	Ferrous chloride, solid	8	NA1759	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A
D	Ferrous chloride, solution	8	NA1760	II	8	B3, IB2, T11, TP2, TP27	154	202	242	1 L	30 L	B	40
	Ferrous metal borings or Ferrous metal shavings or Ferrous metal turnings or Ferrous metal cuttings in a form liable to self-heating.	4.2	UN2793	III	4.2	A1, A19, IB8, IP3, IP7	None	213	241	25 kg	100 kg	A

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

201	Flammable compressed gas (small receptacles not fitted with a dispersion device, not refillable), see Receptacles, etc.											
	Flammable gas in lighters, see Lighters or lighter refills, cigarettes, containing flammable gas.											
	G Flammable liquid, toxic, corrosive, n.o.s..	3	UN3286	I 3, 6.1, 8.	T14, TP2, TP13, TP27	None	201	243	Forbidden	2.5 L	E	21, 40, 100	
				II 3, 6.1, 8.	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	5 L	B	21, 40, 100	
	G Flammable liquids, corrosive, n.o.s..	3	UN2924	I 3, 8	T14, TP2	None	201	243	0.5 L	2.5 L	E	40	
				II 3, 8	IB2, T11, TP2, TP27	150	202	243	1 L	5 L	B	40	
				III 3, 8	B1, IB3, T7, TP1, TP28	150	203	242	5 L	60 L	A	40	
	G Flammable liquids, n.o.s..	3	UN1993	I 3	T11, TP1, TP27	150	201	243	1 L	30 L	E	
				II 3	IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L	B	
				III 3	B1, B52, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A	
	G Flammable liquids, toxic, n.o.s..	3	UN1992	I 3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	E	40	
				II 3, 6.1	IB2, T7, TP2, TP13	150	202	243	1 L	60 L	B	40	
				III 3, 6.1	B1, IB3, T7, TP1, TP28	150	203	242	60 L	220 L	A	
	G Flammable solid, corrosive, inorganic, n.o.s..	4.1	UN3180	II 4.1, 8	A1, IB6, IP2, T3, TP33	151	212	242	15 kg	50 kg	D	40	
				III 4.1, 8	A1, IB6, T1, TP33	151	213	242	25 kg	100 kg	D	40	
	G Flammable solid, inorganic, n.o.s..	4.1	UN3178	II 4.1	A1, IB8, IP2, IP4, T3, TP33	151	212	240	15 kg	50 kg	B	
				III 4.1	A1, IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	B	
	G Flammable solid, organic, molten, n.o.s..	4.1	UN3176	II 4.1	IB1, T3, TP3, TP26	151	212	240	Forbidden	Forbidden	C	
				III 4.1	IB1, T1, TP3, TP26	151	213	240	Forbidden	Forbidden	C	
	G Flammable solid, oxidizing, n.o.s..	4.1	UN3097	II 4.1, 5.1.	131, T1, TP33	None	214	214	Forbidden	Forbidden	E	40	
				III 4.1, 5.1.	131, T1, TP33	None	214	214	Forbidden	Forbidden	D	40	
	G Flammable solid, toxic, inorganic, n.o.s..	4.1	UN3179	II 4.1, 6.1.	A1, IB6, IP2, T3, TP33	151	212	242	15 kg	50 kg	B	40	
				III 4.1, 6.1.	A1, IB6, T1, TP33	151	213	242	25 kg	100 kg	B	40	

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
G	Flammable solids, corrosive, or- ganic, n.o.s..	4.1	UN2925	II	4.1, 8	A1, IB6, IP2, T3, TP33	None	212	242	15 kg	50 kg	D	40
							151	213	242	25 kg	100 kg		
G	Flammable solids, organic, n.o.s..	4.1	UN1325	II	4.1	A1, IB8, IP2, IP4, T3, TP33	151	212	240	15 kg	50 kg	B
							151	213	240	25 kg	100 kg		
G	Flammable solids, toxic, organic, n.o.s..	4.1	UN2926	II	4.1, 6.1.	A1, IB6, IP2, T3, TP33	151	212	242	15 kg	50 kg	B	40
							151	213	242	25 kg	100 kg		
202	Flares, aerial	1.3G	UN0093	II	1.3G ..	A1, IB6, IP2, T3, TP33	None	62	None	Forbidden	75 kg	07
	Flares, aerial	1.4G	UN0403	II	1.4G ..		None	62	None	Forbidden	75 kg	06
	Flares, aerial	1.4S	UN0404	II	1.4S ..		None	62	None	25 kg	100 kg	05
	Flares, aerial	1.1G	UN0420	II	1.1G ..		None	62	None	Forbidden	Forbidden	07
	Flares, aerial	1.2G	UN0421	II	1.2G ..		None	62	None	Forbidden	Forbidden	07
Flares, airplane, see Flares, aer- ial.	
Flares, signal, see Cartridges, signal.	
Flares, surface	1.3G	UN0092	II	1.3G	A1, IB6, IP2, T3, TP33	None	62	None	Forbidden	75 kg	07
							None	62	None	Forbidden	75 kg	07
							None	62	None	Forbidden	75 kg	07
Flares, surface	1.1G	UN0418	II	1.1G	A1, IB6, IP2, T3, TP33	None	62	None	Forbidden	75 kg	07
							None	62	None	Forbidden	75 kg	07
Flares, water-activated, see Contrivances, water-activated, etc.
						
Flash powder	1.1G	UN0094	II	1.1G	A1, IB6, IP2, T3, TP33	None	62	None	Forbidden	75 kg	07
							None	62	None	Forbidden	75 kg	07
Flue dusts, poisonous, see Ar- senical dust.
						
Fluoride acid, see Hydrofluoric acid, etc.
						
Fluorine, compressed	2.3	UN1045	2.3, 5.1, 8.	1, N86	None	302	None	Forbidden	Forbidden	D	40, 89, 90
						
Fluoroacetic acid	6.1	UN2642	I	6.1	IB7, IP1, T6, TP33	None	211	242	1 kg	15 kg	E
						
Fluoroanilines	6.1	UN2941	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
							150	202	242	5 L	60 L	B
Fluorobenzene	3	UN2387	II	3	IB2, T4, TP1

	Fluoroboric acid	8	UN1775	II	8	A6, A7, B2, B15, IB2, N3, N34, T7, TP2	154	202	242	1 L	30 L	A
	Fluorophosphoric acid anhydrous.	8	UN1776	II	8	A6, A7, B2, IB2, N3, N34, T8, TP2, TP12	None	202	242	1 L	30 L	A
	Fluorosilicates, n.o.s.	6.1	UN2856	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	52
	Fluorosilicic acid	8	UN1778	II	8	A6, A7, B2, B15, IB2, N3, N34, T8, TP2, TP12	None	202	242	1 L	30 L	A
	Fluorosulfonic acid	8	UN1777	I	8	A3, A6, A7, A10, B6, B10, N3, N36, T10, TP2, TP12	None	201	243	0.5 L	2.5 L	D	40
	Fluorotoluenes	3	UN2388	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
	Forbidden materials. See § 173.21.	Forbidden				
	Formaldehyde, solutions, flammable.	3	UN1198	III	3, 8	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A	40
	Formaldehyde, solutions, with not less than 25 percent formaldehyde.	8	UN2209	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Formalin, see Formaldehyde, solutions.					
	Formic acid with not less than 10% but not more than 85% acid by mass.	8	UN3412	II	8	IB2, T7, TP2	154	202	242	1 L	30 L	A	40.
	Formic acid with not less than 5% but less than 10% acid by mass.	8	UN3412	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A	40
	Formic acid with more than 85% acid by mass.	8	UN1779	II	8, 3	B2, B28, IB2, T7, TP2	154	202	242	1 L	30 L	A	40.
	Fracturing devices, explosive, without detonators for oil wells.	1.1D	UN0099	II	1.1D ..		None	62	None	Forbidden	Forbidden	07
	Fuel, aviation, turbine engine	3	UN1863	I	3	144, T11, TP1, TP8, TP28	150	201	243	1 L	30 L	E
				II	3	144, IB2, T4, TP1, TP8	150	202	242	5 L	60 L	B
				III	3	144, B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
D	Fuel cell cartridges containing flammable liquids.	3	UN3473	II	3		150	230	None	5 L	60 L	A
D	Fuel oil (No. 1, 2, 4, 5, or 6)	3	NA1993	III	3	144, B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	<i>Fuel system components (in- cluding fuel control units (FCU), carburetors, fuel lines, fuel pumps) see Dangerous Goods in Apparatus or Dan- gerous Goods in Machinery.</i>												
	<i>Fulminate of mercury (dry)</i>	Forbidden											
	<i>Fulminate of mercury, wet, see Mercury fulminate, etc.</i>												
	<i>Fulminating gold</i>	Forbidden											
	<i>Fulminating mercury</i>	Forbidden											
	<i>Fulminating platinum</i>	Forbidden											
	<i>Fulminating silver</i>	Forbidden											
	<i>Fulminic acid</i>	Forbidden											
	<i>Fumaryl chloride</i>	8	UN1780	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	C	8, 40
	<i>Fumigated lading, see §§ 172.302(g), 173.9 and 176.76(h).</i>												
	<i>Fumigated transport vehicle or freight container see § 173.9.</i>												
	<i>Furaldehydes</i>	6.1	UN1199	II	6.1, 3	IB2, T7, TP2	153	202	243	5 L	60 L	A	
	<i>Furan</i>	3	UN2389	I	3	T12, TP2, TP13	None	201	243	1 L	30 L	E	40
	<i>Furfuryl alcohol</i>	6.1	UN2874	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	52, 74
	<i>Furfurylamine</i>	3	UN2526	III	3, 8	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A	40
	<i>Fuse, detonating, metal clad, see Cord, detonating, metal clad.</i>												
	<i>Fuse, detonating, mild effect, metal clad, see Cord, deto- nating, mild effect, metal clad.</i>												
	<i>Fuse, igniter tubular metal clad</i>	1.4G	UN0103	II	1.4G ..		None	62	None	Forbidden	75 kg	06
	<i>Fuse, non-detonating instantan- eous or quickmatch.</i>	1.3G	UN0101	II	1.3G ..		None	62	None	Forbidden	Forbidden	07
	<i>Fuse, safety</i>	1.4S	UN0105	II	1.4S ..		None	62	None	25 kg	100 kg	05
	<i>Fusee (railway or highway)</i>	4.1	NA1325	II	4.1		None	184	None	15 kg	50 kg	B
	<i>Fusel oil</i>	3	UN1201	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	
D	<i>Fuses, tracer, see Tracers for ammunition.</i>			III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	

	<i>Fuzes, combination, percussion and time, see Fuzes, detonating (UN0257, UN0367); Fuzes, igniting (UN0317, UN0368).</i>
	<i>Fuzes, detonating</i>	1.1B	UN0106	II	1.1B ..							
	<i>Fuzes, detonating</i>	1.2B	UN0107	II	1.2B ..		116	None	62	None	Forbidden	Forbidden 11
	<i>Fuzes, detonating</i>	1.4B	UN0257	II	1.4B ..		116	None	62	None	Forbidden	Forbidden 75 kg 06
	<i>Fuzes, detonating</i>	1.4S	UN0367	II	1.4S ..		116	None	62	None	Forbidden	Forbidden 25 kg 100 kg 05
	<i>Fuzes, detonating, with protective features.</i>	1.1D	UN0408	II	1.1D ..			None	62	None	Forbidden	Forbidden 07
	<i>Fuzes, detonating, with protective features.</i>	1.2D	UN0409	II	1.2D ..			None	62	None	Forbidden	Forbidden 07
	<i>Fuzes, detonating, with protective features.</i>	1.4D	UN0410	II	1.4D ..		116	None	62	None	Forbidden	75 kg 06
	<i>Fuzes, igniting</i>	1.3G	UN0316	II	1.3G ..			None	62	None	Forbidden	Forbidden 07
	<i>Fuzes, igniting</i>	1.4G	UN0317	II	1.4G ..			None	62	None	Forbidden	Forbidden 75 kg 06
	<i>Fuzes, igniting</i>	1.4S	UN0368	II	1.4S ..			None	62	None	Forbidden	Forbidden 25 kg 100 kg 05
	<i>Galactisan trinitrate</i>	Forbidden										
	<i>Gallium</i>	8	UN2803	III	8		T1, TP33	None	162	240	20 kg	20 kg B 48
	<i>Gas cartridges, (flammable) without a release device, non-refillable.</i>	2.1	UN2037		2.1			306	304	None	1 kg	15 kg B 40
D	<i>Gas identification set</i>	2.3	NA9035	2.3	6		None	194	None	Forbidden	Forbidden D
	<i>Gas oil</i>	3	UN1202	III	3	144, B1, IB3, T2, TP1		150	203	242	60 L	220 L A
G	<i>Gas, refrigerated liquid, flammable, n.o.s. (cryogenic liquid).</i>	2.1	UN3312	2.1		T75, TP5	None	316	318	ForbIDDEN	ForbIDDEN D 40
G	<i>Gas, refrigerated liquid, n.o.s. (cryogenic liquid).</i>	2.2	UN3158	2.2		T75, TP5	320	316	318	50 kg	500 kg D
G	<i>Gas, refrigerated liquid, oxidizing, n.o.s. (cryogenic liquid).</i>	2.2	UN3311	2.2, 5.1. 2.1		T75, TP5, TP22	320	316	318	ForbIDDEN	ForbIDDEN D
	<i>Gas sample, non-pressurized, flammable, n.o.s., not refrigerated liquid.</i>	2.1	UN3167				306	302, 304.	None	1 L	5 L D
	<i>Gas sample, non-pressurized, toxic, flammable, n.o.s., not refrigerated liquid.</i>	2.3	UN3168	2.3, 2.1.	6		306	302	None	ForbIDDEN	1 L D
	<i>Gas sample, non-pressurized, toxic, n.o.s., not refrigerated liquid.</i>	2.3	UN3169	2.3	6		306	302, 304.	None	ForbIDDEN	1 L D
D	<i>Gasohol gasoline mixed with ethyl alcohol, with not more than 10% alcohol.</i>	3	NA1203	II	3		144	150	202	242	5 L	60 L E
	<i>Gasoline includes gasoline mixed with ethyl alcohol, with not more than 10% alcohol.</i>	3	UN1203	II	3	144, B1, B33, T8		150	202	242	5 L	60 L E
	<i>Gasoline, casinghead, see Gasoline.</i>											

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	Gelatine, blasting, see Explosive, blasting, type A.
	Gelatine dynamites, see Explosive, blasting, type A.
	Germaine	2.3	UN2192	2.3, 2.1.	2	None	302	245	Forbidden	Forbidden	D	40
	Glycerol-1,3-dinitrate	Forbidden
	Glycerol gluconate trinitrate	Forbidden
	Glycerol lactate trinitrate	Forbidden
	Glycerol alpha-monochlorohydrin.	6.1	UN2689	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Glyceryl trinitrate, see Nitroglycerin, etc.
	Glycidaldehyde	3	UN2622	II	3, 6.1	IB2, IP8, T7, TP1	150	202	243	1 L	60 L	A	40
	Grenades, hand or rifle, with bursting charge.	1.1D	UN0284	II	1.1D	62	None	Forbidden	Forbidden	07
	Grenades, hand or rifle, with bursting charge.	1.2D	UN0285	II	1.2D	62	None	Forbidden	Forbidden	07
	Grenades, hand or rifle, with bursting charge.	1.1F	UN0292	II	1.1F	62	None	Forbidden	Forbidden	08
	Grenades, hand or rifle, with bursting charge.	1.2F	UN0293	II	1.2F	62	None	Forbidden	Forbidden	08
	Grenades, illuminating, see Ammunition, illuminating, etc.
	Grenades, practice, hand or rifle	1.4S	UN0110	II	1.4S	62	None	25 kg	100 kg	05
	Grenades, practice, hand or rifle	1.3G	UN0318	II	1.3G	62	None	Forbidden	Forbidden	07
	Grenades, practice, hand or rifle	1.2G	UN0372	II	1.2G	62	None	Forbidden	Forbidden	07
	Grenades practice Hand or rifle	1.4G	UN0452	II	1.4G	62	None	Forbidden	75 kg	06
	Grenades, smoke, see Ammunition, smoke, etc.
	Guanidine nitrate	5.1	UN1467	III	5.1	A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	73
	Guanyl nitrosaminoguanylidene hydrazine (dry).	Forbidden
	Guanyl nitrosaminoguanylidene hydrazine, wetted with not less than 30 percent water, by mass.	1.1A	UN0113	II	1.1A ...	111, 117	None	62	None	Forbidden	Forbidden	12
	Guanyl nitrosaminoguanyl tetrazene (dry).	Forbidden

Pipeline and Hazardous Materials Safety Admin., DOT**§ 172.101**

D G	Guanyl nitrosaminoguanyl tetrazene, wetted or Tetrazene, wetted with not less than 30 percent water or mixture of alcohol and water, by mass.	1.1A	UN0114	II	1.1A ...	111, 117	None	62	None	Forbidden	Forbidden	12
D G	Gunpowder, compressed or Gunpowder in pellets, see Black powder (UN 0028).
	Gunpowder, granular or as a meal, see Black powder (UN 0027).
	Hafnium powder, dry	4.2	UN2545	I	4.2	A19, A20, IB6, IP2, N34, T3, TP33	None	211	242	Forbidden 15 kg	Forbidden 50 kg	D D
	II	4.2	IB8, IP3, T1, TP33	None	212	241	25 kg	100 kg	D
	III	4.2	A6, A19, A20, IB6, IP2, N34, T3, TP33	None	213	241	15 kg	50 kg	E	74
	Hafnium powder, wetted with not less than 25 percent water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns.	4.1	UN1326	II	4.1	None	212	241
	Hand signal device, see Signal devices, hand.
	Hazardous substances, liquid or solid, n.o.s., see Environmentally hazardous substances, etc.
D G	Hazardous waste, liquid, n.o.s. ..	9	NA3082	III	9	IB3, T2, TP1	155	203	241	No limit	No limit	A
D G	Hazardous waste, solid, n.o.s. ..	9	NA3077	III	9	B54, IB8, IP2, T1, TP33	155	213	240	No limit	No limit	A
	Heating oil, light	3	UN1202	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Helium, compressed	2.2	UN1046	2.2	306	302	302, 314.	75 kg	150 kg	A	85
	Helium, refrigerated liquid (cryogenic liquid).	2.2	UN1963	2.2	T75, TP5	320	316	318	50 kg	500 kg	B
	Heptafluoropropane or Refrigerant gas R 227.	2.2	UN3296	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
	n-Heptaldehyde	3	UN3056	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Heptanes	3	UN1206	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	n-Heptene	3	UN2278	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Hexachloroacetone	6.1	UN2661	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	B	12, 40
	Hexachlorobenzene	6.1	UN2729	III	6.1	B3, IB8, IP3, T1, TP33	153	203	241	60 L	220 L	A
	Hexachlorobutadiene	6.1	UN2279	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	Hexachlorocyclopentadiene	6.1	UN2646	I	6.1	2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
	Hexachlorophene	6.1	UN2875	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Hexadecyltrichlorosilane	8	UN1781	II	8	A7, B2, B6, IB2, N34, T7, TP2	None	202	242	ForbIDDEN	30 L	C	40
	Hexadienes	3	UN2458	II	3	IB2, T4, TP1	None	202	242	5 L	60 L	B
	Hexaethyl tetraphosphate and compressed gas mixtures.	2.3	UN1612	2.3	3	None	334	None	ForbIDDEN	ForbIDDEN	D	40
	Hexaethyl tetraphosphate, <i>liquid</i>	6.1	UN1611	II	6.1	IB2, N76, T7, TP2	153	202	243	5 L	60 L	E	40
	Hexaethyl tetraphosphate, <i>solid</i>	6.1	UN1611	II	6.1	IB8, IP2, IP4, N76	153	212	242	25 kg	100 kg	E	40
	Hexafluoroacetone	2.3	UN2420	2.3, 8	2, B9, B14	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	40
	Hexafluoroacetone hydrate, liq-uid.	6.1	UN2552	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	B	40
	Hexafluoroacetone hydrate, solid.	6.1	UN3436	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B	40
	Hexafluoroethane, or Refrigerant gas R 116.	2.2	UN2193	2.2	TP33	306	304	314, 315.	75 kg	150 kg	A
	Hexafluorophosphoric acid	8	UN1782	II	8	A6, A7, B2, IB2, N3, N34, T8, TP2, TP12	None	202	242	1 L	30 L	A
	Hexafluoropropylene com-pressed or Refrigerant gas R 1216.	2.2	UN1858	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
	Hexaldehyde	3	UN1207	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Hexamethylene diisocyanate	6.1	UN2281	II	6.1	IB2, T7, TP2, TP13	153	202	243	5 L	60 L	C	13, 40
	Hexamethylene triperoxide diamine (<i>dry</i>).	Forbidden		
	Hexamethylenediamine, solid	8	UN2280	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	12
	Hexamethylenediamine solution	8	UN1783	II	8	IB2, T7, TP2	None	202	242	1 L	30 L	A
	Hexamethylenimine	3	UN2493	II	3, 8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Hexamethylenetetramine	4.1	UN1328	III	4.1	IB2, T7, TP1	150	202	243	1 L	5 L	B	40
						A1, IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	A

<i>Hexamethylol benzene hexanitrate.</i>	Forbidden																				
Hexanes	3	UN1208	II	3	IB2, T4, TP1	150	202	242		5 L	60 L	E									
2,2',4,4',6,6'- Hexanitro-3,3'- dihydroxyazobenzene (dry).	Forbidden																				
<i>Hexanitroazoxy benzene</i>	Forbidden																				
<i>N,N'-(hexanitrodiphenyl) ethylene dinitramine (dry).</i>	Forbidden																				
<i>Hexanitrodiphenyl urea</i>	Forbidden																				
2,2',3,4,4',6- Hexanitrodiphenylamine.	Forbidden																				
<i>Hexanitrodiphenylamine or Dipicrylamine or Hexyl.</i>	1.1D	UN0079	II	1.1D ..		None	62	None	Forbidden	Forbidden	10										
2,3,4,4',6,6'- Hexanitrodiphenylether.	Forbidden																				
<i>Hexanitroethane</i>	Forbidden																				
<i>Hexanitroxanilide</i>	Forbidden																				
<i>Hexanitrostilbene</i>	1.1D	UN0392	II	1.1D ..		None	62	None	Forbidden	Forbidden	10										
<i>Hexanoic acid, see Corrosive liquids, n.o.s..</i>																					
Hexanols	3	UN2282	III	3	B1, IB3, T2, TP1	150	203	242		60 L	220 L	A	74								
1-Hexene	3	UN2370	II	3	IB2, T4, TP1	150	202	242		5 L	60 L	E									
Hexogen and cyclotetramethylenetrinitramine mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.																					
Hexogen and HMX mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.																					
Hexogen and octogen mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.																					
Hexogen, <i>see</i> Cyclotrimethylenetrinitramine, etc.																					
Hexolite, or Hexitol dry or wetted with less than 15 percent water, by mass.	1.1D	UN0118	II	1.1D ..		None	62	None	Forbidden	Forbidden	10										
Hexontal	1.1D	UN0393	II	1.1D ..		None	62	None	Forbidden	Forbidden	10										
Hexyl, <i>see</i> Hexanitrodiphenylamine.																					
Hexyltrichlorosilane	8	UN1784	II	8	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40									
<i>High explosives, see individual explosives' entries.</i>																					

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	HMX, see Cyclotetramethylenetrinitramine, etc.
	Hydrazine, anhydrous	8	UN2029	I 8, 3, 6.1.	A3, A6, A7, A10, B7, B16, B53 IB3, T4, TP1	None 153	201 203	243 241	Forbidden 60 L	2.5 L 220 L	D A	40, 52, 125. 52.	
	Hydrazine, aqueous solution, with not more than 37 percent hydrazine, by mass.	6.1	UN3293	III 6.1
	Hydrazine aqueous solution, with more than 37% hydra-zine, by mass.	8	UN2030	I 8, 6.1	B16, B53, T10, TP2, TP13	None 154	201 203	243 241	Forbidden 5 L	2.5 L 60 L	D D	40, 52 40, 52	
	Hydrazine azide	Forbidden
	Hydrazine chloride	Forbidden
	Hydrazine dicarbonic acid diazide.	Forbidden
	II 8, 6.1	B16, B53, IB2, T7, TP2, TP13	None 154	202 203	243 241	Forbidden 5 L	30 L 60 L	D D	40 40	
	III 8, 6.1	B16, B53, IB3, T4, TP1
	Hydrazine perchlorate	Forbidden
	Hydrazine selenate	Forbidden
	Hydriodic acid, anhydrous, see Hydrogen iodide, anhydrous.
	Hydriodic acid	8	UN1787	II 8	A3, A6, B2, IB2, N41, T7, TP2	154	202	242	1 L	30 L	C	
	III 8	IB3, T4, TP1	154	203	241	5 L	60 L	C	8	
	Hydrobromic acid, anhydrous, see Hydrogen bromide, anhy-drous.
	Hydrobromic acid, with more than 49 percent hydrobromic acid.	8	UN1788	II 8	B2, B15, IB2, N41, T7, TP2	154	202	242	Forbidden	Forbidden	C	
	III 8	IB3, T4, TP1	154	203	241	Forbidden	Forbidden	C	8	
	Hydrobromic acid, with not more than 49 percent hydrobromic acid.	8	UN1788	II 8	A3, A6, B2, B15, IB2, N41, T7, TP2	154	202	242	1 L	30 L	C	
	III 8	A3, IB3, T4, TP1	154	203	241	5 L	60 L	C	8	

	Hydrocarbon gas mixture, compressed, n.o.s..	2.1	UN1964	2.1		306	302	314, 315.	Forbidden	150 kg	E	40
	Hydrocarbon gas mixture, liquefied, n.o.s..	2.1	UN1965	2.1	T50	306	304	314, 315.	Forbidden	150 kg	E	40
	Hydrocarbons, liquid, n.o.s.	3	UN3295	I	3	144, T11, TP1, TP8, TP28	150	201	243	1 L	30 L	E
	II	3	144, IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L	B
	III	3	144, B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A
	<i>Hydrochloric acid, anhydrous, see Hydrogen chloride, anhydrous.</i>
	Hydrochloric acid	8	UN1789	II	8	A3, A6, B3, B15, IB2, N41, T8, TP2, TP12	154	202	242	1 L	30 L	C
	III	8	A3, IB3, T4, TP1, TP12	154	203	241	5 L	60 L	C	8
	<i>Hydrocyanic acid, anhydrous, see Hydrogen cyanide etc.</i>
	Hydrocyanic acid, aqueous solutions or Hydrogen cyanide, aqueous solutions with not more than 20 percent hydrogen cyanide.	6.1	UN1613	I	6.1	2, B61, B65, B77, B82, T20, TP2, TP13	None	195	244	Forbidden	Forbidden	D	40
	D Hydrocyanic acid, aqueous solutions with less than 5 percent hydrogen cyanide.	6.1	NA1613	II	6.1	IB1, T14, TP2, TP13, TP27	None	195	243	Forbidden	5 L	D	40
	<i>Hydrocyanic acid, liquefied, see Hydrogen cyanide, etc.</i>
	<i>Hydrocyanic acid (prussic), unstabilized.</i>	Forbidden
	Hydrofluoric acid and Sulfuric acid mixtures.	8	UN1786	I	8, 6.1	A6, A7, B15, B23, N5, N34, T10, TP2, TP12, TP13	None	201	243	Forbidden	2.5 L	D	40
	<i>Hydrofluoric acid, anhydrous, see Hydrogen fluoride, anhydrous.</i>
	Hydrofluoric acid, with more than 60 percent strength.	8	UN1790	I	8, 6.1	A6, A7, B4, B15, B23, N5, N34, T10, TP2, TP12, TP13	None	201	243	0.5 L	2.5 L	D	12, 40
	Hydrofluoric acid, with not more than 60 percent strength.	8	UN1790	II	8, 6.1	A6, A7, B15, IB2, N5, N34, T8, TP2, TP12	154	202	243	1 L	30 L	D	12, 40
	<i>Hydrofluoroboric acid, see Fluoroboric acid.</i>
	<i>Hydrofluosilicic acid, see Fluorosilicic acid.</i>

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
212	Hydrogen and Methane mix- tures, compressed.	2.1	UN2034	2.1	N89	306	302	302, 314, 315.	Forbidden	150 kg	E	40, 57
	Hydrogen bromide, anhydrous ..	2.3	UN1048	2.3, 8	3, B14, N86, N89	None	304	314, 315.	Forbidden	Forbidden	D	40
	Hydrogen chloride, anhydrous ...	2.3	UN1050	2.3, 8	3, N86, N89	None	304	None	Forbidden	Forbidden	D	40
	Hydrogen chloride, refrigerated liquid.	2.3	UN2186	2.3, 8	3, B6	None	None	314, 315.	Forbidden	Forbidden	B	40
	Hydrogen, compressed	2.1	UN1049	2.1	N89	306	302	302, 314.	Forbidden	150 kg	E	40, 57
	Hydrogen cyanide, solution in alcohol with not more than 45 percent hydrogen cyanide.	6.1	UN3294	I	6.1, 3	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
	Hydrogen cyanide, stabilized with less than 3 percent water.	6.1	UN1051	I	6.1, 3	1, B35, B61, B65, B77, B82	None	195	244	Forbidden	Forbidden	D	40
	Hydrogen cyanide, stabilized, with less than 3 percent water and absorbed in a porous inert material.	6.1	UN1614	I	6.1	5	None	195	None	Forbidden	Forbidden	D	25, 40
	Hydrogen fluoride, anhydrous	8	UN1052	I	8, 6.1	3, B7, B46, B71, B77, N86, T10, TP2	None	163	243	Forbidden	Forbidden	D	40
	Hydrogen in a metal hydride storage system.	2.1	UN3468	2.1	167	None	214	None	Forbidden	100 kg gross	D	
	Hydrogen iodide, anhydrous	2.3	UN2197	2.3	3, B14, N86, N89	None	304	314, 315.	Forbidden	Forbidden	D	40
	Hydrogen iodide solution, see Hydriodic acid.	III	8	IB8, IP3, N3, N34, T1, TP33	154	213	240	25 kg	100 kg	A	25, 40, 52.
	Hydrogendifluoride, solid, n.o.s	8	UN1740	II	8	IB8, IP2, IP4, N3, N34, T3, TP33	None	212	240	15 kg	50 kg	A	25, 40, 52
	Hydrogendifluoride solution, n.o.s.	8	UN3471	II	8, 6.1	IB8, IP3, N3, N34, T1, TP33 IB2, T7, TP2	154	213	240	25 kg	100 kg	A	25, 40, 52
				III	8	IB3, T4, TP1	154	202	242	1 L	30 L	A	25, 40, 52.
										5 L	60 L	A	25, 40, 52.

	5.1	UN3149	II	5.1, 8	145, A2, A3, A6, B53, IB2, IP5, T7, TP2, TP6, TP24	None	202	243	1 L	5 L	D	25, 66, 75.	
	5.1	UN2014	II	5.1, 8	12, A60, B53, B80, B81, B85, IB2, IP5, T7, TP2, TP6, TP24, TP37	None	202	243	Forbidden	Forbidden	D	25, 66, 75	
	5.1	UN2014	II	5.1, 8	A2, A3, A6, B53, IB2, IP5, T7, TP2, TP6, TP24, TP37	None	202	243	1 L	5 L	D	25, 66, 75.	
	5.1	UN2984	III	5.1	A1, IB2, IP5, T4, TP1, TP6, TP24, TP37	152	203	241	2.5 L	30 L	B	25, 66, 75	
	5.1	UN2015	I	5.1, 8	12, B53, B80, B81, B85, T9, TP2, TP6, TP24, TP37	None	201	243	Forbidden	Forbidden	D	25, 66, 75.	
	2.1	UN1966	2.1	T75, TP5	None	316	318, 319.	Forbidden	Forbidden	D	40	
	2.3	UN2202	2.3, 2.1.	1	None	192	245	Forbidden	Forbidden	D	40	
	
	
	2.3	UN1053	2.3, 2.1.	2, B9, B14, N89	None	304	314, 315.	Forbidden	Forbidden	D	40	
	
	
	
	Forbiden	8	UN2865	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
	Hydrochlorite solutions	8	UN1791	II	8	A7, B2, B15, IB2, IP5, N34, T7, TP2, TP24	154	202	242	1 L	30 L	B	26.
	Hypochlorites, inorganic, n.o.s. ..	5.1	UN3212	II	5.1	A9, IB8, IP2, IP4, T3, TP33	152	212	240	5 kg	25 kg	D	4, 48, 52, 56, 58, 69, 106, 116, 118
	Hyponitrous acid	Forbiden	

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age		
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other	
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only			
	<i>Igniter fuse, metal clad, see Fuse, igniter, tubular, metal clad.</i>	
G	Igniters	1.1G	UN0121	II	1.1G	None	62	None	Forbidden	Forbidden	07	
G	Igniters	1.2G	UN0314	II	1.2G	None	62	None	Forbidden	Forbidden	07	
G	Igniters	1.3G	UN0315	II	1.3G	None	62	None	Forbidden	Forbidden	07	
G	Igniters	1.4G	UN0325	II	1.4G	None	62	None	Forbidden	75 kg	06	
G	Igniters	1.4S	UN0454	II	1.4S	None	62	None	Forbidden	100 kg	05	
G	3,3'-Iminodipropylamine	8	UN2269	III	8	IB3, T4, TP2	154	203	241	5 L	60 L	A	
G	Infectious substances, affecting animals only.	6.2	UN2900	6.2	A82	134	196	None	50 mL or 50 g	4 L or 4 kg	B	40	
G	Infectious substances, affecting humans.	6.2	UN 2814	6.2	A82	134	196	None	50 mL or 50 g	4 L or 4 kg	B	40	
G	<i>Inflammable, see Flammable</i>	
G	<i>Initiating explosives (dry)</i>	Forbidden	
G	<i>Inositol hexanitrate (dry)</i>	Forbidden	
G	Insecticide gases, n.o.s.	2.2	UN1968	2.2	306	304	314, 315.	75 kg	150 kg	A	
G	Insecticide gases, flammable, n.o.s..	2.1	UN3354	2.1	T50	306	304	314, 315.	Forbiden	150 kg	D	40	
G	Insecticide gases, toxic, flam- mable, n.o.s. <i>Inhalation haz- ard Zone A.</i>	2.3	UN3355	2.3, 2.1.	1	None	192	245	Forbiden	Forbiden	D	40
G	Insecticide gases, toxic, flam- mable, n.o.s. <i>Inhalation haz- ard Zone B.</i>	2.3	UN3355	2.3, 2.1.	2, B9, B14	None	302, 305.	314, 315.	Forbiden	Forbiden	D	40	
G	Insecticide gases, toxic, flam- mable, n.o.s. <i>Inhalation haz- ard Zone C.</i>	2.3	UN3355	2.3, 2.1.	3, B14	None	302, 305.	314, 315.	Forbiden	Forbiden	D	
G	Insecticide gases, toxic, flam- mable, n.o.s. <i>Inhalation haz- ard Zone D.</i>	2.3	UN3355	2.3, 2.1.	4	None	302, 305.	314, 315.	Forbiden	Forbiden	D	
G	Insecticide gases, toxic, n.o.s. ...	2.3	UN1967	2.3	3	None	193, 334.	245	Forbiden	Forbiden	D	40	
	<i>Inulin trinitrate (dry)</i>	Forbidden	
	<i>Iodine azide (dry)</i>	Forbidden	
	Iodine monochloride	8	UN1792	II	8	B6, IB8, IP2, IP4, N41, T7, TP2	None	212	240	Forbidden	50 kg	D	40, 66, 74, 89, 90	

	Iodine pentafluoride	5.1	UN2495	I	5.1, 6.1, 8.		None	205	243	Forbidden	Forbidden	D	25, 40, 52, 66, 90
	2-Iodobutane	3	UN2390	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Iodomethylpropanes	3	UN2391	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Iodopropanes	3	UN2392	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	<i>Iodoxy compounds (dry)</i>	Forbidden										
	<i>Iridium nitratopentamine iridium nitrate.</i>	Forbidden										
	<i>Iron chloride, see Ferric chloride</i>											
	Iron oxide, spent, or Iron sponge, spent obtained from coal gas purification.	4.2	UN1376	III	4.2	B18, IB8, IP3, T1, TP33	None	213	240	Forbidden	Forbidden	E
	Iron pentacarbonyl	6.1	UN1994	I	6.1, 3	1, B9, B14, B30, B72, B77, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40
	<i>Iron sesquichloride, see Ferric chloride.</i>											
	<i>Irritating material, see Tear gas substances, etc.</i>											
	Isobutane see also Petroleum gases, liquefied.	2.1	UN1969	2.1	19, T50	306	304	314, 315.	Forbidden	150 kg	E	40
	Isobutanol or Isobutyl alcohol ...	3	UN1212	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Isobutyl acetate	3	UN1213	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Isobutyl acrylate, stabilized	3	UN2527	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Isobutyl alcohol, see Isobutanol											
	Isobutyl aldehyde, see Isobutyaldehyde.											
D	Isobutyl chloroformate	6.1	NA2742	I	6.1, 3, 8.	2, B9, B14, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	A	12, 13, 22, 25, 40, 48, 100
	Isobutyl formate	3	UN2393	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Isobutyl isobutyrate	3	UN2528	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
+	Isobutyl isocyanate	3	UN2486	I	3, 6.1	1, B9, B14, B30, B72, T22, TP2, TP13, TP27	None	226	244	Forbidden	Forbidden	D	40
	Isobutyl methacrylate, stabilized	3	UN2283	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Isobutyl propionate	3	UN2394	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	B
	Isobutylamine	3	UN1214	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B	40
	Isobutylene see also Petroleum gases, liquefied.	2.1	UN1055	2.1	19, T50	306	304	314, 315.	Forbidden	150 kg	E	40
	Isobutylaldehyde or Isobutyl aldehyde.	3	UN2045	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E	40
	Isobutyric acid	3	UN2529	III	3, 8	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A
	Isobutyronitrile	3	UN2284	II	3, 6.1	IB2, T7, TP2, TP13	150	202	243	1 L	60 L	E	40
	Isobutyryl chloride	3	UN2395	II	3, 8	IB1, T7, TP2	150	202	243	1 L	5 L	C	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (& 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
G	Isocyanates, flammable, toxic, n.o.s. or Isocyanate solutions, flammable, toxic, n.o.s. <i>flash point less than 23 degrees C.</i>	3	UN2478	II	3, 6.1	5, A3, A7, IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	D	40
G	Isocyanates, toxic, flammable, n.o.s. or Isocyanate solutions, toxic, flammable, n.o.s., <i>flash point not less than 23 degrees C but not more than 61 degrees C and boiling point less than 300 degrees C.</i>	6.1	UN3080	II	6.1, 3	IB2, T11, TP2, TP13, TP27	150	203	242	60 L	220 L	A
G	Isocyanates, toxic, n.o.s. or Isocyanate solutions, toxic, n.o.s., <i>flash point more than 61 degrees C and boiling point less than 300 degrees C.</i>	6.1	UN2206	II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	25, 40, 48
	Isocyanatobenzotrifluorides	6.1	UN2285	II	6.1, 3	5, IB2, T7, TP1, TP13, TP28	153	203	241	60 L	220 L	E	25, 40, 48
	Isoheptenes	3	UN2287	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	D	25, 40, 48
	Isohexenes	3	UN2288	II	3	IB2, IP8, T11, TP1	150	202	242	5 L	60 L	B
	Isooctane, see Octanes	3	UN1216	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	E
	Isooctene	3	UN1216	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Iopentane, see Pentane
	Iopentanoic acid, see Corrosive liquids, n.o.s..
	Iopentenes	3	UN2371	I	3	T11, TP2	150	201	243	1 L	30 L	E
	Isophorone diisocyanate	6.1	UN2290	III	6.1	IB3, T4, TP2	153	203	241	60 L	220 L	B	40
	Isophoronediamine	8	UN2289	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Isoprene, stabilized	3	UN1218	I	3	T11, TP2	150	201	243	1 L	30 L	E
	Isopropanol or Isopropyl alcohol	3	UN1219	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Isopropenyl acetate	3	UN2403	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Isopropenylbenzene	3	UN2303	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Isopropyl acetate	3	UN1220	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Isopropyl acid phosphate	8	UN1793	III	8	IB2, T4, TP1	154	213	240	25 kg	100 kg	A

	Isopropyl alcohol, see Isopropanol.												
	Isopropyl butyrate	3 UN2405	III 3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A			
	Isopropyl chloroacetate	3 UN2947	III 3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A			
	Isopropyl chloroformate	6.1 UN2407	I 6.1, 3, 8.	2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP44	None	227	244	Forbidden	Forbidden	B	40			
+	Isopropyl 2-chloropropionate	3 UN2934	III 3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A			
	Isopropyl isobutyrate	3 UN2406	II 3	IB2, T4, TP1	150	202	242	5 L	60 L	B			
	Isopropyl isocyanate	3 UN2483	I 3, 6.1	1, B9, B14, B30, B72, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40			
	Isopropyl mercaptan, see Propanethiols.												
	Isopropyl nitrate	3 UN1222	II 3	IB9	150	202	None	5 L	60 L	D			
	Isopropyl phosphoric acid, see Isopropyl acid phosphate.												
	Isopropyl propionate	3 UN2409	II 3	IB2, T4, TP1	150	202	242	5 L	60 L	B			
	Isopropylamine	3 UN1221	I 3, 8 ...	T11, TP2	None	201	243	0.5 L	2.5 L	E			
	Isopropylbenzene	3 UN1918	III 3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A			
	Isopropylcumyl hydroperoxide, with more than 72 percent in solution.	Forbidden												
	Isosorbide dinitrate mixture with not less than 60 percent lactose, mannose, starch or calcium hydrogen phosphate.	4.1 UN2907	II 4.1	IB6, IP2, N85	None	212	None	15 kg	50 kg	E	28, 36			
	Isosorbide-5-mononitrate	4.1 UN3251	III 4.1	66, IB8	151	213	240	Forbidden	Forbidden	D	12			
	Isothiocyanic acid	Forbidden											
	Jet fuel, see Fuel aviation, turbine engine.												
D	Jet perforating guns, charged oil well, with detonator.	1.1D NA0124	II 1.1D ..	55, 56	None	62	None	Forbidden	Forbidden	07			
D	Jet perforating guns, charged oil well, with detonator.	1.4D NA0494	II 1.4D ..	55, 56	None	62	None	Forbidden	Forbidden	06			
	Jet perforating guns, charged oil well, without detonator.	1.1D UN0124	II 1.1D ..	55	None	62	None	Forbidden	Forbidden	07			
	Jet perforating guns, charged, oil well, without detonator.	1.4D UN0494	II 1.4D ..	55, 114	None	62	None	Forbidden	300 kg	06			
	Jet perforators, see Charges, shaped, etc.												
	Jet tappers, without detonator, see Charges, shaped, etc.												
	Jet thrust igniters, for rocket motors or Jato, see Igniters.												
	Jet thrust unit (Jato), see Rocket motors.												

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age		
							Packaging (§173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other	
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only			
G	Kerosene	3	UN1223	III	3	144, B1, IB3, T2, TP2	150	203	242	60 L	220 L	A	
	Ketones, liquid, n.o.s.	3	UN1224	I	3	T11, TP1, TP8, TP27	None	201	243	1 L	30 L	E	
			II	3	IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L	B	
			III	3	B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A	
	Krypton, compressed	2.2	UN1056	2.2	T75, TP5	306	302	None	75 kg	150 kg	A	
	Krypton, refrigerated liquid (<i>cryogenic liquid</i>).	2.2	UN1970	2.2		320	None	None	50 kg	500 kg	B	
	Lacquer base or lacquer chips, nitrocellulose, dry, see Nitro- cellulose, etc. (UN 2557).	
	Lacquer base or lacquer chips, plastic, wet with alcohol or solvent, see Nitrocellulose (UN2059, UN2555, UN2556, UN2557) or Paint etc.(UN1263).	
	Lead acetate	6.1	UN1616	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	
	Lead arsenates	6.1	UN1617	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
	Lead arsenites	6.1	UN1618	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
	Lead azide (<i>dry</i>)	Forbidden	1.1A	UN0129	II	1.1A ...	111, 117	None	62	None	Forbidden	Forbidden	12
	Lead azide, wetted with not less than 20 percent water or mix- ture of alcohol and water, by mass.													
	Lead compounds, soluble, n.o.s.	6.1	UN2291	III	6.1	138, IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	
	Lead cyanide	6.1	UN1620	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	52	
	Lead dioxide	5.1	UN1872	III	5.1	A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	
	Lead dross, see Lead sulfate, with more than 3 percent free acid.	

	Lead nitrate	5.1	UN1469	II	5.1, 6.1.	IB8, IP2, IP4, T3, TP33	152	212	242	5 kg	25 kg	A
	<i>Lead nitroresorcinate (dry)</i>	Forbidden 5.1	UN1470	II	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Lead perchlorate, solid	5.1	UN3408	II	5.1, 6.1.	IB2, T4, TP1	152	202	243	1 L	5 L	A	56, 58
	Lead perchlorate, solution	5.1	UN3408	III	5.1, 6.1.	IB2, T4, TP1	152	203	242	2.5 L	30 L	A	56, 58
	<i>Lead peroxide, see Lead dioxide</i>	II	IB8, IP2, IP4, T3, TP33
	Lead phosphite, dibasic	4.1	UN2989	II	4.1	IB8, IP2, IP4, T3, TP33	None	212	240	15 kg	50 kg	B	34.
	Lead picrate (dry)	Forbidden	III	4.1	IB8, IP2, IP3, T1, TP33	151	213	240	25 kg	100 kg	B	34.
	<i>Lead styphnate (dry)</i>	Forbidden	II
	Lead styphnate, wetted or Lead trinitroresorcinate, wetted with not less than 20 percent water or mixture of alcohol and water, by mass.	1.1A	UN0130	II	1.1A	111, 117	None	62	None	Forbidden	Forbidden	12
	Lead sulfate with more than 3 percent free acid.	8	UN1794	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A
	Lead trinitroresorcinate, see Lead styphnate, etc.
	Life-saving appliances, not self inflating containing dangerous goods as equipment	9	UN3072	None	None	219	None	No limit	No limit	A
	Life-saving appliances, self inflating.	9	UN2990	None	None	219	None	No limit	No limit	A
	Lighters containing flammable gas.	2.1	UN1057	2.1	168	21,308	21,308	None	1 kg	15 kg	B	40
	<i>Lighters, new or empty, purged of all residual fuel and vapors.</i>	168
	Lighters, non-pressurized, containing flammable liquid.	3	NA1057	II	3	168	21	None	None	Forbidden	Forbidden	B	40
	Lighter refills containing flammable gas not exceeding 4 fluid ounces (7.22 cubic inches) and 65 grams of flammable gas.	2.1	UN1057	2.1	169	306	306	None	1 kg	15 kg	B	40
	Lighter replacement cartridges containing liquefied petroleum gases see Lighter refills containing flammable gas. Etc.	II	1.4S
	Lighters, fuse	1.4S	UN0131	II	1.4S	None	62	None	25 kg	100 kg	05
G	Lime, unslaked, see Calcium oxide.
	Liquefied gas, flammable, n.o.s.	2.1	UN3161	2.1	T50	306	304	314, 315.	Forbidden	150 kg	D	40

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age		
							Packaging (§173.***)			Quantity limitations (see §§173.27 and 175.75)			Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only			
G	Liquefied gas, n.o.s.	2.2	UN3163	2.2	T50	306	304	314, 315.	75 kg	150 kg	A	
G	Liquefied gas, oxidizing, n.o.s. ..	2.2	UN3157	2.2, 5.1.	A14	306	304	314, 315.	75 kg	150 kg	D	
G I	Liquefied gas, toxic, corrosive, n.o.s. <i>Inhalation Hazard Zone A.</i>	2.3	UN3308	2.3, 8	1	None	192	245	ForbIDDEN	ForbIDDEN	D	40	
G I	Liquefied gas, toxic, corrosive, n.o.s. <i>Inhalation Hazard Zone B.</i>	2.3	UN3308	2.3, 8	2, B9, B14	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	40	
G I	Liquefied gas, toxic, corrosive, n.o.s. <i>Inhalation Hazard Zone C.</i>	2.3	UN3308	2.3, 8	3, B14	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	40	
G I	Liquefied gas, toxic, corrosive, n.o.s. <i>Inhalation Hazard Zone D.</i>	2.3	UN3308	2.3, 8	4	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	40	
G I	Liquefied gas, toxic, flammable, corrosive, n.o.s. <i>Inhalation Hazard Zone A.</i>	2.3	UN3309	2.3, 2.1, 8.	1	None	192	245	ForbIDDEN	ForbIDDEN	D	17, 40	
G I	Liquefied gas toxic, flammable, corrosive, n.o.s. <i>Inhalation Hazard Zone B.</i>	2.3	UN3309	2.3, 2.1, 8.	2, B9, B14	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	17, 40	
G I	Liquefied gas, toxic, flammable, corrosive, n.o.s. <i>Inhalation Hazard Zone C.</i>	2.3	UN3309	2.3, 2.1, 8.	3, B14	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	17, 40	
G I	Liquefied gas, toxic, flammable, corrosive, n.o.s. <i>Inhalation Hazard Zone D.</i>	2.3	UN3309	2.3, 2.1, 8.	4	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	17, 40	
G	Liquefied gas, toxic, flammable, n.o.s. <i>Inhalation Hazard Zone A.</i>	2.3	UN3160	2.3, 2.1.	1	None	192	245	ForbIDDEN	ForbIDDEN	D	40	
G	Liquefied gas, toxic, flammable, n.o.s. <i>Inhalation Hazard Zone B.</i>	2.3	UN3160	2.3, 2.1.	2, B9, B14	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	40	
G	Liquefied gas, toxic, flammable, n.o.s. <i>Inhalation Hazard Zone C.</i>	2.3	UN3160	2.3, 2.1.	3, B14	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	40	
G	Liquefied gas, toxic, flammable, n.o.s. <i>Inhalation Hazard Zone D.</i>	2.3	UN3160	2.3, 2.1.	4	None	304	314, 315.	ForbIDDEN	ForbIDDEN	D	40	

	G	Liquefied gas, toxic, n.o.s. <i>Inhalation Hazard Zone A.</i>	2.3	UN3162	2.3		1	None	192	245	Forbidden	Forbidden	D	40
	G	Liquefied gas, toxic, n.o.s. <i>Inhalation Hazard Zone B.</i>	2.3	UN3162	2.3	2, B9, B14	None	304	314, 315.	Forbidden	Forbidden	D	40	
	G	Liquefied gas, toxic, n.o.s. <i>Inhalation Hazard Zone C.</i>	2.3	UN3162	2.3	3, B14	None	304	314, 315.	Forbidden	Forbidden	D	40	
	G	Liquefied gas, toxic, n.o.s. <i>Inhalation Hazard Zone D.</i>	2.3	UN3162	2.3	4	None	304	314, 315.	Forbidden	Forbidden	D	40	
221	G I	Liquefied gas, toxic, oxidizing, corrosive, n.o.s. <i>Inhalation Hazard Zone A.</i>	2.3	UN3310	2.3, 5.1, 8.	1	None	192	245	Forbidden	Forbidden	D	40, 89, 90	
	G I	Liquefied gas, toxic, oxidizing, corrosive, n.o.s. <i>Inhalation Hazard Zone B.</i>	2.3	UN3310	2.3, 5.1, 8.	2, B9, B14	None	304	314, 315.	Forbidden	Forbidden	D	40, 89, 90	
	G I	Liquefied gas, toxic, oxidizing, corrosive, n.o.s. <i>Inhalation Hazard Zone C.</i>	2.3	UN3310	2.3, 5.1, 8.	3, B14	None	304	314, 315.	Forbidden	Forbidden	D	40, 89, 90	
	G I	Liquefied gas, toxic, oxidizing, corrosive, n.o.s. <i>Inhalation Hazard Zone D.</i>	2.3	UN3310	2.3, 5.1, 8.	4	None	304	314, 315.	Forbidden	Forbidden	D	40, 89, 90	
	G	Liquefied gas, toxic, oxidizing, n.o.s. <i>Inhalation Hazard Zone A.</i>	2.3	UN3307	2.3, 5.1.	1	None	192	245	Forbidden	Forbidden	D	40	
	G	Liquefied gas, toxic, oxidizing, n.o.s. <i>Inhalation Hazard Zone B.</i>	2.3	UN3307	2.3, 5.1.	2, B9, B14	None	304	314, 315.	Forbidden	Forbidden	D	40	
	G	Liquefied gas, toxic, oxidizing, n.o.s. <i>Inhalation Hazard Zone C.</i>	2.3	UN3307	2.3, 5.1.	3, B14	None	304	314, 315.	Forbidden	Forbidden	D	40	
	G	Liquefied gas, toxic, oxidizing, n.o.s. <i>Inhalation Hazard Zone D.</i>	2.3	UN3307	2.3, 5.1.	4	None	304	314, 315.	Forbidden	Forbidden	D	40	
		Liquefied gases, non-flammable charged with nitrogen, carbon dioxide or air.	2.2	UN1058	2.2		306	304	None	75 kg	150 kg	A	
		Liquefied hydrocarbon gas, see Hydrocarbon gas mixture, liquefied, n.o.s..			
		Liquefied natural gas, see Methane, etc. (UN 1972).			
		Liquefied petroleum gas see Petroleum gases, liquefied.			
		Lithium	4.3	UN1415	I	4.3	A7, A19, IB4, IP1, N45	None	211	244	Forbidden	15 kg	E	52	
		Lithium acetylide ethylenediamine complex, see Water reactive solid etc.			
		Lithium alkyls, liquid	4.2	UN2445	I	4.2, 4.3.	173, B11, T21, TP2, TP7	None	181	244	Forbidden	Forbidden	D	

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
Lithium alkyls, solid	4.2	UN3433	I	4.2, 4.3.		173, B11, T21, TP7, TP33	None	181	244	Forbidden	Forbidden	D
Lithium aluminum hydride	4.3	UN1410	I	4.3		A19	None	211	242	Forbidden	15 kg	E	52
Lithium aluminum hydride, ether- real.	4.3	UN1411	I	4.3, 3		A2, A3, A11, N34	None	201	244	Forbidden	1 L	D	40
Lithium batteries, contained in equipment.	9	UN3091	II	9		29, 188, 189, 190, A54, A55, A101, A104	185	185	None	See A101, A104.	35 kg	A
Lithium batteries packed with equipment.	9	UN3091	II	9		29, 188, 189, 190, A54, A55, A101, A103	185	185	None	See A101, A103.	35 kg gross	A
Lithium battery	9	UN3090	II	9		29, 188, 189, 190, A54, A55, A100	185	185	None	See A100	35 kg gross	A
Lithium borohydride	4.3	UN1413	I	4.3		A19, N40	None	211	242	Forbidden	15 kg	E	52
Lithium ferrosilicon	4.3	UN2830	II	4.3		A19, IB7, IP2, T3, TP33	151	212	241	15 kg	50 kg	E	40, 85, 103
Lithium hydride	4.3	UN1414	I	4.3		A19, N40	None	211	242	Forbidden	15 kg	E	52
Lithium hydride, fused solid	4.3	UN2805	II	4.3		A8, A19, A20, IB4, T3, TP33	151	212	241	15 kg	50 kg	E	52
Lithium hydroxide	8	UN2680	II	8		IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	52.
Lithium hydroxide, solution	8	UN2679	II	8		B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	29, 52,
			III	8		IB3, T4, TP2	154	203	241	5 L	60 L	A	29, 52, 96.
Lithium hypochlorite, dry with more than 39% available chlo- rine (8.8% available oxygen) or Lithium hypochlorite mix- tures, dry with more than 39% available chlorine (8.8% avail- able oxygen).	5.1	UN1471	II	5.1		A9, IB8, IP2, IP4, N34	152	212	240	5 kg	25 kg	A	4, 48, 52, 56, 58, 69, 106, 116
Lithium in cartridges, see Lith- ium.			
Lithium nitrate	5.1	UN2722	III	5.1		A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
Lithium nitride	4.3	UN2806	I	4.3		A19, IB4, IP1, N40	None	211	242	Forbidden	15 kg	E
Lithium peroxide	5.1	UN1472	II	5.1		A9, IB6, IP2, N34, T3, TP33	152	212	None	5 kg	25 kg	A	13, 52, 66, 75

Lithium silicon	4.3	UN1417	II	4.3	A19, A20, IB7, IP2, T3, TP33	151	212	241	15 kg	50 kg	A	85, 103
<i>LNG, see Methane etc. (UN 1972).</i>
London purple	6.1	UN1621	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
<i>LPG, see Petroleum gases, liq- uefied.</i>
<i>Lye, see Sodium hydroxide, so- lutions.</i>
Magnesium alkyls	4.2	UN3053	I	4.2, 4.3. 6.1.	B11, T21, TP2, TP7	None	181	244	Forbidden	Forbidden	D	18
Magnesium aluminum phosphide.	4.3	UN1419	I	4.3, 6.1.	A19, N34, N40	None	211	242	Forbidden	15 kg	E	40, 52, 85
+ Magnesium arsenate	6.1	UN1622	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
<i>Magnesium bisulfite solution, see Bisulfites, aqueous solu- tions, n.o.s..</i>
Magnesium bromate	5.1	UN1473	II	5.1	A1, IB8, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
Magnesium chlorate	5.1	UN2723	II	5.1	IB8, IP2, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
Magnesium diamide	4.2	UN2004	II	4.2	A8, A19, A20, IB6, T3, TP33	None	212	241	15 kg	50 kg	C
Magnesium diphenyl	4.2	UN2005	I	4.2	173, T21, TP7, TP33	None	187	244	Forbidden	Forbidden	C
<i>Magnesium dross, wet or hot ..</i>	Forbidden
Magnesium fluorosilicate	6.1	UN2853	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	52
Magnesium granules, coated, <i>particle size not less than 149 microns.</i>	4.3	UN2950	III	4.3	A1, A19, IB8, IP4, T1, TP33	151	213	240	25 kg	100 kg	A	52
Magnesium hydride	4.3	UN2010	I	4.3	A19, N40	None	211	242	Forbidden	15 kg	E	52
Magnesium or Magnesium al- loys with more than 50 per- cent magnesium in pellets, turnings or ribbons.	4.1	UN1869	III	4.1	A1, IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	A	39, 52, 53, 74, 101
Magnesium nitrate	5.1	UN1474	III	5.1	A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
Magnesium perchlorate	5.1	UN1475	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
Magnesium peroxide	5.1	UN1476	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	13, 52, 66, 75
Magnesium phosphide	4.3	UN2011	I	4.3, 6.1.	A19, N40	None	211	None	Forbidden	15 kg	E	40, 52, 85
Magnesium, powder or Magne- sium alloys, powder.	4.3	UN1418	I	4.3, 4.2.	A19, B56	None	211	244	Forbidden	15 kg	A	39, 52
.....	II	4.3, 4.2.	A19, B56, IB5, IP2, T3, TP33	None	212	241	15 kg	50 kg	A	39, 52

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Magnesium scrap, see Magnesium, etc. (UN 1869).					A19, B56, IB8, IP4, T1, TP33	None	213	241	25 kg	100 kg	A	39, 52
	Magnesium silicide	4.3	UN2624	II	4.3	A19, A20, IB7, IP2, T3, TP33	151	212	241	15 kg	50 kg	B	85, 103
	Magnetized material, see § 173.21.												
	Maleic anhydride	8	UN2215	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
	Maleic anhydride, molten	8	UN2215	III	8	T4, TP3	None	213	240	Forbidden	Forbidden	A
	Malononitrile	6.1	UN2647	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	12
	Mancozeb (manganese ethylenebis(dithiocarbamate complex with zinc) see Maneb.												
	Maneb or Maneb preparations with not less than 60 percent maneb.	4.2	UN2210	III	4.2, 4.3.	57, A1, A19, IB6, T1, TP33	None	213	242	25 kg	100 kg	A	34
	Maneb stabilized or Maneb preparations, stabilized against self-heating.	4.3	UN2968	III	4.3	54, A1, A19, IB8, IP4, T1, TP33	151	213	242	25 kg	100 kg	B	34, 52
	Manganese nitrate	5.1	UN2724	III	5.1	A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
	Manganese resinate	4.1	UN1330	III	4.1	A1, IB6, T1, TP33	151	213	240	25 kg	100 kg	A
	Mannitan tetranitrate												
	Mannitol hexanitrate (dry)												
	Mannitol hexanitrate, wetted or Nitromannite, wetted with not less than 40 percent water, or mixture of alcohol and water, by mass.	1.1D	UN0133	II	1.1D	10
	Marine pollutants, liquid or solid, n.o.s., see Environmentally hazardous substances, liquid or solid, n.o.s..												
	Matches, block, see Matches, 'strike anywhere'.												
	Matches, fusee	4.1	UN2254	III	4.1	A
224							186	186	None	Forbidden	Forbidden		

	Matches, safety (book, card or strike on box).	4.1	UN1944	III	4.1		186	186	None	25 kg	100 kg	A
	Matches, strike anywhere	4.1	UN1331	III	4.1		186	186	None	Forbidden 25 kg	Forbidden 100 kg	B
	Matches, wax, Vesta	4.1	UN1945	III	4.1		186	186	None	B
	<i>Matting acid, see Sulfuric acid ..</i>
	Medicine, liquid, flammable, toxic, n.o.s..	3	UN3248	II	3, 6.1	36, IB2	150	202	None	1 L	5 L	B	40
	III	3, 6.1	36, IB3	150	203	None	5 L	5 L	A
	Medicine, liquid, toxic, n.o.s.	6.1	UN1851	II	6.1	36	153	202	243	5 L	5 L	C	40
	III	6.1	36	153	203	241	5 L	5 L	C	40
	Medicine, solid, toxic, n.o.s.	6.1	UN3249	II	6.1	36, T3, TP33	153	212	None	5 kg	5 kg	C	40
	III	6.1	36, T1, TP33	153	213	None	5 kg	5 kg	C	40
	<i>Memtetrabhydrophthalic anhydride, see Corrosive liquids, n.o.s..</i>
	Mercaptans, liquid, flammable, n.o.s. or Mercaptan mixture, liquid, flammable, n.o.s..	3	UN3336	I	3	T11, TP2	150	201	243	1 L	30 L	E	95
	II	3	IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L	B	95
	III	3	B1, B52, IB3, T4, TP1, TP29	150	203	241	60 L	220 L	B	95
	Mercaptans, liquid, flammable, toxic, n.o.s. or Mercaptan mixtures, liquid, flammable, toxic, n.o.s..	3	UN1228	II	3, 6.1	IB2, T11, TP2, TP27	None	202	243	Forbidden	60 L	B	40, 95
	III	3, 6.1	A6, B1, IB3, T7, TP1, TP28	150	203	242	5 L	220 L	A	40, 95
	Mercaptans, liquid, toxic, flammable, n.o.s. or Mercaptan mixtures, liquid, toxic, flammable, n.o.s., <i>flash point not less than 23 degrees C.</i>	6.1	UN3071	II	6.1, 3	A6, IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	C	40, 121
	5-Mercaptotetrazol-1-acetic acid	1.4C	UN0448	II	1.4C
	Mercuric arsenate	6.1	UN1623	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	Forbidden 25 kg	75 kg 100 kg	09 A
	Mercuric chloride	6.1	UN1624	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	<i>Mercuric compounds, see Mercury compounds, etc.</i>
	Mercuric nitrate	6.1	UN1625	II	6.1	IB8, IP2, IP4, N73, T3, TP33	153	212	242	25 kg	100 kg	A
+	Mercuric potassium cyanide	6.1	UN1626	I	6.1	IB7, IP1, N74, N75, T6, TP33	None	211	242	5 kg	50 kg	A	52
	<i>Mercuric sulfocyanate, see Mercury thiocyanate.</i>
	<i>Mercurol, see Mercury nucleate</i>
	<i>Mercurous azide</i>
	<i>Mercurous compounds, see Mercury compounds, etc.</i>

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Mercurous nitrate	6.1	UN1627	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
A W	Mercury	8	UN2809	III	8		164	164	240	35 kg	35 kg	B	40, 97
	Mercury acetate	6.1	UN1629	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury acetylide	Forbidden		II
	Mercury ammonium chloride	6.1	UN1630	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury based pesticides, liquid, flammable, toxic, <i>flash point</i> <i>less than 23 degrees C.</i>	3	UN2778	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40
			II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40
	Mercury based pesticides, liquid, toxic.	6.1	UN3012	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
			II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
			III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40
	Mercury based pesticides, liquid, toxic, flammable, <i>flash point</i> <i>not less than 23 degrees C.</i>	6.1	UN3011	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
			II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
			III	6.1, 3	IB3, T7, TP2, TP28	153	203	242	60 L	220 L	A	40
	Mercury based pesticides, solid, toxic.	6.1	UN2777	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
			II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
			III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
	Mercury benzoate	6.1	UN1631	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury bromides	6.1	UN1634	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury compounds, liquid, n.o.s..	6.1	UN2024	I	6.1		None	201	243	1 L	30 L	B	40
			II	6.1	IB2	153	202	243	5 L	60 L	B	40
			III	6.1	IB3	153	203	241	60 L	220 L	B	40

	Mercury compounds, solid, n.o.s..	6.1	UN2025	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A
	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
A	Mercury contained in manufactured articles.	8	UN2809	III	8	None	164	None	No limit	No limit	B	40, 97
	Mercury cyanide	6.1	UN1636	II	6.1	IB8, IP2, IP4, N74, N75, T3, TP33	153	212	242	25 kg	100 kg	A	52
	Mercury fulminate, wetted with not less than 20 percent water, or mixture of alcohol and water, by mass.	1.1A	UN0135	II	1.1A ...	111, 117	None	62	None	Forbidden	Forbidden	12
	Mercury gluconate	6.1	UN1637	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury iodide	6.1	UN1638	II	6.1	IB2, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury iodide aquabasic ammonobasic (iodide of Millon's base).	Forbidden
	Mercury nitride	Forbidden
	Mercury nucleate	6.1	UN1639	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury oleate	6.1	UN1640	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury oxide	6.1	UN1641	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury oxycyanide	Forbidden
	Mercury oxycyanide, desensitized.	6.1	UN1642	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	52, 91
	Mercury potassium iodide	6.1	UN1643	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury salicylate	6.1	UN1644	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
+	Mercury sulfates	6.1	UN1645	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Mercury thiocyanate	6.1	UN1646	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
G	Mesityl oxide	3	UN1229	III	3	B1, IB3, T2, TP1 5, T14, TP2, TP13, TP27	150	203	242	60 L	220 L	A
	Metal carbonyls, liquid, n.o.s.	6.1	UN3281	I	6.1	None	201	243	1 L	30 L	B	40
	II	6.1	IB2, T11, TP2, TP27	153	202	243	5 L	60 L	B	40
	III	6.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A	40
G	Metal carbonyls, solid, n.o.s.	6.1	UN3466	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	D	40

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
							153	212	242	25 kg	100 kg	B	40
							153	213	240	100 kg	200 kg	B	40
	Metal catalyst, dry	4.2	UN2881	I	4.2	N34, T21, TP7, TP33	None	187	None	Forbidden	Forbidden	C
							None	187	242	Forbidden	50 kg	C
							None	187	241	25 kg	100 kg	C
	Metal catalyst, wetted with a visible excess of liquid.	4.2	UN1378	II	4.2	A2, A8, IB1, N34, T3, TP33	None	212	None	Forbidden	50 kg	C
	Metal hydrides, flammable, n.o.s..	4.1	UN3182	II	4.1	A1, IB4, T3, TP33	151	212	240	15 kg	50 kg	E
							151	213	240	25 kg	100 kg	E
	Metal hydrides, water reactive, n.o.s..	4.3	UN1409	I	4.3	A19, N34, N40	None	211	242	Forbidden	15 kg	D	52
							None	211	242	Forbidden	15 kg	D	52
	Metal powder, self-heating, n.o.s..	4.2	UN3189	II	4.2	A19, IB4, N34, N40, T3, TP33	None	212	241	15 kg	50 kg	C
							None	212	242	15 kg	50 kg	D	52
	Metal powders, flammable, n.o.s..	4.1	UN3089	II	4.1	IB8, IP2, IP4, T3, TP33	151	212	240	15 kg	50 kg	B
	Metal salts of methyl nitramine (dry).	Forbidden		III	4.1	IB6, T1, TP33	151	213	240	25 kg	100 kg	B
G	Metal salts of organic com- pounds, flammable, n.o.s..	4.1	UN3181	II	4.1	A1, IB8, IP2, IP4, T3, TP33	151	212	240	15 kg	50 kg	B	40
							151	213	240	25 kg	100 kg	B	40
	Metaldehyde	4.1	UN1332	III	4.1	A1, IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	A
G	Metallic substance, water-reactive, n.o.s..	4.3	UN3208	I	4.3	A7, IB4	None	211	242	Forbidden	15 kg	E	40
							151	212	242	15 kg	50 kg	E	40
							151	213	241	25 kg	100 kg	E	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	Methyl bromide	2.3	UN1062		2.3	3, B14, N86, T50	None	193	314, 315.	Forbidden	Forbidden	D	40
	<i>Methyl bromide and chloropicrin mixtures with more than 2 percent chloropicrin, see Chloropicrin and methyl bromide mixtures.</i>												
	<i>Methyl bromide and chloropicrin mixtures with not more than 2 percent chloropicrin, see Methyl bromide.</i>												
	Methyl bromide and ethylene dibromide mixtures, liquid.	6.1	UN1647	I	6.1	2, B9, B14, B32, B74, N65, T20, TP2, TP13, TP38, TP44	None	227	244	Forbidden	Forbidden	C	40
	Methyl bromoacetate	6.1	UN2643	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	D	40
	2-Methylbutanal	3	UN3371	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	2-Methyl-1-butene	3	UN2459	I	3	T11, TP2	None	201	243	1 L	30 L	W
	2-Methyl-2-butene	3	UN2460	II	3	IB2, IP8, T7, TP1	None	202	242	5 L	60 L	W
	3-Methyl-1-butene	3	UN2561	I	3	T11, TP2	None	201	243	1 L	30 L	E
	Methyl tert-butyl ether	3	UN2398	II	3	IB2, T7, TP1	150	202	242	5 L	60 L	E
	Methyl butyrate	3	UN1237	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Methyl chloride or Refrigerant gas R 40.	2.1	UN1063		2.1	N86, T50	306	304	314, 315.	5 kg	100 kg	D	40
	<i>Methyl chloride and chloropicrin mixtures, see Chloropicrin and methyl chloride mixtures.</i>												
	Methyl chloride and methylene chloride mixtures.	2.1	UN1912		2.1	N86, T50	306	304	314, 315.	Forbidden	150 kg	D	40
	Methyl chloroacetate	6.1	UN2295	I	6.1, 3	T14, TP2, TP13	None	201	243	1 L	30 L	D
	<i>Methyl chlorocarbonate, see Methyl chloroformate.</i>												
	<i>Methyl chloroform, see 1,1,1-Trichloroethane.</i>												
	Methyl chloroformate	6.1	UN1238	I	6.1, 3,	1, B9, B14, B30, B72, N34, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	21, 40, 100
	Methyl chloromethyl ether	6.1	UN1239	I	6.1, 3	1, B9, B14, B30, B72, T22, TP2, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40

Methyl 2-chloropropionate	3 6.1	UN2933 UN2299	III III	3 6.1	B1, IB3, T2, TP1 IB3, T4, TP1	150 153	203 203	242 241	60 L 60 L	220 L 220 L	A A
Methyl dichloroacetate												
<i>Methyl ethyl ether, see Ethyl methyl ether.</i>												
Methyl ethyl ketone, see Ethyl methyl ketone.												
<i>Methyl ethyl ketone peroxide, in solution with more than 9 percent by mass active oxygen.</i>		Forbidden										
2-Methyl-5-ethylpyridine	6.1 2.1	UN2300 UN2454	III	6.1 2.1	IB3, T4, TP1	153 306	203 304	241 314, 315.	60 L Forbidden	220 L 150 kg	A E 40
Methyl fluoride, or Refrigerant gas R 41.												
Methyl formate	3	UN1243	I I	3 6.1, 3	T11, TP2 2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	150 None	201 227	243 244	1 L Forbidden	30 L Forbidden	E D 40, 102
2-Methyl-2-heptanethiol	6.1	UN3023										
Methyl iodide	6.1	UN2644	I	6.1	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	A	12, 40
Methyl isobutyl carbinol	3	UN2053	III II	3 3	B1, IB3, T2, TP1 IB2, T4, TP1	150 150	203 202	242 242	60 L 5 L	220 L 60 L	A B
Methyl isobutyl ketone	3	UN1245	Forbidden									
<i>Methyl isobutyl ketone peroxide, in solution with more than 9 percent by mass active oxygen.</i>												
Methyl isocyanate	6.1	UN2480	I	6.1, 3	1, B9, B14, B30, B72, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40, 52
Methyl isopropenyl ketone, stabilized.	3	UN1246	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
Methyl isothiocyanate	6.1	UN2477	I	6.1, 3	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	A
Methyl isovalerate	3	UN2400	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
Methyl magnesium bromide, in ethyl ether.	4.3	UN1928	I	4.3, 3		None	201	243	Forbidden	1 L	D
Methyl mercaptan	2.3	UN1064	2.3, 2.1.	3, B7, B9, B14, N89, T50	None	304	314, 315.	Forbidden	Forbidden	D	40
<i>Methyl mercaptopropionaldehyde, see 4-Thiapentanal.</i>												
Methyl methacrylate monomer, stabilized.	3	UN1247	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	40
<i>Methyl nitramine (dry)</i>	Forbidden											
<i>Methyl nitrate</i>	Forbidden											
<i>Methyl nitrite</i>	Forbidden											

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	<i>Methyl norbornene dicarboxylic anhydride, see Corrosive liquids, n.o.s.</i>
D	Methyl orthosilicate	6.1	UN2606	I	6.1, 3	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	E	40
D	Methyl phosphonic dichloride	6.1	NA9206	I	6.1, 8	2, B9, B14, B32, B74, N34, N43, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	C
D	<i>Methyl phosphonothioic dichloride, anhydrous, see Corrosive liquid, n.o.s.</i>
D	Methyl phosphorous dichloride, pyrophoric liquid.	6.1	NA2845	I	6.1, 4.2.	2, B9, B14, B16, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	18
232	<i>Methyl picric acid (heavy metal salts of).</i>	Forbidden
	Methyl propionate	3	UN1248	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Methyl propyl ether	3	UN2612	II	3	IB2, IP8, T7, TP2	150	202	242	5 L	60 L	E	40
	Methyl propyl ketone	3	UN1249	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	<i>Methyl sulfate, see Dimethyl sulfate.</i>
	<i>Methyl sulfide, see Dimethyl sulfide.</i>
	Methyl trichloroacetate	6.1	UN2533	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	<i>Methyl trimethylol methane trinitrate.</i>	Forbidden
	Methyl vinyl ketone, stabilized ...	6.1	UN1251	I	6.1, 3, 8.	1, B9, B14, B30, B72, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	B	40
	Methylal	3	UN1234	II	3	IB2, IP8, T7, TP2	None	202	242	5 L	60 L	E
	Methylamine, anhydrous	2.1	UN1061	2.1	N87, T50	306	304	314, 315.	Forbidden	150 kg	B	40
	Methylamine, aqueous solution	3	UN1235	II	3, 8	B1, IB2, T7, TP1	150	202	243	1 L	5 L	E	52, 135.

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

D	Methylamine dinitramine and dry salts thereof.	Forbidden																		
	Methylamine nitroform	Forbidden																		
	Methylamine perchlorate (dry)	Forbidden																		
	Methylamyl acetate	3 UN1233	III 3	B1, IB3, T2, TP1	150	203	242		60 L		220 L	A								
	N-Methylaniline	6.1 UN2294	III 6.1	IB3, T4, TP1	153	203	241		60 L		220 L	A								
	alpha-Methylbenzyl alcohol, liquid.	6.1 UN2937	III 6.1	IB3, T4, TP1	153	203	241		60 L		220 L	A								
	alpha-Methylbenzyl alcohol, solid.	6.1 UN3438	III 6.1	IB8, IP3, T1, TP33	153	213	240		100 kg		200 kg	A								
	3-Methylbutan-2-one	3 UN2397	II 3	IB2, T4, TP1	150	202	242		5 L		60 L	B								
	N-Methylbutylamine	3 UN2945	II 3, 8 ...	IB2, T7, TP1	150	202	243		1 L		5 L	B								40
	Methylchlorosilane	2.3 UN2534 2.3, 2.1, 8.	2, B9, B14, N34	None	226	314, 315.		ForbIDDEN		ForbIDDEN	D								17, 40
	Methylcyclohexane	3 UN2296	II 3	B1, IB2, T4, TP1	150	202	242		5 L		60 L	B								
	Methylcyclohexanols, flammable	3 UN2617	III 3	B1, IB3, T2, TP1	150	203	242		60 L		220 L	A								
	Methylcyclohexanone	3 UN2297	III 3	B1, IB3, T2, TP1	150	203	242		60 L		220 L	A								
	Methylcyclopentane	3 UN2298	II 3	IB2, T4, TP1	150	202	242		5 L		60 L	B								
	Methyldichloroarsine	6.1 NA1556	I 6.1	2, T20, TP4, TP12, TP13, TP38, TP45	None	192	None		ForbIDDEN		ForbIDDEN	D								40
	Methyldichlorosilane	4.3 UN1242	I 4.3, 8, 3.	A2, A3, A7, B6, B77, N34, T10, TP2, TP7, TP13	None	201	243		ForbIDDEN		1 L	D								21, 28, 40, 49, 100
	Methylene chloride, see Dichloromethane.								
	Methylene glycol dinitrate	Forbidden																		
	2-Methylfuran	3 UN2301	II 3	IB2, T4, TP1	150	202	242		5 L		60 L	E								
	α -Methylglucoside tetrinitrate	Forbidden																		
	α -Methylglycerol trinitrate	Forbidden																		
	5-Methylhexan-2-one	3 UN2302	III 3	B1, IB3, T2, TP1	150	203	242		60 L		220 L	A								
	Methylhydrazine	6.1 UN1244	I 6.1, 3, 8.	1, B7, B9, B14, B30, B72, B77, N34, T22, TP2, TP13, TP38, TP44	None	226	244		ForbIDDEN		ForbIDDEN	D								21, 40, 49, 52 and 100
	4-Methylmorpholine or n-methylmorpholine.	3 UN2535	II 3, 8 ...	B6, IB2, T7, TP1	150	202	243		1 L		5 L	B								40
	Methylpentadienes	3 UN2461	II 3	IB2, T4, TP1	150	202	242		5 L		60 L	E								
	2-Methylpentan-2-ol	3 UN2560	III 3	B1, IB3, T2, TP1	150	203	242		60 L		220 L	A								
	Methylpentanes, see Hexanes								
	Methylphenyldichlorosilane	8 UN2437	II 8	IB2, T7, TP2, TP13	None	202	242		1 L		30 L	C								40.
	1-Methylpiperidine	3 UN2399	II 3, 8 ...	IB2, T7, TP1	150	202	243		1 L		5 L	B								52.
	Methyltetrahydrofuran	3 UN2536	II 3	IB2, T4, TP1	150	202	242		5 L		60 L	B								
	Methyltrichlorosilane	3 UN1250	I 3, 8	A7, B6, B77, N34, T11, TP2, TP13	None	201	243		ForbIDDEN		2.5 L	B								40
	alpha-Methylvaleraldehyde	3 UN2367	II 3	B1, IB2, T4, TP1	150	202	242		5 L		60 L	B								

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Mine rescue equipment con- taining carbon dioxide, see Carbon dioxide.												
	Mines with bursting charge	1.1F	UN0136	II	1.1F ..			62	None ...	Forbidden	Forbidden	08
	Mines with bursting charge	1.1D	UN0137	II	1.1D ..			62	None ...	Forbidden	Forbidden	03
	Mines with bursting charge	1.2D	UN0138	II	1.2D ..			62	None ...	Forbidden	Forbidden	03
	Mines with bursting charge	1.2F	UN0294	II	1.2F ..			62	None ...	Forbidden	Forbidden	08
	Mixed acid, see Nitrating acid, mixtures etc.												
	Mobility aids, see Battery pow- ered equipment or Battery powered vehicle'.												
D	Model rocket motor	1.4C	NA0276	II	1.4C ..	51	None ...	62	None ...	Forbidden	75 kg	06
D	Model rocket motor	1.4S	NA0323	II	1.4S ..	51	None ...	62	None ...	Forbidden	25 kg	05
	Molybdenum pentachloride	8	UN2508	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	C	40
	Monochloroacetone (unstabilized).	Forbidden											
	Monochloroethylene, see Vinyl chloride, stabilized.												
	Monoethanolamine, see Etha- nolamine, solutions.												
	Monoethylamine, see Ethyl- amine.												
	Morpholine	8	UN2054	I	8, 3 ..	A6, T10, TP2	None ...	201	243	0.5 L	2.5 L	A
	Morpholine, aqueous mixture, see Corrosive liquids, n.o.s..												
	Motor fuel anti-knock com- pounds see Motor fuel anti- knock mixtures.												
+	Motor fuel anti-knock mixtures ...	6.1	UN1649	I	6.1	14, 151, B9, B90, T14, TP2, TP13	None ...	201	244	Forbidden	30 L	D	25, 40.
	Motor spirit, see Gasoline												
	Muriatic acid, see Hydrochloric acid.												
	Musk xylene, see 5-tert-Butyl- 2,4,6-trinitro-m-xylene.												
	Naphtha see Petroleum dis- tillates n.o.s..												

Naphthalene, crude or Naphthalene, refined.	4.1	UN1334	III	4.1	A1, IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	A	
<i>Naphthalene diozonide</i>	Forbidden		II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	
beta-Naphthylamine, solid	6.1	UN1650	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	
beta-Naphthylamine solution	6.1	UN3411	II	6.1	IB2, T7, TP2	153	203	241	60 L	220 L	A	
.....	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	
alpha-Naphthylamine	6.1	UN2077	III	6.1	IB8, IP3, T1, TP33	153	213	240	
Naphthalene, molten	4.1	UN2304	III	4.1	IB1, T1, TP3	151	213	241	Forbidden	Forbidden	C	
<i>Naphthylamineperchlorate</i>	Forbidden		II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	
Naphthylthiourea	6.1	UN1651	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
Naphthylurea	6.1	UN1652	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
<i>Natural gases (with high methane content), see Methane, etc. (UN 1971, UN 1972).</i>	
<i>Neohexane, see Hexanes</i>	
Neon, compressed	2.2	UN1065	2.2		306	302	302	75 kg	150 kg	A	
Neon, refrigerated liquid (<i>cryogenic liquid</i>)	2.2	UN1913	2.2	T75, TP5	320	316	None ...	50 kg	500 kg	B	
<i>New explosive or explosive device, see §§ 173.51 and 173.56.</i>	
Nickel carbonyl	6.1	UN1259	I	6.1, 3		1	None	198	None	Forbidden	Forbidden	D	18, 40
Nickel cyanide	6.1	UN1653	II	6.1	IB8, IP2, IP4, N74, N75, T3, TP33	153	212	242	25 kg	100 kg	A	52	
Nickel nitrate	5.1	UN2725	III	5.1	A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	
Nickel nitrite	5.1	UN2726	III	5.1	A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	56, 58	
<i>Nickel picrate</i>	Forbidden		II	
Nicotine	6.1	UN1654	II	6.1	IB2	153	202	243	5 L	60 L	A	
Nicotine compounds, liquid, n.o.s. or Nicotine preparations, liquid, n.o.s..	6.1	UN3144	I	6.1	A4	None	201	243	1 L	30 L	B	40	
.....	II	6.1	IB2, T11, TP2, TP27	153	202	243	5 L	60 L	B	40	
.....	III	6.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	B	40	
Nicotine compounds, solid, n.o.s. or Nicotine preparations, solid, n.o.s..	6.1	UN1655	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	B	
.....	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
.....	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (& 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	Nicotine hydrochloride liquid or solution.	6.1	UN1656	II	6.1	IB2	153	202	243	5 L	60 L	A
	Nicotine hydrochloride, solid	6.1	UN3444	III	6.1	IB3	153	203	241	60 L	220 L	A
	Nicotine salicylate	6.1	UN1657	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Nicotine sulfate solution	6.1	UN1658	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A
	Nicotine sulphate, solid	6.1	UN3445	III	6.1	IB3, T7, TP2	153	203	241	60 L	220 L	A
	Nicotine sulphate, solid	6.1	UN3445	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Nicotine tartrate	6.1	UN1659	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	<i>Nitrated paper (unstable)</i>	Forbidden										
	Nitrates, inorganic, aqueous solu-tion, n.o.s..	5.1	UN3218	II	5.1	58, IB2, T4, TP1	152	202	242	1 L	5 L	B	56, 58, 133
				III	5.1	58, IB2, T4, TP1	152	203	241	2.5 L	30 L	B	56, 58, 133
	Nitrates, inorganic, n.o.s..	5.1	UN1477	II	5.1	IB8, IP2, IP4, T3, TP33	152	212	240	5 kg	25 kg	A	56, 58
				III	5.1	IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	56, 58
	<i>Nitrates of diazonium com-pounds.</i>	Forbidden										
	Nitrating acid mixtures, spent with more than 50 percent nitric acid.	8	UN1826	I	8, 5.1	A7, T10, TP2, TP12, TP13	None	158	243	Forbidden	2.5 L	D	40, 66
	Nitrating acid mixtures spent with not more than 50 percent nitric acid.	8	UN1826	II	8	A7, B2, IB2, T8, TP2, TP12	None	158	242	Forbidden	30 L	D	40
	Nitrating acid mixtures with more than 50 percent nitric acid.	8	UN1796	I	8, 5.1	A7, T10, TP2, TP12, TP13	None	158	243	Forbidden	2.5 L	D	40, 66
	Nitrating acid mixtures with not more than 50 percent nitric acid.	8	UN1796	II	8	A7, B2, IB2, T8, TP2, TP12, TP13	None	158	242	Forbidden	30 L	D	40
	Nitric acid other than red fuming, with more than 70 percent nitric acid.	8	UN2031	I	8, 5.1	A3, B47, B53, T10, TP2, TP12, TP13	None	158	243	Forbidden	2.5 L	D	44, 66, 89, 90, 110, 111

	Nitric acid other than red fuming with not more than 20 percent nitric acid.	8	UN2031	II	8	A6, B2, B47, B53, IB2, T8, TP2, TP12	None	158	242	1 L	30 L	D	
	Nitric acid other than red fuming, with not more than 70 percent nitric acid.	8	UN2031	II	8	A6, B2, B47, B53, IB2, T8, TP2, TP12	None	158	242	Forbidden	30 L	D	44, 66, 89, 90, 110, 111
+	Nitric acid, red fuming	8	UN2032	I	8, 5.1, 6.1.	2, B9, B32, B74, T20, TP2, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40, 66, 74, 89, 90
	Nitric oxide, compressed	2.3	UN1660	2.3, 5.1, 8.	1, B37, B46, B50, B60, B77	None	337	None	Forbidden	Forbidden	D	40, 89, 90
G	Nitric oxide and dinitrogen tetroxide mixtures or Nitric oxide and nitrogen dioxide mixtures.	2.3	UN1975	2.3, 5.1, 8.	1, B7, B9, B14, B45, B46, B61, B66, B67, B77	None	337	None	Forbidden	Forbidden	D	40, 89, 90
G	Nitriles, flammable, toxic, n.o.s.	3	UN3273	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	E	40, 52
G	Nitriles, toxic, flammable, n.o.s.	6.1	UN3275	I	6.1, 3	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40, 52
G	Nitriles, toxic, liquid, n.o.s.	6.1	UN3276	I	6.1	5, T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40, 52
G	Nitriles, toxic, solid, n.o.s.	6.1	UN3439	I	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40, 52
G	Nitrites, inorganic, aqueous solution, n.o.s..	5.1	UN3219	II	5.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A	52
G	Nitrites, inorganic, n.o.s.	5.1	UN2627	II	5.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	D	52
	3-Nitro-4-chlorobenzotrifluoride .. 6-Nitro-4-diazotoluene-3-sulfonic acid (dry).	6.1	UN2307	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B	52
	Nitro isobutane triol trinitrate .. N-Nitro-N-methylglycolamide nitrate.	ForbIDDEN			IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	52
	2-Nitro-2-methylpropanol nitrate	ForbIDDEN			IB1, T4, TP1	152	202	242	1 L	5 L	B	46, 56, 58, 133
		ForbIDDEN			IB2, T4, TP1	152	203	241	2.5 L	30 L	B	46, 56, 58, 133
		ForbIDDEN			33, IB8, IP4, T3, TP33	152	212	None	5 kg	25 kg	A	46, 56, 58, 133
		ForbIDDEN			IB2, T7, TP2	153	202	243	5 L	60 L	A	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age		
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other	
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only			
	Nitro urea	1.1D	UN0147	II	1.1D ..									
	<i>N-Nitroaniline</i>	Forbidden											
+	Nitroanilines (o-; m-; p-)	6.1	UN1661	II	6.1	IB8, IP2, IP4, T3, TP33	None	62	None	Forbidden	Forbidden	10	
	Nitroanisole, liquid	6.1	UN2730	III	6.1	IB3, T4, TP1	153	212	242	25 kg	100 kg	A	
	Nitroanisoles, solid	6.1	UN3458	III	6.1	IB8, IP3, T1, TP33	153	203	241	60 L	220 L	A	
+	Nitrobenzene	6.1	UN1662	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	40	
	<i>m-Nitrobenzene diazonium per-chlorate.</i>	Forbidden					
	Nitrobenzenesulfonic acid	8	UN2305	II	8	B2, B4, IB8, IP2, IP4, T3, TP33	154	202	242	1 L	30 L	A	
	<i>Nitrobenzol, see Nitrobenzene ..</i>			
	5-Nitrobenzotriazol	1.1D	UN0385	II	1.1D ..									
	Nitrobenzotrifluorides, liquid	6.1	UN2306	II	6.1	IB2, T7, TP2	None	62	None	Forbidden	Forbidden	10	
	Nitrobenzotrifluorides, solid	6.1	UN3431	II	6.1	IB8, IP2, IP4, T3, TP33	153	202	243	5 L	60 L	A	40	
	Nitrobromobenzenes, liquid	6.1	UN2732	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	
	Nitrobromobenzenes, solid	6.1	UN3459	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	
	Nitrocellulose, dry or wetted with less than 25 percent water (or alcohol), by mass.	1.1D	UN0340	II	1.1D ..									
	Nitrocellulose, with not more than 12.6 percent, by dry mass mixture with or without plasticizer, with or without pigment.	4.1	UN2557	II	4.1		44	151	212	None	1 kg	15 kg	D	28
	Nitrocellulose membrane filters, with not more than 12.6% ni-trogen, by dry mass.	4.1	UN3270	II	4.1		43, A1	151	212	240	1 kg	15 kg	D
	Nitrocellulose, plasticized with not less than 18 percent plas-ticizing substance, by mass.	1.3C	UN0343	II	1.3C ..			None	62	None	Forbidden	Forbidden	10
	Nitrocellulose, solution, flam-mable with not more than 12.6 percent nitrogen, by mass, and not more than 55 percent nitrocellulose.	3	UN2059	I	3	T11, TP1, TP8, TP27		None	201	243	1 L	30 L	E
				II	3	IB2, T4, TP1, TP8	150	202	242	5 L	60 L	B	

Nitrocellulose, unmodified or plasticized with less than 18 percent plasticizing substance, by mass.	1.1D	UN0341	III II	3 1.1D ..	B1, IB3, T2, TP1	150 None	203 62	242 None	60 L Forbidden	220 L Forbidden	A 13 27E
Nitrocellulose, wetted with not less than 25 percent alcohol, by mass.	1.3C	UN0342	II	1.3C ..		None	62	None	Forbidden	Forbidden	10
Nitrocellulose with alcohol with not less than 25 percent alcohol by mass, and with not more than 12.6 percent nitrogen, by dry mass.	4.1	UN2556	II	4.1		151	212	None	1 kg	15 kg	D	28
Nitrocellulose with water with not less than 25 percent water, by mass.	4.1	UN2555	II	4.1		151	212	None	15 kg	50 kg	E	28
Nitrochlorobenzene, see Chloronitrobenzenes etc.											
Nitrocresols, liquid	6.1	UN3434	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
Nitrocresols, solid	6.1	UN2446	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
Nitroethane	3	UN2842	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Nitroethyl nitrate	Forbidden										
Nitroethylene polymer	Forbidden										
Nitrogen, compressed	2.2	UN1066		2.2		306, 307.	302	314, 315.	75 kg	150 kg	A
Nitrogen dioxide, see Dinitrogen tetroxide.											
Nitrogen fertilizer solution, see Fertilizer ammoniating solution etc.											
Nitrogen peroxide, see Dinitrogen tetroxide.											
Nitrogen, refrigerated liquid cryogenic liquid	2.2	UN1977		2.2	T75, TP5	320	316	318	50 kg	500 kg	D
Nitrogen tetroxide and nitric oxide mixtures, see Nitric oxide and nitrogen tetroxide mixtures.											
Nitrogen tetroxide, see Dinitrogen tetroxide.											
Nitrogen trichloride	Forbidden										
Nitrogen trifluoride	2.2	UN2451		2.2, 5.1.		None	302	None	75 kg	150 kg	D	40
Nitrogen triiodide	Forbidden										
Nitrogen triiodide monoamine	Forbidden										
Nitrogen trioxide	2.3	UN2421		2.3, 5.1, 8.	1	None	336	245	Forbidden	Forbidden	D	40, 89, 90

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age		
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)			Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only			
	Nitroglycerin, desensitized with not less than 40 percent non-volatile water insoluble phlegmatizer, by mass.	1.1D	UN0143	II	1.1D, 6.1.	125	None	62	None	Forbidden	Forbidden	13	21E	
	Nitroglycerin, liquid, not desen-sitized.	Forbidden			D	
	Nitroglycerin mixture, desen-sitized, liquid, flammable, n.o.s. with not more than 30 percent nitroglycerin, by mass.	3	UN3343	3	129	None	214	None	Forbidden	Forbidden			
	Nitroglycerin mixture, desen-sitized, liquid, n.o.s. with not more than 30% nitroglycerin, by mass.	3	UN3357	II	3	142	None	202	243	5 L	60 L	E	
	Nitroglycerin mixture, desen-sitized, solid, n.o.s. with more than 2 percent but not more than 10 percent nitroglycerin, by mass.	4.1	UN3319	II	4.1	118	None	None	None	Forbidden	0.5 kg	E	
	Nitroglycerin, solution in alcohol, with more than 1 percent but not more than 5 percent nitro-glycerin.	3	UN3064	II	3	N8	None	202	None	Forbidden	5 L	E	
	Nitroglycerin, solution in alcohol, with more than 1 percent but not more than 10 percent nitro-glycerin.	1.1D	UN0144	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	21E	
	Nitroglycerin solution in alcohol with not more than 1 percent nitroglycerin.	3	UN1204	II	3	IB2, N34	150	202	None	5 L	60 L	B	
	Nitroguanidine nitrate	Forbidden					
	Nitroguanidine or Picrite, dry or wetted with less than 20 percent water, by mass.	1.1D	UN0282	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	
	Nitroguanidine, wetted or Picrite, wetted with not less than 20 percent water, by mass.	4.1	UN1336	I	4.1	23, A8, A19, A20, N41	None	211	None	1 kg	15 kg	E	28	
	1-Nitrohydantoin	Forbidden					
	Nitrohydrochloric acid	8	UN1798	I	8	A3, B10, N41, T10, TP2, TP12, TP13	None	201	243	Forbidden	2.5 L	D	40, 66, 74, 89, 90	

	<i>Nitromannite (dry)</i>	Forbidden																						
	<i>Nitromannite, wetted, see Mannitol hexanitrate, etc.</i>																						
	Nitromethane	3	UN1261	II	3																			
	<i>Nitromuriatic acid, see Nitrohydrochloric acid.</i>																						
	Nitronaphthalene	4.1	UN2538	III	4.1	A1, IB8, IP3, T1, TP33	150	202	None	Forbidden	60 L	A											
+ Nitrophenols (<i>o</i> -; <i>m</i> -; <i>p</i> -)	6.1	UN1663	III	6.1	IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	A												
<i>m-Nitrophenyldinitro methane</i>	Forbidden																						
Nitrop propane	3	UN2608	III	3	B1, IB3, T2, TP1 A19, A20, IB6, IP2, N34, T3, TP33	150	203	242	60 L	220 L	A												
p-Nitrosodimethylaniline	4.2	UN1369	II	4.2	None	212	241	15 kg	50 kg	D	34											
Nitrostarch, dry or wetted with less than 20 percent water, by mass.	1.1D	UN0146	II	1.1D ..																				
Nitrostarch, wetted with not less than 20 percent water, by mass.	4.1	UN1337	I	4.1	23, A8, A19, A20, N41	None	211	None	1 kg	15 kg	D	28											
<i>Nitrosugars (dry)</i>	Forbidden																						
Nitrosyl chloride	2.3	UN1069	2.3, 8	3, B14	None	304	314, 315.	Forbidden	Forbidden	D	40											
Nitrosylsulfuric acid, liquid	8	UN2308	II	8	A3, A6, A7, B2, IB2, N34, T8, TP2, TP12	154	202	242	1 L	30 L	D	40, 66, 74, 89, 90											
Nitrosylsulphuric acid, solid	8	UN3456	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	D	40, 66, 74, 89, 90											
Nitrotoluenes, liquid	6.1	UN1664	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A												
Nitrotoluenes, solid	6.1	UN3446	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A												
Nitrotolidines (mono)	6.1	UN2660	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A												
Nitrotriazolone or NTO	1.1D	UN0490	II	1.1D ..																				
<i>Nitrous oxide and carbon dioxide mixtures, see Carbon dioxide and nitrous oxide mixtures.</i>																						
Nitrous oxide	2.2	UN1070	2.2, 5.1.	A14	306	304	314, 315.	75 kg	150 kg	A	40											
Nitrous oxide, refrigerated liquid	2.2	UN2201	2.2, 5.1.	B6, T75, TP5, TP22	None	304	314, 315.	Forbidden	Forbidden	B	40											
Nitroxylenes, liquid	6.1	UN1665	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A												
Nitroxylenes, solid	6.1	UN3447	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A												
<i>Nitroxylol, see Nitroxylenes</i>																						
Nonanes	3	UN1920	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A												

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	<i>Non-flammable gas, n.o.s., see Compressed gas, etc. or Liquefied gas, etc.</i>												
	<i>Nonliquefied gases, see Compressed gases, etc.</i>												
	<i>Nonliquefied hydrocarbon gas, see Hydrocarbon gas mixture, compressed, n.o.s..</i>												
	Nonyltrichlorosilane	8	UN1799	II	8	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40
	<i>Nordhausen acid, see Sulfuric acid, fuming etc.</i>												
	<i>2,5-Norbornadiene, stabilized, see Bicyclo 2,2,1 hepta-2,5-diene, stabilized.</i>												
	Octadecyltrichlorosilane	8	UN1800	II	8	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40
	Octadiene	3	UN2309	II	3	B1, IB2, T4, TP1	150	202	242	5 L	60 L	B	
	<i>1,7-Octadiene-3,5-dyne-1,8-dimethoxy-9-octadecenoic acid.</i>	Forbidden											
	Octafluorobut-2-ene or Refrigerant gas R 1318.	2.2	UN2422		2.2		None	304	314, 315.	75 kg	150 kg	A	
	Octafluorocyclobutane, or Refrigerant gas RC 318.	2.2	UN1976		2.2	T50	None	304	314, 315.	75 kg	150 kg	A	
	Octafluoropropane or Refrigerant gas R 218.	2.2	UN2424		2.2	T50	None	304	314, 315.	75 kg	150 kg	A	
	Octanes	3	UN1262	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	
	Octogen, etc. see Cyclotetramethylene tetranitramine, etc.												
	Octolite or Octol, dry or wetted with less than 15 percent water, by mass.	1.1D	UN0266	II	1.1D ..		None	62	None ...	Forbidden	Forbidden	10	
	Octonal	1.1D	UN0496		1.1D ..		None	62	None ...	Forbidden	Forbidden	10	
	Octyl aldehydes	3	UN1191	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
	Octyltrichlorosilane	8	UN1801	II	8	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	242	Forbidden	30 L	C	40

	Oil gas, compressed	2.3	UN1071	2.3, 2.1.	6	None	304	314, 315.	Forbidden	25 kg	D	40
	Oleum, see Sulfuric acid, fuming
	Organic peroxide type A, liquid or solid.	Forbidden
G	Organic peroxide type B, liquid	5.2	UN3101	II	5.2, 1	53	152	225	None	Forbidden	Forbidden	D	12, 40, 52, 53
G	Organic peroxide type B, liquid, temperature controlled.	5.2	UN3111	II	5.2, 1	53	None	225	None	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type B, solid ..	5.2	UN3102	II	5.2, 1	53	152	225	None	Forbidden	Forbidden	D	12, 40, 52, 53
G	Organic peroxide type B, solid, temperature controlled.	5.2	UN3112	II	5.2, 1	53	None	225	None	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type C, liquid	5.2	UN3103	II	5.2		152	225	None	5 L	10 L	D	12, 40, 52, 53
G	Organic peroxide type C, liquid, temperature controlled.	5.2	UN3113	II	5.2		None	225	None	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type C, solid ..	5.2	UN3104	II	5.2		152	225	None	5 kg	10 kg	D	12, 40, 52, 53
G	Organic peroxide type C, solid, temperature controlled.	5.2	UN3114	II	5.2		None	225	None	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type D, liquid	5.2	UN3105	II	5.2		152	225	None	5 L	10 L	D	12, 40, 52, 53
G	Organic peroxide type D, liquid, temperature controlled.	5.2	UN3115	II	5.2		None	225	None	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type D, solid ..	5.2	UN3106	II	5.2		152	225	None	5 kg	10 kg	D	12, 40, 52, 53
G	Organic peroxide type D, solid, temperature controlled.	5.2	UN3116	II	5.2		None	225	None	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type E, liquid	5.2	UN3107	II	5.2		152	225	None	10 L	25 L	D	12, 40, 52, 53
G	Organic peroxide type E, liquid, temperature controlled.	5.2	UN3117	II	5.2		None	225	None	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type E, solid ..	5.2	UN3108	II	5.2		152	225	None	10 kg	25 kg	D	12, 40, 52, 53
G	Organic peroxide type E, solid, temperature controlled.	5.2	UN3118	II	5.2		None	225	None	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type F, liquid ..	5.2	UN3109	II	5.2	IP5	152	225	225	10 L	25 L	D	12, 40, 52, 53
G	Organic peroxide type F, liquid, temperature controlled.	5.2	UN3119	II	5.2	IP5	None	225	225	Forbidden	Forbidden	D	2, 40, 52, 53
G	Organic peroxide type F, solid ..	5.2	UN3110	II	5.2	TP33	152	225	225	10 kg	25 kg	D	12, 40, 52, 53
G	Organic peroxide type F, solid, temperature controlled.	5.2	UN3120	II	5.2	TP33	None	225	225	Forbidden	Forbidden	D	2, 52, 53

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
D	Organic phosphate, mixed with compressed gas or Organic phosphate compound, mixed with compressed gas or Organic phosphorus compound, mixed with compressed gas. Organic pigments, self-heating ..	2.3	NA1955	2.3	3	None	334	None	Forbidden	Forbidden	D	40
							None	212	241	15 kg	50 kg		
G	Organoarsenic compound, liquid, n.o.s..	6.1	UN3280	I	4.2	IB8, IP2, IP4, T3, TP33	None	213	241	25 kg	100 kg	C
							None	201	242	1 L	30 L		
							153	202	242	5 L	60 L	B
							153	203	241	60 L	220 L		
G	Organoarsenic compound, solid, n.o.s..	6.1	UN3465	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	B
							153	212	242	25 kg	100 kg		
							153	213	240	100 kg	200 kg	A
							None	201	243	Forbidden	30 L		
Organochlorine pesticides liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN2762		I	3, 6.1	T14, TP2, TP13, TP27	None	202	243	1 L	60 L	B	40
							150	202	243	1 L	60 L		
							153	202	243	5 L	60 L	B	40
							153	203	241	60 L	220 L		
Organochlorine pesticides, liquid, toxic.	6.1	UN2996		I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
							153	202	243	5 L	60 L		
							153	203	241	60 L	220 L	A	40
							None	201	243	1 L	30 L		
Organochlorine pesticides, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN2995		I	6.1, 3	T14, TP2, TP13, TP27	None	202	243	5 L	60 L	B	40
							153	202	243	60 L	220 L		
							153	203	242	60 L	220 L	A	40
							None	201	243	60 L	220 L		

	Organochlorine pesticides, solid, toxic.	6.1	UN2761	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
G	Organometallic compound, toxic, liquid, n.o.s..	6.1	UN3282	I	6.1	T14, TP2, TP13, TP27	None	201	242	1 L	30 L	B
	II	6.1	IB2, T11, TP2, TP27	153	202	242	5 L	60 L	B
	III	6.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A
G	Organometallic compound, toxic, solid, n.o.s..	6.1	UN3467	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	B
	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B
	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
G	Organometallic substance, liquid, pyrophoric.	4.2	UN3392	I	4.2	B11, T21, TP2, TP7	None	181	244	Forbidden	Forbidden	D	143
G	Organometallic substance, liquid, pyrophoric, water-reactive.	4.2	UN3394	I	4.2, 4.3.	B11, T21, TP2, TP7	None	181	244	Forbidden	Forbidden	D
G	Organometallic substance, liquid, water-reactive.	4.3	UN3398	I	4.3	T13, TP2, TP7	None	201	244	Forbidden	1 L	E	40, 52
	II	4.3	IB1, T7, TP2, TP7	None	202	243	1 L	5 L	E	40, 52
	III	4.3	IB2, T7, TP2, TP7	None	203	242	5 L	60 L	E	40, 52
G	Organometallic substance, liquid, water-reactive, flammable.	4.3	UN3399	I	4.3, 3	T13, TP2, TP7	None	201	244	Forbidden	1 L	E	40, 52
	II	4.3, 3	IB1, IP2, T7, TP2, TP7	None	202	243	1 L	5 L	E	40, 52
	III	4.3, 3	IB2, IP4, T7, TP2, TP7	None	203	242	5 L	60 L	E	40, 52
G	Organometallic substance, solid, pyrophoric.	4.2	UN3391	I	4.2	T21, TP7, TP33	None	187	244	Forbidden	Forbidden	D
G	Organometallic substance, solid, pyrophoric, water-reactive.	4.2	UN3393	I	4.2, 4.3.	B11, T21, TP7, TP33	None	187	244	Forbidden	Forbidden	D	52.
G	Organometallic substance, solid, self-heating.	4.2	UN3400	II	4.2	IB6, T3, TP33	None	212	242	15 kg	50 kg	C
	III	4.2	IB8, T1, TP33	None	203	242	25 kg	100 kg	C
	Organometallic substance, solid, water-reactive.	4.3	UN3395	I	4.3	N40, T9, TP7, TP33	None	211	242	Forbidden	Forbidden	E	40, 52
G	Organometallic substance, solid, water-reactive, flammable.	4.3	UN3396	I	4.3, 4.1.	N40, T9, TP7, TP33	None	211	242	Forbidden	Forbidden	E	40, 52
	II	4.3, 4.1.	IB4, T3, TP33	151	212	242	15 kg	50 kg	E	40, 52
	III	4.3, 4.1.	IB6, T1, TP33	151	213	241	25 kg	100 kg	E	40, 52

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
G	Organometallic substance, solid, water-reactive, self-heating.	4.3	UN3397	I II III	4.3, 4.2. 4.3, 4.2. 4.3, 4.2.	N40, T9, TP7, TP33 IB4, T3, TP33 IB6, T1, TP33 5, T14, TP2, TP13, TP27 IB2, T11, TP2, TP13, TP27 IB3, T7, TP1, TP28 IB7, IP1, T6, TP33 IB8, IP2, IP4, T3, TP33 IB8, IP3, T1, TP33	None	211	242	Forbidden	Forbidden	E	40, 52
							None	212	242	15 kg	50 kg	E	40, 52
							None	213	241	25 kg	100 kg	E	40, 52
							None	201	243	1 L	30 L	B	40
							153	202	243	5 L	60 L	B	40
							153	202	243	5 L	60 L	B
G	Organophosphorus compound, toxic, flammable, n.o.s..	6.1	UN3279	I II III	6.1, 3 6.1, 3 6.1, 3	5, T14, TP2, TP13, TP27 IB2, T11, TP2, TP13, TP27 IB3, T7, TP1, TP28 IB7, IP1, T6, TP33 IB8, IP2, IP4, T3, TP33 IB8, IP3, T1, TP33	None	201	243	1 L	30 L	B
							None	201	243	1 L	30 L	B
							153	202	243	5 L	60 L	B
							153	202	243	5 L	60 L	B
							153	203	241	60 L	220 L	A
							153	203	241	60 L	220 L	A
G	Organophosphorus compound, toxic, solid, n.o.s..	6.1	UN3464	I II III	6.1 6.1 6.1	IB7, IP1, T6, TP33 IB8, IP2, IP4, T3, TP33 IB8, IP3, T1, TP33	None	211	242	5 kg	50 kg	B
							None	211	242	25 kg	100 kg	B
							153	212	242	100 kg	200 kg	A
							153	213	240	100 kg	200 kg	A
							None	201	243	Forbidden	30 L	B	40
							150	202	243	1 L	60 L	B	40
G	Organophosphorus pesticides, liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN2784	I II	3, 6.1 3, 6.1	T14, TP2, TP13, TP27 IB2, T11, TP2, TP13, TP27 N76, T14, TP2, TP13, TP27	None	201	243	1 L	60 L	B	40
							150	202	243	5 L	60 L	B	40
							153	202	243	5 L	60 L	B	40
							153	203	241	60 L	220 L	A	40
							None	201	243	1 L	30 L	B	40
							153	202	243	5 L	60 L	B	40
G	Organophosphorus pesticides, liquid, toxic.	6.1	UN3018	I II III	6.1 6.1 6.1	N76, T14, TP2, TP13, TP27 IB2, N76, T11, TP2, TP13, TP27 IB3, N76, T7, TP2, TP28	None	201	243	1 L	30 L	B	40
							153	202	243	5 L	60 L	B	40
							153	203	241	60 L	220 L	A	40
							None	201	243	1 L	30 L	B	40
							153	202	243	5 L	60 L	B	40
							153	203	242	60 L	220 L	A	40
G	Organophosphorus pesticides, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN3017	I II III	6.1, 3 6.1, 3 6.1, 3	N76, T14, TP2, TP13, TP27 IB2, N76, T11, TP2, TP13, TP27 B1, IB3, N76, T7, TP2, TP28	None	201	243	1 L	30 L	B	40
							153	202	243	5 L	60 L	B	40
							153	203	242	60 L	220 L	A	40

Organophosphorus pesticides, solid, toxic.	6.1	UN2783	I	6.1	IB7, IP1, N77, T6, TP33	None	211	242	5 kg	50 kg	A	40
.....		II	6.1	IB8, IP2, IP4, N77, T3, TP33	153	212	242	25 kg	100 kg	A	40
.....		III	6.1	IB8, IP3, N77, T1, TP33	153	213	240	100 kg	200 kg	A	40
Organotin compounds, liquid, n.o.s..	6.1	UN2788	I	6.1	A3, N33, N34, T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....		II	6.1	A3, IB2, N33, N34, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	A	40
.....		III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40
Organotin compounds, solid, n.o.s..	6.1	UN3146	I	6.1	A5, IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	B	40
.....		II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
.....		III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
Organotin pesticides, liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN2787	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40
.....		II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40
Organotin pesticides, liquid, toxic.	6.1	UN3020	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....		II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
.....		III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40
Organotin pesticides, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN3019	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....		II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
.....		III	6.1, 3	B1, IB3, T7, TP2, TP28	153	203	242	60 L	220 L	A	40
Organotin pesticides, solid, toxic	6.1	UN2786	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
.....		II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
.....		III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
Orthonitroaniline, see Nitroanilines etc.
Osmium tetroxide	6.1	UN2471	I	6.1	A8, IB7, IP1, N33, N34, T6, TP33	None	211	242	5 kg	50 kg	B	40

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (& 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
D G	Other regulated substances, liq-uid, n.o.s..	9	NA3082	III	9	IB3, T2, TP1	155	203	241	No limit	No limit	A
D G	Other regulated substances, solid, n.o.s..	9	NA3077	III	9	B54, IB8, IP2, T1, TP33	155	213	240	No limit	No limit	A
G	Oxidizing liquid, corrosive, n.o.s.	5.1	UN3098	I	5.1, 8	A6	None	201	244	Forbidden	2.5 L	D	13, 56, 58, 106, 138
	II	5.1, 8	IB1	None	202	243	1 L	5 L	B	34, 56, 58, 106, 138
	III	5.1, 8	IB2	152	203	242	2.5 L	30 L	B	34, 56, 58, 106, 138
G	Oxidizing liquid, n.o.s.	5.1	UN3139	I	5.1	127, A2, A6	None	201	243	Forbidden	2.5 L	D	56, 58, 106, 138
	II	5.1	127, A2, IB2	152	202	242	1 L	5 L	B	56, 58, 106, 138
	III	5.1	127, A2, IB2	152	203	241	2.5 L	30 L	B	56, 58, 106, 138
G	Oxidizing liquid, toxic, n.o.s.	5.1	UN3099	I	5.1, 6.1.	A6	None	201	244	Forbidden	2.5 L	D	56, 58, 106, 138
	II	5.1, 6.1.	IB1	152	202	243	1 L	5 L	B	56, 58, 95, 106, 138
	III	5.1, 6.1.	IB2	152	203	242	2.5 L	30 L	B	56, 58, 95, 106, 138
G	Oxidizing solid, corrosive, n.o.s.	5.1	UN3085	I	5.1, 8		None	211	242	1 kg	15 kg	D	13, 56, 58, 106, 138

					II	5.1, 8	IB6, IP2, T3, TP33	None	212	242	5 kg	25 kg	B	13, 34, 56, 58, 106, 138
					III	5.1, 8	IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	B	13, 34, 56, 58, 106, 138
G	Oxidizing solid, flammable, n.o.s..	5.1	UN3137	I	5.1, 4.1.			None	214	214	Forbidden	Forbidden	
G	Oxidizing solid, n.o.s.	5.1	UN1479	I	5.1	IB5, IP1	None	211	242	1 kg	15 kg	D	56, 58, 106, 138	
				II	5.1	IB8, IP2, IP4, T3, TP33	152	212	240	5 kg	25 kg	B	56, 58, 106, 138	
				III	5.1	IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	B	56, 58, 106, 138	
G	Oxidizing solid, self-heating, n.o.s..	5.1	UN3100	I	5.1, 4.2.			None	214	214	Forbidden	Forbidden	
				II	5.1, 4.2.			None	214	214	Forbidden	Forbidden	
G	Oxidizing solid, toxic, n.o.s.	5.1	UN3087	I	5.1, 6.1.			None	211	242	1 kg	15 kg	D	56, 58, 106, 138
				II	5.1, 6.1.	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	B	56, 58, 95, 106, 138	
				III	5.1, 6.1.	IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	B	56, 58, 95, 106, 138	
G	Oxidizing solid, water-reactive, n.o.s..	5.1	UN3121	5.1, 4.3.			None	214	214	Forbidden	Forbidden	
	Oxygen and carbon dioxide mix- tures, see Carbon dioxide and oxygen mixtures.		
	Oxygen, compressed	2.2	UN1072	2.2, 5.1.	A14	306	302	314, 315.	75 kg	150 kg	A	
	Oxygen difluoride, compressed	2.3	UN2190	2.3, 5.1, 8.	1, N86	None	304	None	Forbidden	Forbidden	D	13, 40, 89, 90	
	Oxygen generator, chemical (<i>in-</i> <i>cluding when contained in as-</i> <i>sociated equipment, e.g., pas-</i> <i>senger service units (PSUs),</i> <i>portable breathing equipment</i> <i>(PBE), etc.</i>)..	5.1	UN3356	II	5.1	None	168	None	Forbidden	25 kg gross	D	56, 58, 69, 106	

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

	Paint, flammable, corrosive (<i>including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base</i>).	3	UN3469	I	3, 8	T11, TP2, TP27	None	201	243	0.5 L	2.5 L	E	40.
			II	3, 8	IB2, T7, TP2, TP8, TP28	150	202	243	1 L	5 L	B	40.
			III	3, 8	IB3, T4, TP1, TP29	150	203	242	5 L	60 L	A	40.
	Paper, unsaturated oil treated <i>incompletely dried (including carbon paper)</i>	4.2	UN1379	III	4.2	IB8, IP3	None	213	241	Forbidden	Forbidden	A
D	Parafomaldehyde	4.1	UN2213	III	4.1	A1, IB8, IP3, T1, TP33	151	213	240	25 kg	100 kg	A
	Paraldehyde	3	UN1264	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Paranitroaniline, solid, see Nitroanilines etc.
	Parathion and compressed gas mixture.	2.3	NA1967	2.3	3	None	334	245	Forbidden	Forbidden	E	40
A W	Paris green, solid, see Copper acetarsenite.
	PCB, see Polychlorinated biphenyls.
+	Pentaborane	4.2	UN1380	I	4.2, 6.1.	1	None	205	245	Forbidden	Forbidden	D
	Pentachloroethane	6.1	UN1669	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	40
	Pentachlorophenol	6.1	UN3155	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Pentaerythrite tetrinitrate (dry) .. Pentaerythrite tetrinitrate mixture, desensitized, solid, n.o.s. with more than 10 percent but not more than 20 percent PETN, by mass.	Forbidden 4.1	UN3344	II	4.1	118, N85	None	214	None
	Pentaerythrite tetrinitrate or Pentaerythritol tetrinitrate or PETN, with not less than 7 percent wax by mass.	1.1D	UN0411	II	1.1D	None	62	None	Forbidden	Forbidden	10
	Pentaerythrite tetrinitrate, wetted or Pentaerythritol tetrinitrate, wetted, or PETN, wetted with not less than 25 percent water, by mass, or Pentaerythrite tetrinitrate, or Pentaerythritol tetrinitrate or PETN, desensitized with not less than 15 percent phlegmatizer by mass. Pentaerythritol tetrinitrate, see Pentaerythrite tetrinitrate, etc.	1.1D	UN0150	II	1.1D ..	121	None	62	None	Forbidden	Forbidden	10

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Pentafluoroethane or Refrigerant gas R 125.	2.2	UN3220	2.2	T50	306	304	314, 315.	75 kg	150 kg	A
	Pentamethylheptane	3	UN2286	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Pentane-2,4-dione	3	UN2310	III	3, 6.1	B1, IB3, T4, TP1	150	203	242	60 L	220 L	A
	Pentanes	3	UN1265	I	3	T11, TP2	150	201	243	1 L	30 L	E
	II	3	IB2, IP8, T4, TP1	150	202	242	5 L	60 L	E
	Pentanitroaniline (dry)	Forbidden
	Pentanols	3	UN1105	II	3	IB2, T4, TP1, TP29	150	202	242	5 L	60 L	B
	III	3	B1, B3, IB3, T2, TP1	150	203	242	60 L	220 L	A
	1-Pentene (<i>n</i> -amylene)	3	UN1108	I	3	T11, TP2	150	201	243	1 L	30 L	E
	1-Pentol	8	UN2705	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	B	26, 27
	Pentolite, dry or wetted with less than 15 percent water, by mass.	1.1D	UN0151	II	1.1D	None	62	None	Forbidden	Forbidden	10
	Pepper spray, see Aerosols, etc. or Self-defense spray, non-pressurized.
	Perchlorates, inorganic, aqueous solution, n.o.s..	5.1	UN3211	II	5.1	IB2, T4, TP1	152	202	242	1 L	5 L	B	56, 58, 133
	III	5.1	IB2, T4, TP1	152	202	241	2.5 L	30 L	B	56, 58, 69, 133
	Perchlorates, inorganic, n.o.s. ...	5.1	UN1481	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	III	5.1	IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	56, 58
	Perchloric acid, with more than 72 percent acid by mass.	Forbidden
	Perchloric acid with more than 50 percent but not more than 72 percent acid, by mass.	5.1	UN1873	I	5.1, 8	A2, A3, N41, T10, TP1, TP12	None	201	243	Forbidden	2.5 L	D	66
	Perchloric acid with not more than 50 percent acid by mass.	8	UN1802	II	8, 5.1	IB2, N41, T7, TP2	None	202	243	Forbidden	30 L	C	66
	Perchloroethylene, see Tetrachloroethylene.
	Perchloromethyl mercaptan	6.1	UN1670	I	6.1	2, B9, B14, B32, B74, N34, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40

	Perchloryl fluoride	2.3	UN3083	2.3, 5.1.	2, B9, B14	None	302	314, 315.	Forbidden	Forbidden	D	40
	Percussion caps, see Primers, cap type.
	Perfluoro-2-butene, see Octafluorobut-2-ene.
	Perfluoro(ethyl vinyl ether)	2.1	UN3154	2.1	306	302, 304, 305.	314, 315.	Forbidden	150 kg	E	40
	Perfluoro(methyl vinyl ether)	2.1	UN3153	2.1	T50	306	302, 304, 305.	314, 315.	Forbidden	150 kg	E	40
	Perfumery products with flammable solvents.	3	UN1266	II	3	149, IB2, T4, TP1, TP8	150	202	242	15 L	60 L	B
	Permanganates, inorganic, aqueous solution, n.o.s..	5.1	UN3214	III	3	B1, IB3, T2, TP1 26, IB2, T4, TP1	150	203	242	60 L	220 L	A
	Permanganates, inorganic, n.o.s..	5.1	UN1482	II	5.1	26, A30, IB6, IP2, T3, TP33	152	202	242	1 L	5 L	D	56, 58, 133, 138
	III	5.1	26, A30, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	D	56, 58, 138
	Peroxides, inorganic, n.o.s.	5.1	UN1483	II	5.1	A7, A20, IB6, IP2, N34, T3, TP33	None	212	242	5 kg	25 kg	A	13, 52, 66, 75
	III	5.1	A7, A20, IB8, IP3, N34, T1, TP33	152	213	240	25 kg	100 kg	A	13, 52, 66, 75
	Peroxyacetic acid, with more than 43 percent and with more than 6 percent hydrogen peroxide.	Forbidden
	Persulfates, inorganic, aqueous solution, n.o.s..	5.1	UN3216	III	5.1	IB2, T4, TP1, TP29	152	203	241	2.5 L	30 L	A	56, 133
	Persulfates, inorganic, n.o.s.	5.1	UN3215	III	5.1	IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	56, 58
G	Pesticides, liquid, flammable, toxic, flash point less than 23 degrees C.	3	UN3021	I	3, 6.1	B5, T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B
G	II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B
G	Pesticides, liquid, toxic, flammable, n.o.s. flash point not less than 23 degrees C.	6.1	UN2903	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
G	II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
G	Pesticides, liquid, toxic, n.o.s.	6.1	UN2902	III	6.1, 3	B1, IB3, T7, TP2	153	203	242	60 L	220 L	A	40
				I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10)			
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other		
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only				
G	Pesticides, solid, toxic, n.o.s.	6.1	UN2588	II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40		
				III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L			
	Pesticides, solid, toxic, n.o.s.			I	6.1	IB7, T6, TP33	None	211	242	5 kg	50 kg	A	40		
			II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg				
	PETN, see Pentaerythrite tetranitrate.			III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40		
	PETN/TNT, see Pentolite, etc				
	Petrol, see Gasoline		
	Petroleum crude oil	3	UN1267	I	3	144, T11, TP1, TP8	150	201	243	1 L	30 L	E		
			II	3	144, IB2, T4, TP1, TP8	150	202	242	5 L	60 L			
			III	3	144, B1, IB3, T2, TP1	150	203	242	60 L	220 L			
D	Petroleum distillates, n.o.s. or Petroleum products, n.o.s..	3	UN1268	I	3	144, T11, TP1, TP8	150	201	243	1 L	30 L	E		
			II	3	144, IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L			
			III	3	144, B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L			
	Petroleum gases, liquefied or Liquefied petroleum gas.			2.1	UN1075	2.1	T50	306	304	314, 315.	Forbidden	150 kg	E	40
	Petroleum oil			3	NA1270	I	3	144, T11, TP1	None	201	243	1 L	30 L	E
			II	3	144, IB2, T7, TP1, TP8, TP28	150	202	242	5 L	60 L			
			III	3	144, B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A		
	Phenacyl bromide			6.1	UN2645	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B	40
	+ Phenetidines			6.1	UN2311	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Phenol, molten			6.1	UN2312	II	6.1	B14, T7, TP3	None	202	243	Forbidden	220 L	B	40
	+ Phenol, solid			6.1	UN1671	II	6.1	IB8, IP2, IP4, N78, T3, TP33	153	212	242	25 kg	100 kg	A
	Phenol solutions			6.1	UN2821	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A
			III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L		

Phenolsulfonic acid, liquid	8	UN1803	II	8	B2, IB2, N41, T7, TP2	154	202	242	1 L	30 L	C	14
Phenoxyacetic acid derivative pesticide, liquid, flammable, toxic <i>flash point less than 23 degrees C.</i>	3	UN3346	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40
.....			II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40
Phenoxyacetic acid derivative pesticide, liquid, toxic.	6.1	UN3348	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....			II	6.1	IB2, T11, TP2, TP27	153	202	243	5 L	60 L	B	40
.....			III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40
Phenoxyacetic acid derivative pesticide, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN3347	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
.....			II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
.....			III	6.1, 3	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40
Phenoxyacetic acid derivative pesticide, solid, toxic.	6.1	UN3345	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
.....			II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
.....			III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
Phenyl chloroformate	6.1	UN2746	II	6.1, 8	IB2, T7, TP2, TP13	153	202	243	1 L	30 L	A	12, 13, 21, 25, 40, 100 40
Phenyl isocyanate	6.1	UN2487	I	6.1, 3	2, B9, B14, B32, B74, B77, N33, N34, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	
Phenyl mercaptan	6.1	UN2337	I	6.1, 3	2, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	B	40, 52
Phenyl phosphorus dichloride	8	UN2798	II	8	B2, B15, IB2, T7, TP2	154	202	242	Forbidden	30 L	B	40
Phenyl phosphorus thiodichloride.	8	UN2799	II	8	B2, B15, IB2, T7, TP2	154	202	242	Forbidden	30 L	B	40
Phenyl urea pesticides, liquid, toxic.	6.1	UN3002	I	6.1	T14, TP2 TP27	None	201	243	1 L	30 L	B	40
.....			II	6.1	T7, TP2	None	202	243	5 L	60 L	B	40
.....			III	6.1	T4, TP1	153	203	241	60 L	220 L	A	40
Phenylacetonitrile, liquid	6.1	UN2470	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	52
Phenylacetyl chloride	8	UN2577	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	C	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	Phenylcarbamidine chloride	6.1	UN1672	I	6.1	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
+	<i>m</i> -Phenylenediamine perchlorate (dry). Phenylenediamines (<i>o</i> -; <i>m</i> -; <i>p</i> -.)	Forbidden				
		6.1	UN1673	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Phenylhydrazine	6.1	UN2572	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	40
	Phenylmercuric acetate	6.1	UN1674	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Phenylmercuric compounds, n.o.s..	6.1	UN2026	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A
				II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
				III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Phenylmercuric hydroxide	6.1	UN1894	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Phenylmercuric nitrate	6.1	UN1895	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Phenyltrichlorosilane	8	UN1804	II	8	A7, B6, IB2, N34, T7, TP2	None	202	242	Forbidden	30 L	C	40
	Phosgene	2.3	UN1076	2.3, 8	1, B7, B46	None	192	314	Forbidden	Forbiden	D	40
	9-Phosphabicyclonananes or Cyclooctadiene phosphines.	4.2	UN2940	II	4.2	A19, IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	A
	Phosphine	2.3	UN2199	2.3, 2.1.	1	None	192	245	Forbidden	Forbidden	D	40
	Phosphoric acid solution	8	UN1805	III	8	A7, IB3, N34, T4, TP1	154	203	241	5 L	60 L	A
	Phosphoric acid, solid	8	UN3453	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
	Phosphoric acid triethylenimine, see Tris-(1-aziridinyl)phosphine oxide, so-lution.		
	Phosphoric anhydride, see Phosphorus pentoxide.		
	Phosphorous acid	8	UN2834	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	48

	Phosphorus, amorphous	4.1	UN1338	III	4.1	A1, A19, B1, B9, B26, IB8, IP3, T1, TP33	None	213	243	25 kg	100 kg	A	74
	<i>Phosphorus bromide, see Phosphorus tribromide.</i>
	<i>Phosphorus chloride, see Phosphorus trichloride.</i>
	Phosphorus heptasulfide, <i>free from yellow or white phosphorus.</i>	4.1	UN1339	II	4.1	A20, IB4, N34, T3, TP33	None	212	240	15 kg	50 kg	B	74
	Phosphorus oxybromide	8	UN1939	II	8	B8, IB8, IP2, IP4, N41, N43, T3, TP33	None	212	240	Forbidden	50 kg	C	12, 40
	Phosphorus oxybromide, molten	8	UN2576	II	8	B2, B8, IB1, N41, N43, T7, TP3, TP13	None	202	242	Forbidden	Forbidden	C	40
+ Phosphorus oxychloride	8	UN1810	II	8, 6.1	2, B9, B14, B32, B74, B77, N34, T20, TP2, TP38, TP45	None	227	244	Forbidden	Forbidden	C	40	
	Phosphorus pentabromide	8	UN2691	II	8	A7, IB8, IP2, IP4, N34, T3, TP33	154	212	240	Forbidden	50 kg	B	12, 40, 53, 55
	Phosphorus pentachloride	8	UN1806	II	8	A7, IB8, IP2, IP4, N34, T3, TP33	None	212	240	Forbidden	50 kg	C	40, 44, 89, 100, 141
	Phosphorus Pentafluoride	2.3	UN2198	2.3, 8	2, B9, B14	None	302, 304.	314, 315.	Forbidden	Forbidden	D	40
	Phosphorus pentasulfide, <i>free from yellow or white phosphorus.</i>	4.3	UN1340	II	4.3, 4.1.	A20, B59, IB4, T3, TP33	151	212	242	15 kg	50 kg	B	74
	Phosphorus pentoxide	8	UN1807	II	8	A7, IB8, IP2, IP4, N34, T3, TP33	154	212	240	15 kg	50 kg	A
	Phosphorus sesquisulfide, <i>free from yellow or white phosphorus.</i>	4.1	UN1341	II	4.1	A20, IB4, N34, T3, TP33	None	212	240	15 kg	50 kg	B	74
	Phosphorus tribromide	8	UN1808	II	8	A3, A6, A7, B2, B25, IB2, N34, N43, T7, TP2	None	202	242	Forbidden	30 L	C	40
	Phosphorus trichloride	6.1	UN1809	I	6.1, 8	2, B9, B14, B15, B32, B74, B77, N34, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	C	40
	Phosphorus trioxide	8	UN2578	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	12
	Phosphorus trisulfide, <i>free from yellow or white phosphorus.</i>	4.1	UN1343	II	4.1	A20, IB4, N34, T3, TP33	None	212	240	15 kg	50 kg	B	74

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Phosphorus, white dry or Phosphorus, white, under water or Phosphorus white, in solution or Phosphorus, yellow dry or Phosphorus, yellow, under water or Phosphorus, yellow, in solution.	4.2	UN1381	I	4.2, 6.1.	B9, B26, N34, T9, TP3, TP31	None	188	243	Forbidden	Forbidden	E
	Phosphorus white, molten	4.2	UN2447	I	4.2, 6.1.	B9, B26, N34, T21, TP3, TP7, TP26	None	188	243	Forbidden	Forbidden	D
	<i>Phosphorus (white or red) and a chlorate, mixtures of.</i>	Forbidden				
	<i>Phosphoryl chloride, see Phosphorus oxychloride.</i>					
	Phthalic anhydride with more than .05 percent maleic anhydride.	8	UN2214	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A
	Picolines	3	UN2313	III	3	B1, IB3, T4, TP1	150	203	242	60 L	220 L	A	40
	Picric acid, see Trinitrophenol, etc.					
	Picrite, see Nitroguanidine, etc
	Picryl chloride, see Trinitrochlorobenzene.					
	Pine oil	3	UN1272	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	alpha-Pinene	3	UN2368	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Piperazine	8	UN2579	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	12, 52
	Piperidine	8	UN2401	I	8, 3	A10, T10, TP2	None	201	243	0.5 L	2.5 L	B	52
	<i>Pivaloyl chloride, see Trimethylacetyl chloride.</i>					
	Plastic molding compound in dough, sheet or extruded rope form evolving flammable vapor.	9	UN3314	III	9	32, IB8, IP3, IP7	155	221	221	100 kg	200 kg	E	19, 21, 25, 87, 144.
	<i>Plastic solvent, n.o.s., see Flammable liquids, n.o.s..</i>					
	Plastics, nitrocellulose-based, self-heating, n.o.s..	4.2	UN2006	III	4.2		None	213	None	Forbidden	Forbidden	C

<i>Poisonous gases, n.o.s., see Compressed or liquefied gases, flammable or toxic, n.o.s.</i>												
<i>Polyalkylamines, n.o.s., see Amines, etc.</i>												
Polyamines, flammable, corrosive, n.o.s. <i>see Amines, flammable, corrosive, n.o.s.</i>												
Polyamines, liquid, corrosive, n.o.s. <i>see Amines, liquid, corrosive, n.o.s.</i>												
Polyamines, liquid, corrosive, flammable, n.o.s. <i>see Amines, liquid, corrosive, flammable, n.o.s.</i>												
Polychlorinated biphenyls, liquid	9 UN2315	II	9	9, 81, 140, IB3, T4, TP1	155	202	241	100 L	220 L	A	95		
Polychlorinated biphenyls, solid	9 UN3432	II	9	9, 81, 140, IB8, T3, TP33	155	212	240	100 kg	200 kg	A	95		
Polyester resin kit	3 UN3269	3	40, 149	152	225	None	5 kg	5 kg	B		
Polyhalogenated biphenyls, liquid or Polyhalogenated terphenyls liquid.	9 UN3151	II	9	IB2	155	204	241	100 L	220 L	A	95		
Polyhalogenated biphenyls, solid or Polyhalogenated terphenyls, solid.	9 UN3152	II	9	IB8, IP2, IP4, T3, TP33	155	204	241	100 kg	200 kg	A	95		
Polymeric beads expandable, evolving flammable vapor.	9 UN2211	III	9	32, IB8, IP3, IP7, T1, TP33	155	221	221	100 kg	200 kg	E	19, 21, 25, 87, 144,	52	
Potassium	4.3 UN2257	I	4.3	A7, A19, A20, B27, IB4, IP1, N6, N34, T9, TP7, TP33	None	211	244	Forbidden	15 kg	D	52		
Potassium arsenate	6.1 UN1677	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A		
Potassium arsenite	6.1 UN1678	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A		
<i>Potassium bisulfite solution, see Bisulfites, aqueous solutions, n.o.s.</i>												
Potassium borohydride	4.3 UN1870	I	4.3	A19, N40	None	211	242	Forbidden	15 kg	E	52		
Potassium bromate	5.1 UN1484	II	5.1	IB8, IP2, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58		
<i>Potassium carbonyl</i>	Forbidden												
Potassium chlorate	5.1 UN1485	II	5.1	A9, IB8, IP4, N34, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58		
Potassium chlorate, aqueous solution.	5.1 UN2427	II	5.1	A2, IB2, T4, TP1	152	202	241	1 L	5 L	B	56, 58, 133		

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
							152	203	241	2.5 L	30 L	B	56, 58, 69, 133
	Potassium chlorate mixed with mineral oil, see Explosive, blasting, type C.												
	Potassium cuprocyanide	6.1	UN1679	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	52
	Potassium cyanide, solid	6.1	UN1680	I	6.1	B69, B77, IB7, IP1, N74, N75, T6, TP33	None	211	242	5 kg	50 kg	B	52
	Potassium cyanide solution	6.1	UN3413	I	6.1	B69, B77, N74, N75, T14, TP2, TP13	None	201	243	1 L	30 L	B	52
				II	6.1	B69, B77, IB2, N74, N75, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	52
				III	6.1	B69, B77, IB3, N74, N75, T7, TP2, TP13, TP28	153	203	241	60 L	220 L	A	52
	Potassium dichloro isocyanurate or Potassium dichloro-s-triazinetrione, see Dichloroisocyanuric acid, dry or Dichloroisocyanuric acid salts etc.												
	Potassium dithionite or Potassium hydrosulfite.	4.2	UN1929	II	4.2	A8, A19, A20, IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	E	13
	Potassium fluoride, solid	6.1	UN1812	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	52
	Potassium fluoride solution	6.1	UN3422	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	52
	Potassium fluoroacetate	6.1	UN2628	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	E
	Potassium fluorosilicate	6.1	UN2655	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	52
	Potassium hydrate, see Potassium hydroxide, solid.												
	Potassium hydrogen fluoride, see Potassium hydrogen difluoride.												

<i>Potassium hydrogen fluoride solution, see Corrosive liquid, n.o.s..</i>												
Potassium hydrogen sulfate	8	UN2509	II	8	A7, IB8, IP2, IP4, N34, T3, TP33	154	212	240	15 kg	50 kg	A	
Potassium hydrogendifluoride solid.	8	UN1811	II	8, 6.1	IB8, IP2, IP4, N3, N34, T3, TP33	154	212	240	15 kg	50 kg	A	25, 40, 52	
Potassium hydrogendifluoride solution.	8	UN3421	II	8, 6.1	IB2, N3, N34, T7, TP2	154	202	243	1 L	30 L	A	25, 40, 52	
.....	III	8, 6.1	IB3, N3, N34, T4, TP1	154	203	241	5 L	60 L	A	40, 52	
Potassium hydrosulfite, see Potassium dithionite.	
<i>Potassium hydroxide, liquid, see Potassium hydroxide solution.</i>	
Potassium hydroxide, solid	8	UN1813	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	52.	
Potassium hydroxide, solution ...	8	UN1814	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	52.	
.....	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A	52.	
<i>Potassium hypochlorite, solution, see Hypochlorite solutions, etc.</i>	
Potassium, metal alloys, liquid ..	4.3	UN1420	I	4.3	A7, A19, A20, B27	None	201	244	Forbidden	1 L	E	40, 52	
Potassium, metal alloys, solid ..	4.3	UN3403	I	4.3	A19, A20, B27, IB4, IP1, T9, TP7, TP33	None	211	244	Forbidden	15 kg	D	
Potassium metavanadate	6.1	UN2864	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
Potassium monoxide	8	UN2033	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	29, 52.	
Potassium nitrate	5.1	UN1486	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	
Potassium nitrate and sodium nitrite mixtures.	5.1	UN1487	II	5.1	B78, IB8, IP4, T3, TP33	152	212	240	5 kg	25 kg	A	56, 58	
Potassium nitrite	5.1	UN1488	II	5.1	IB8, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58	
Potassium perchlorate	5.1	UN1489	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58	
Potassium permanganate	5.1	UN1490	II	5.1	IB8, IP4, T3, TP33	152	212	240	5 kg	25 kg	D	56, 58, 138	
Potassium peroxide	5.1	UN1491	I	5.1	A20, IB6, IP1, N34	None	211	None	Forbidden	15 kg	B	13, 52, 66, 75	
Potassium persulfate	5.1	UN1492	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	56, 58	
Potassium phosphide	4.3	UN2012	I	4.3, 6.1.	A19, N40	None	211	None	Forbidden	15 kg	E	40, 52, 85	
<i>Potassium selenate, see Selenates or Selenites.</i>	

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (\$173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Potassium selenite, see Selenates or Selenites.					A7, A19, B27, N34, N40, T9, TP3, TP7, TP31							
	Potassium sodium alloys, liquid	4.3	UN1422	I	4.3	A19, B27, N34, N40, T9, TP3, TP7, TP31	None	201	244	Forbidden	1 L	E	40, 52
	Potassium sodium alloys, solid ..	4.3	UN3404	I	4.3	A19, B27, N34, N40, T9, TP7, TP33	None	211	244	Forbidden	15 kg	D	52
	Potassium sulfide, anhydrous or Potassium sulfide with less than 30 percent water of crystallization.	4.2	UN1382	II	4.2	A19, A20, B16, IB6, IP2, N34, T3, TP33	None	212	241	15 kg	50 kg	A	52
	Potassium sulfide, hydrated with not less than 30 percent water of crystallization.	8	UN1847	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	52
	Potassium superoxide	5.1	UN2466	I	5.1	A20, IB6, IP1	None	211	None	Forbidden	15 kg	B	13, 52, 66, 75
	Powder cake, wetted or Powder paste, wetted with not less than 17 percent alcohol by mass.	1.1C	UN0433	II	1.1C ..		None	62	None	Forbidden	Forbidden	10
	Powder cake, wetted or Powder paste, wetted with not less than 25 percent water, by mass.	1.3C	UN0159	II	1.3C ..		None	62	None	Forbidden	Forbidden	10
	Powder paste, see Powder cake, etc.											
	Powder, smokeless	1.1C	UN0160	II	1.1C ..		None	62	None	Forbidden	Forbidden		26E
	Powder, smokeless	1.3C	UN0161	II	1.3C ..		None	62	None	Forbidden	Forbidden		26E
	Power device, explosive, see Cartridges, power device.											
	Primers, cap type	1.4S	UN0044	II	None		None	62	None	25 kg	100 kg	05
	Primers, cap type	1.1B	UN0377	II	1.1B ..		None	62	None	Forbidden	Forbidden	11
	Primers, cap type	1.4B	UN0378	II	1.4B ..		None	62	None	Forbidden	75 kg	06
	Primers, small arms, see Primers, cap type.											
	Primers, tubular	1.3G	UN0319	II	1.3G ..		None	62	None	Forbidden	Forbidden	07
	Primers, tubular	1.4G	UN0320	II	1.4G ..		None	62	None	Forbidden	75 kg	06
	Primers, tubular	1.4S	UN0376	II	None		None	62	None	25 kg	100 kg	05

Printing ink, flammable or Printing ink related material (including printing ink thinning or reducing compound), flammable.	3	UN1210	I	3	T11, TP1, TP8	150	173	243	1 L	30 L	E
.....	II	3	149, IB2, T4, TP1, TP8	150	173	242	5 L	60 L	B
.....	III	3	B1, IB3, T2, TP1	150	173	242	60 L	220 L	A
Projectiles, illuminating, see Ammunition, illuminating, etc.
Projectiles, inert with tracer	1.4S	UN0345	II	1.4S	62	None	25 kg	100 kg	01
Projectiles, inert, with tracer	1.3G	UN0424	II	1.3G	62	None	Forbidden	Forbidden	03
Projectiles, inert, with tracer	1.4G	UN0425	II	1.4G	62	None	Forbidden	75 kg	02
Projectiles, with burster or expelling charge.	1.2D	UN0346	II	1.2D	62	None	Forbidden	Forbidden	03
Projectiles, with burster or expelling charge.	1.4D	UN0347	II	1.4D	62	None	Forbidden	75 kg	02
Projectiles, with burster or expelling charge.	1.2F	UN0426	II	1.2F	62	None	Forbidden	Forbidden	08
Projectiles, with burster or expelling charge.	1.4F	UN0427	II	1.4F	62	None	Forbidden	Forbidden	08
Projectiles, with burster or expelling charge.	1.2G	UN0434	II	1.2G	62	None	Forbidden	Forbidden	03
Projectiles, with burster or expelling charge.	1.4G	UN0435	II	1.4G	62	None	Forbidden	75 kg	02
Projectiles, with bursting charge	1.1F	UN0167	II	1.1F	62	None	Forbidden	Forbidden	08
Projectiles, with bursting charge	1.1D	UN0168	II	1.1D	62	None	Forbidden	Forbidden	03
Projectiles, with bursting charge	1.2D	UN0169	II	1.2D	62	None	Forbidden	Forbidden	03
Projectiles, with bursting charge	1.2F	UN0324	II	1.2F	62	None	Forbidden	Forbidden	08
Projectiles, with bursting charge	1.4D	UN0344	II	1.4D	62	None	Forbidden	75 kg	02
Propadiene, stabilized	2.1	UN2200	2.1	None	304	314, 315.	Forbidden	150 kg	B	40
Propadiene mixed with methyl acetylene, see Methyl acetylene and propadiene mixtures, stabilized.
Propane see also Petroleum gases, liquefied.	2.1	UN1978	2.1	19, T50	306	304	314, 315.	Forbidden	150 kg	E	40
Propanethiols	3	UN2402	II	3	A6, IB2, T4, TP1, TP13	150	202	242	5 L	60 L	E	95, 102
n-Propanol or Propyl alcohol, normal.	3	UN1274	II	3	B1, IB2, T4, TP1	150	202	242	5 L	60 L	B
.....	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Propellant, liquid	1.3C	UN0495	II	1.3C	None	62	None	Forbidden	Forbidden	10
Propellant, liquid	1.1C	UN0497	II	1.1C	None	62	None	Forbidden	Forbidden	10
Propellant, solid	1.1C	UN0498	II	1.1C	None	62	None	Forbidden	Forbidden	26E
Propellant, solid	1.3C	UN0499	II	1.3C	None	62	None	Forbidden	Forbidden	26E
Propellant, solid	1.4C	UN0501	1.4C	None	62	None	Forbidden	Forbidden	A
Propionaldehyde	3	UN1275	II	3	IB2, T7, TP1	150	202	242	5 L	60 L	E

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Propionic acid with not less than 90% acid by mass.	8	UN3463	II	8, 3	IB2, T7, TP2	154	202	243	1 L	30 L	A.	
	Propionic acid with not less than 10% and less than 90% acid by mass.	8	UN1848	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A.	
	Propionic anhydride	8	UN2496	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A	
	Propionitrile	3	UN2404	II	3, 6.1	IB2, T7, TP1, TP13	None	202	243	Forbidden	60 L 60 L	E	40
	Propionyl chloride	3	UN1815	II	3, 8	IB1, T7, TP1	150	202	243	1 L	5 L	B	40
	n-Propyl acetate	3	UN1276	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	
	Propyl alcohol, see Propanol												
	n-Propyl benzene	3	UN2364	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
	n-Propyl chloroformate	6.1	UN2740	I	6.1, 3, 8.	2, B9, B14, B32, B74, B77, N34, T20, TP2, TP13, TP38, TP44	None	227	244	Forbidden	Forbidden	B	21, 40, 100
	Propyl chloride see 1- Chloropropane.												
	Propyl formates	3	UN1281	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	
	n-Propyl isocyanate	6.1	UN2482	I	6.1, 3	1, B9, B14, B30, B72, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40
	Propyl mercaptan, see Propanethiols.												
	n-Propyl nitrate	3	UN1865	II	3	IB9	150	202	None ...	5 L	60 L	D	44, 89, 90, 100
	Propylamine	3	UN1277	II	3, 8	A7, IB2, N34, T7, TP1	150	202	243	1 L	5 L	E	40
	Propylene see also Petroleum gases, liquefied.	2.1	UN1077	2.1	19, T50	306	304	314, 315.	Forbidden	150 kg	E	40
	Propylene chlorohydrin	6.1	UN2611	II	6.1, 3	IB2, T7, TP2, TP13	153	202	243	5 L	60 L	A	12, 40, 48
	Propylene oxide	3	UN1280	I	3	A3, N34, T11, TP2, TP7	None	201	243	1 L	30 L	E	40
	Propylene tetramer	3	UN2850	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
	1,2-Propylenediamine	8	UN2258	II	8, 3	A3, A6, IB2, N34, T7, TP2	None	202	243	1 L	30 L	A	40
	Propyleneimine, stabilized	3	UN1921	I	3, 6.1	A3, N34, T14, TP2, TP13	None	201	243	1 L	30 L	B	40

	Propyltrichlorosilane	8	UN1816	II	8, 3	A7, B2, B6, IB2, N34, T7, TP2, TP13	None	202	243	Forbidden	30 L	C	40
	<i>Prussic acid, see Hydrogen cyanide.</i>												
	Pyrethroid pesticide, liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN3350	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40
				II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40
	Pyrethroid pesticide, liquid toxic	6.1	UN3352	I	6.1	T14, TP2, TP13, TP27	None	211	242	1 L	30 L	A	40
				II	6.1	IB2, T11, TP2, TP27	153	212	242	5 L	60 L	A	40
				III	6.1	IB3, T7, TP2, TP28	153	213	240	60 L	220 L	A	40
	Pyrethroid pesticide, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN3351	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
				II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
				III	6.1, 3	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	B	40
	Pyrethroid pesticide, solid, toxic	6.1	UN3349	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
				II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
				III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
G	Pyridine	3	UN1282	II	3	IB2, T4, TP2	None	202	242	5 L	60 L	B	21, 100
G	<i>Pyridine perchlorate</i>	Forbidden					None	181	244	Forbidden	Forbidden	D
G	Pyrophoric liquid, inorganic, n.o.s..	4.2	UN3194	I	4.2		None	181	244	Forbidden	Forbidden	D	18
G	Pyrophoric liquids, organic, n.o.s..	4.2	UN2845	I	4.2	B11, T22, TP2, TP7	None	181	244	Forbidden	Forbidden	D	18
G	Pyrophoric metals, n.o.s., or Pyrophoric alloys, n.o.s..	4.2	UN1383	I	4.2	B11, T21, TP7, TP33	None	187	242	Forbidden	Forbidden	D
G	Pyrophoric solid, inorganic, n.o.s..	4.2	UN3200	I	4.2	T21, TP7, TP33	None	187	242	Forbidden	Forbidden	D
G	Pyrophoric solids, organic, n.o.s. Pyrosulfuryl chloride	4.2	UN2846	I	4.2		None	187	242	Forbidden	Forbidden	D
	Pyrosulfuryl chloride	8	UN1817	II	8	B2, IB2, T8, TP2, TP12	154	202	242	1 L	30 L	C	40
	Pyroxylin solution or solvent, see Nitrocellulose.												
	Pyrrolidine	3	UN1922	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B	40, 52
	<i>Quebrachitol pentanitrate</i>	Forbidden											
	Quickslime, see Calcium oxide												
	Quinoline	6.1	UN2656	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A	12
	R 12, see Dichlorodifluoromethane.												

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
R 12B1, see Chlorodifluorobromomethane.	
R 13, see Chlorotrifluoromethane.	
R 13B1, see Bromotrifluoromethane.	
R 14, see Tetrafluoromethane	
R 21, see Dichlorofluoromethane.	
R 22, see Chlorodifluoromethane.	
R 114, see Dichlorotetrafluoroethane.	
R 115, see Chloropentafluoroethane.	
R 116, see Hexafluoroethane	
R 124, see Chlorotetrafluoroethane.	
R 133a, see Chlorotrifluoroethane.	
R 152a, see Difluoroethane	
R 500, see Dichlorodifluoromethane and difluorethane, etc.	
R 502, see Chlorodifluoromethane and chloropentafluoroethane mixture, etc.	
R 503, see Chlorotrifluoromethane and trifluoromethane, etc.	
Radioactive material, excepted package-articles manufactured from natural uranium or depleted uranium or natural thorium.	7	UN2909	None			422, 426.	422, 426.	422, 426.	A
Radioactive material, excepted package-empty packaging.	7	UN2908	Empty			422, 428.	422, 428.	422, 428.	A
Radioactive material, excepted package-instruments or articles.	7	UN2911	None			422, 424.	422, 424.	422, 424.	A

Radioactive material, excepted package-limited quantity of material.	7	UN2910	None		421, 422.	421, 422.	421, 422.			A
Radioactive material, low specific activity (LSA-I) <i>non fissile or fissile-excepted</i> .	7	UN2912	7	A56, T5, TP4, W7	421, 422, 428.	427	427			A	95, 129
Radioactive material, low specific activity (LSA-II) <i>non fissile or fissile-excepted</i> .	7	UN3321	7	A56, T5, TP4, W7	421, 422, 428.	427	427			A	95, 129
Radioactive material, low specific activity (LSA-III) <i>non fissile or fissile excepted</i> .	7	UN3322	7	A56, T5, TP4, W7	421, 422, 428.	427	427			A	95, 129
Radioactive material, surface contaminated objects (SCO-I or SCO-II) <i>non fissile or fissile-excepted</i> .	7	UN2913	7	A56	421, 422, 428.	427	427			A	95
Radioactive material, transported under special arrangement, <i>non fissile or fissile excepted</i> .	7	UN2919	7	A56, 139			A	95, 105
Radioactive material, transported under special arrangement, fissile.	7	UN3331	7	A56, 139			A	95, 105
Radioactive material, Type A package, fissile <i>non-special form</i> .	7	UN3327	7	A56, W7, W8	453	417	417			A	95, 105, 131
Radioactive material, Type A package <i>non-special form, non fissile or fissile-excepted</i> .	7	UN2915	7	A56, W7, W8	None	415, 418, 419.	415, 418, 419.			A	95, 130
Radioactive material, Type A package, special form <i>non fissile or fissile-excepted</i> .	7	UN3332	7	A56, W7, W8	415, 476.	415, 476.			A	95
Radioactive material, Type A package, fissile.	7	UN3333	7	A56, W7, W8	453	417, 476.	417, 476.			A	95, 105
Radioactive material, Type B(M) package, fissile.	7	UN3329	7	A56	453	417	417			A	95, 105
Radioactive material, Type B(M) package <i>non fissile or fissile-excepted</i> .	7	UN2917	7	A56	416	416			A	95, 105
Radioactive material, Type B(U) package, fissile.	7	UN3328	7	A56	453	417	417			A	95, 105
Radioactive material, Type B(U) package <i>non fissile or fissile-excepted</i> .	7	UN2916	7	A56	416	416			A	95, 105
Radioactive material, uranium hexafluoride <i>non fissile or fissile-excepted</i> .	7	UN2978	7, 8		423	420, 427.	420, 427.			A	95, 132
Radioactive material, uranium hexafluoride, fissile.	7	UN2977	7, 8	453	417, 420.	417, 420.			A	95, 132
Rags, oily	4.2	UN1856	III	4.2		151	213	240	Forbidden	Forbidden	A

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age		
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other	
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only			
	Railway torpedo, see Signals, railway track, explosive.													
	RC 318, see Octafluorocyclobutane.													
	RDX and cyclotetramethylenetrinitramine, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized.													
	RDX and HMX mixtures, wetted with not less than 15 percent water by mass or RDX and HMX mixtures, desensitized with not less than 10 percent phlegmatizer by mass.	1.1D	UN0391	II	1.1D ..		None	62	None	Forbidden	Forbidden	10		
	RDX and Octogen mixtures, wetted or desensitized see RDX and HMX mixtures, wetted or desensitized etc.													
	RDX, see Cyclotrimethylene trinitramine, etc.													
	Receptacles, small, containing agas (gas cartridges) non-flammable, without release device, not refillable and not exceeding 1 L capacity.	2.2	UN2037	2.2, 5.1.	A14	306	304	None	1 kg	15 kg	B	40	
	Receptacles, small, containing gas (gas cartridges) flammable, without release device, not refillable and not exceeding 1 L capacity.	2.1	UN2037	2.1		306	304	None	1 kg	15 kg	B	40	
	Receptacles, small, containing gas (gas cartridges) non-flammable, without release device, not refillable and not exceeding 1 L capacity.	2.2	UN2037	2.2		306	304	None	1 kg	15 kg	B	40	
	Red phosphorus, see Phosphorus, amorphous.													
	Refrigerant gas R 404A		2.2	UN3337	2.2	T50	306	304	314, 315.	75 kg	150 kg	A	

	Refrigerant gas R 407A	2.2	UN3338	2.2	T50	306	304	314, 315.	75 kg	150 kg	A	
	Refrigerant gas R 407B	2.2	UN3339	2.2	T50	306	304	314, 315.	75 kg	150 kg	A	
	Refrigerant gas R 407C	2.2	UN3340	2.2	T50	306	304	314, 315.	75 kg	150 kg	A	
G	Refrigerant gases, n.o.s.	2.2	UN1078	2.2	T50	306	304	314, 315.	75 kg	150 kg	A	
D	Refrigerant gases, n.o.s. or Dispersant gases, n.o.s..	2.1	NA1954	2.1	T50	306	304	314, 315.	Forbidden	150 kg	D	40	
	Refrigerating machines, containing flammable, non-toxic, liquefied gas.	2.1	UN3358	2.1		306, 307.	306	306	Forbidden	Forbidden	D	40	
	Refrigerating machines, containing non-flammable, non-toxic gases, or ammonia solutions (UN2672).	2.2	UN2857	2.2	A53	306, 307.	306	306, 307.	450 kg	450 kg	A	
	Regulated medical waste, n.o.s. or Clinical waste, unspecified, n.o.s. or (BIO) Medical waste, n.o.s.	6.2	UN3291	II	6.2	A13	134	197	197	No limit	No limit	B	40.	
	Release devices, explosive	1.4S	UN0173	II	1.4S ..		None	62	None	25 kg	100 kg	05	
	Resin solution, flammable	3	UN1866	I	3	B52, T11, TP1, TP8, TP28	150	201	243	1 L	30 L	E	
				II	3	149, B52, IB2, T4, TP1, TP8	150	173	242	5 L	60 L	B	
				III	3	B1, B52, IB3, T2, TP1	150	173	242	60 L	220 L	A	
	Resorcinol	6.1	UN2876	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	
	Rifle grenade, see Grenades, hand or rifle, etc.				
	Rifle powder, see Powder, smokeless (UN 0160).				
	Rivets, explosive	1.4S	UN0174	II	1.4S ..		None	62	None	25 kg	100 kg	05	
	Road asphalt or tar liquid, see Tars, liquid, etc.				
	Rocket motors	1.3C	UN0186	II	1.3C ..		109	None	62	None	Forbidden	220 kg	03
	Rocket motors	1.1C	UN0280	II	1.1C ..		109	None	62	None	Forbidden	Forbidden	03
	Rocket motors	1.2C	UN0281	II	1.2C ..		109	None	62	None	Forbidden	Forbidden	03
	Rocket motors, liquid fueled	1.2J	UN0395	II	1.2J ..		109	None	62	None	Forbidden	Forbidden	04	23E
	Rocket motors, liquid fueled	1.3J	UN0396	II	1.3J ..		109	None	62	None	Forbidden	Forbidden	04	23E
	Rocket motors with hypergolic liquids with or without an expelling charge.	1.3L	UN0250	II	1.3L ..		109	None	62	None	Forbidden	Forbidden	08	8E, 14E, 15E
	Rocket motors with hypergolic liquids with or without an expelling charge.	1.2L	UN0322	II	1.2L ..		109	None	62	None	Forbidden	Forbidden	08	8E, 14E, 15E
	Rockets, line-throwing	1.2G	UN0238	II	1.2G ..		None	62	None	Forbidden	Forbidden	07	
	Rockets, line-throwing	1.3G	UN0240	II	1.3G ..		None	62	None	Forbidden	75 kg	07	

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

	Seed cake, containing vegetable oil solvent extractions and expelled seeds, with not more than 10 percent of oil and when the amount of moisture is higher than 11 percent, with not more than 20 percent of oil and moisture combined.	4.2	UN1386	III	None	IB8, IP3, IP7, N7	None	213	241	Forbidden	Forbidden	A	13
I	Seed cake with more than 1.5 percent oil and not more than 11 percent moisture.	4.2	UN1386	III	None	IB8, IP3, IP7, N7	None	213	241	Forbidden	Forbidden	E	13
I	Seed cake with not more than 1.5 percent oil and not more than 11 percent moisture.	4.2	UN2217	III	None	IB8, IP3, IP7, N7	None	213	241	Forbidden	Forbidden	A	13
	Selenates or Selenites	6.1	UN2630	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	E
	Selenic acid	8	UN1905	I	8	IB7, IP1, N34, T6, TP33	None	211	242	Forbidden	25 kg	A
	Selenium compound, liquid, n.o.s.	6.1	UN3440	I	6.1	T14, TP2, TP27	None	201	243	1L	30L	B
				II	6.1	IIB2, T11, TP2, TP27	153	202	243	5 L	60 L	B
				III	6.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A
	Selenium compound, solid, n.o.s..	6.1	UN3283	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	B
				II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B
				III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Selenium disulfide	6.1	UN2657	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Selenium hexafluoride	2.3	UN2194	2.3, 8	1	None	302	None	Forbidden	Forbidden	D	40
+ A D G	Selenium nitride
G	Selenium oxychloride	8	UN2879	I	8, 6.1	A3, A6, A7, N34, T10, TP2, TP12, TP13	None	201	243	0.5 L	2.5 L	E	40
	Self-defense spray, aerosol, see Aerosols, etc.											
+ A D G	Self-defense spray, non-pressurized.	9	NA3334	III	9	A37	155	203	None	No limit	No limit	A
G	Self-heating liquid, corrosive, inorganic, n.o.s..	4.2	UN3188	II	4.2, 8	IB2	None	202	243	1 L	5 L	C
G	Self-heating liquid, corrosive, organic, n.o.s..	4.2	UN3185	III	4.2, 8	IB2	None	203	241	5 L	60 L	C
G	Self-heating liquid, corrosive, organic, n.o.s..	4.2	UN3186	II	4.2	IB2	None	202	242	1 L	5 L	C
				III	4.2	IB2	None	203	241	5 L	60 L	C

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
G	Self-heating liquid, organic, n.o.s..	4.2	UN3183	II	4.2	IB2	None	202	242	1 L	5 L	C
G	Self-heating liquid, toxic, inor- ganic, n.o.s..	4.2	UN3187	III	4.2	IB2	None	203	241	5 L	60 L	C
				II	4.2, 6.1.	IB2	None	202	243	1 L	5 L	C
				III	4.2, 6.1.	IB2	None	203	241	5 L	60 L	C
G	Self-heating liquid, toxic, or- ganic, n.o.s..	4.2	UN3184	II	4.2, 6.1.	IB2	None	202	243	1 L	5 L	C
				III	4.2, 6.1.	IB2	None	203	241	5 L	60 L	C
G	Self-heating solid, corrosive, in- organic, n.o.s..	4.2	UN3192	II	4.2, 8	IB5, IP2, T3, TP33	None	212	242	15 kg	50 kg	C
				III	4.2, 8	IB8, IP3, T1, TP33	None	213	242	25 kg	100 kg	C
G	Self-heating, solid, corrosive, or- ganic, n.o.s..	4.2	UN3126	II	4.2, 8	IB5, IP2, T3, TP33	None	212	242	15 kg	50 kg	C
				III	4.2, 8	IB8, IP3, T1, TP33	None	213	242	25 kg	100 kg	C
G	Self-heating solid, inorganic, n.o.s..	4.2	UN3190	II	4.2	IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	C
				III	4.2	IB8, IP3, T1, TP33	None	213	241	25 kg	100 kg	C
G	Self-heating, solid, organic, n.o.s..	4.2	UN3088	II	4.2	IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	C
				III	4.2	IB8, IP3, T1, TP33	None	213	241	25 kg	100 kg	C
G	Self-heating, solid, oxidizing, n.o.s..	4.2	UN3127	4.2, 5.1.	None	214	214	Forbidden	Forbidden
G	Self-heating solid, toxic, inor- ganic, n.o.s..	4.2	UN3191	II	4.2, 6.1.	IB5, IP2, T3, TP33	None	212	242	15 kg	50 kg	C
				III	4.2, 6.1.	IB8, IP3, T1, TP33	None	213	242	25 kg	100 kg	C
G	Self-heating, solid, toxic, or- ganic, n.o.s..	4.2	UN3128	II	4.2, 6.1.	IB5, IP2, T3, TP33	None	212	242	15 kg	50 kg	C
				III	4.2, 6.1.	IB8, IP3, T1, TP33	None	213	242	25 kg	100 kg	C
<i>Self-propelled vehicle, see En- gines or Batteries etc.</i>					
G	Self-reactive liquid type B	4.1	UN3221	II	4.1	53	None	224	None	Forbidden	Forbidden	D	52, 53

G	Self-reactive liquid type B, temperature controlled.	4.1	UN3231	II	4.1		53	None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive liquid type C	4.1	UN3223	II	4.1			None	224	None	5 L	10 L	D	52, 53
G	Self-reactive liquid type C, temperature controlled.	4.1	UN3233	II	4.1			None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive liquid type D	4.1	UN3225	II	4.1			None	224	None	5 L	10 L	D	52, 53
G	Self-reactive liquid type D, temperature controlled.	4.1	UN3235	II	4.1			None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive liquid type E	4.1	UN3227	II	4.1			None	224	None	10 L	25 L	D	52, 53
G	Self-reactive liquid type E, temperature controlled.	4.1	UN3237	II	4.1			None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive liquid type F	4.1	UN3229	II	4.1			None	224	None	10 L	25 L	D	52, 53
G	Self-reactive liquid type F, temperature controlled.	4.1	UN3239	II	4.1			None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive solid type B	4.1	UN3222	II	4.1		53	None	224	None	Forbidden	Forbidden	D	52, 53
G	Self-reactive solid type B, temperature controlled.	4.1	UN3232	II	4.1		53	None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive solid type C	4.1	UN3224	II	4.1			None	224	None	5 kg	10 kg	D	52, 53
G	Self-reactive solid type C, temperature controlled.	4.1	UN3234	II	4.1			None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive solid type D	4.1	UN3226	II	4.1			None	224	None	5 kg	10 kg	D	52, 53
G	Self-reactive solid type D, temperature controlled.	4.1	UN3236	II	4.1			None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive solid type E	4.1	UN3228	II	4.1			None	224	None	10 kg	25 kg	D	52, 53
G	Self-reactive solid type E, temperature controlled.	4.1	UN3238	II	4.1			None	224	None	Forbidden	Forbidden	D	2, 52, 53
G	Self-reactive solid type F	4.1	UN3230	II	4.1			None	224	None	10 kg	25 kg	D	52, 53
G	Self-reactive solid type F, temperature controlled.	4.1	UN3240	II	4.1			None	224	None	Forbidden	Forbidden	D	2, 52, 53
Shale oil		3	UN1288	I	3	T11, TP1, TP8, TP27		None	201	243	1 L	30 L	B
				II	3	IB2, T4, TP1, TP8		150	202	242	5 L	60 L	B
				III	3	B1, IB3, T2, TP1		150	203	242	60 L	220 L	A
<i>Shaped charges, see Charges, shaped, etc.</i>							
Signal devices, hand		1.4G	UN0191	II	1.4G ..			None	62	None	Forbidden	75 kg	06
Signal devices, hand		1.4S	UN0373	II	1.4S ..			None	62	None	25 kg	100 kg	05
Signals, distress, <i>ship</i>		1.1G	UN0194	II	1.1G ..			None	62	None	Forbidden	07	
Signals, distress, <i>ship</i>		1.3G	UN0195	II	1.3G ..			None	62	None	Forbidden	75 kg	07
Signals, <i>highway</i> , see Signal devices, hand.							
Signals, railway track, explosive		1.1G	UN0192	II	1.1G ..			None	62	None	Forbidden	Forbidden	07
Signals, railway track, explosive		1.4S	UN0193	II	1.4S ..			None	62	None	25 kg	100 kg	05
Signals, railway track, explosive		1.3G	UN0492	1.3G ..			None	62	None	Forbidden	Forbidden	07
Signals, railway track, explosive		1.4G	UN0493	1.4G ..			None	62	None	Forbidden	75 kg	06
<i>Signals, ship distress, water-activated, see Contrivances, water-activated, etc.</i>							
Signals, smoke		1.1G	UN0196	II	1.1G ..			None	62	None	Forbidden	Forbidden	07

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age		
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)			Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only			
	Signals, smoke	1.4G	UN0197	II	1.4G ..		None	62	None	Forbidden	75 kg	06	
	Signals, smoke	1.2G	UN0313	II	1.2G ..		None	62	None	Forbidden	Forbidden	07	
	Signals, smoke	1.3G	UN0487	II	1.3G ..		None	62	None	Forbidden	Forbidden	07	
	Silane	2.1	UN2203	2.1		None	302	None	Forbidden	Forbidden	E	40, 57, 104	
	<i>Silicofluoric acid, see Fluorosilicic acid.</i>						
	<i>Silicon chloride, see Silicon tetra- chloride.</i>						
	Silicon powder, amorphous	4.1	UN1346	III	4.1	A1, IB8, IP3, T1, TP33	None	213	240	25 kg	100 kg	A	74	
	Silicon tetrachloride	8	UN1818	II	8	A3, A6, B2, B6, IB2, T7, TP2, TP7	154	202	242	1 L	30 L	C	40	
	Silicon tetrafluoride	2.3	UN1859	2.3, 8	2	None	302	None	Forbidden	Forbidden	D	40	
	<i>Silver acetylide (dry)</i>	Forbidden					
	Silver arsenite	6.1	UN1683	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
	<i>Silver azide (dry)</i>	Forbidden					
	<i>Silver chlorite (dry)</i>	Forbidden					
	Silver cyanide	6.1	UN1684	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40, 52	
	<i>Silver fulminate (dry)</i>	Forbidden					
	Silver nitrate	5.1	UN1493	II	5.1	IB8, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	
	<i>Silver oxalate (dry)</i>	Forbidden					
	<i>Silver picrate (dry)</i>	Forbidden					
	Silver picrate, wetted with not less than 30 percent water, by mass.	4.1	UN1347	I	4.1	23	None	211	None	Forbidden	Forbidden	D	28, 36	
	Sludge, acid	8	UN1906	II	8	A3, A7, B2, IB2, N34, T8, TP2, TP12, TP28	None	202	242	Forbidden	30 L	C	14	
D	Smokeless powder for small arms (100 pounds or less).	4.1	NA3178	I	4.1	16	None	171	None	Forbidden	7.3 kg	A	
	Soda lime with more than 4 per- cent sodium hydroxide.	8	UN1907	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	52	

	Sodium	4.3	UN1428	I	4.3	A7, A8, A19, A20, B9, B48, B68, IB4, IP1, N34, T9, TP7, TP33, TP46	None	211	244	Forbidden	15 kg	D	52
A	Sodium aluminate, solid	8	UN2812	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	
	Sodium aluminate, solution	8	UN1819	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	52.
	Sodium aluminum hydride	4.3	UN2835	II	4.3	A8, A19, A20, IB4, T3, TP33	154	203	241	5 L	60 L	A	52.
	Sodium ammonium vanadate	6.1	UN2863	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	E	52
	Sodium arsanilate	6.1	UN2473	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	
	Sodium arsenate	6.1	UN1685	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
	Sodium arsenite, aqueous solu-	6.1	UN1686	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	
	tions.			III	6.1	IB3, T4, TP2	153	203	241	60 L	220 L	A	
	Sodium arsenite, solid	6.1	UN2027	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	
	Sodium azide	6.1	UN1687	II	6.1	IB8, IP2, IP4	153	212	242	25 kg	100 kg	A	36, 52, 91
	Sodium bifluoride, see Sodium hydrogendifluoride.												
	Sodium bisulfite, solution, see Bisulfites, aqueous solutions, n.o.s.												
	Sodium borohydride	4.3	UN1426	I	4.3	N40	None	211	242	Forbidden	15 kg	E	52
	Sodium borohydride and sodium hydroxide solution, with not more than 12 percent sodium borohydride and not more than 40 percent sodium hydroxide by mass.	8	UN3320	II	8	B2, IB2, N34, T7, TP2	154	202	242	1 L	30 L	A	52
				III	8	B2, IB3, N34, T4, TP2	154	203	241	5 L	60 L	A	52
	Sodium bromate	5.1	UN1494	II	5.1	IB8, IP4, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Sodium cacodylate	6.1	UN1688	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	52
	Sodium carbonate peroxyhydrate.	5.1	UN3378	II	5.1	IB8, IP2, IP4, T3, TP33	152	212	240	5 kg	25 kg	A	13, 48, 75
				III	5.1	IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	13, 48, 75
	Sodium chlorate	5.1	UN1495	II	5.1	A9, IB8, IP4, N34, T3, TP33	152	212	240	5 kg	25 kg	A	56, 58
	Sodium chlorate, aqueous solu-	5.1	UN2428	II	5.1	A2, IB2, T4, TP1	152	202	241	1 L	5 L	B	56, 58, 133

§172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
							152	203	241	2.5 L	30 L	B	56, 58, 69, 133
	<i>Sodium chlorate mixed with dini- trotoluene, see Explosive blasting, type C.</i>												
	Sodium chlorite	5.1	UN1496	II	5.1	A9, IB8, IP2, IP4, N34, T3, TP33	None	212	242	5 kg	25 kg	A	56, 58
	Sodium chloroacetate	6.1	UN2659	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Sodium cuprocyanide, solid	6.1	UN2316	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	52
	Sodium cuprocyanide, solution ..	6.1	UN2317	I	6.1	T14, TP2, TP13	None	201	243	1 L	30 L	B	40, 52
	Sodium cyanide, solid	6.1	UN1689	I	6.1	B69, B77, IB7, N74, N75, T6, TP33	None	211	242	5 kg	50 kg	B	52
	Sodium cyanide solution	6.1	UN3414	I	6.1	B69, B77, N74, N75, T14, TP2, TP13	None	201	243	1 L	30 L	B	52
				II	6.1	B69, B77, IB2, N74, N75, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	52
				III	6.1	B69, B77, IB3, N74, N75, T7, TP2, TP13, TP28	153	203	241	60 L	220 L	A	52
	<i>Sodium dichloroisocyanurate or Sodium dichloro-s- triazinetrione, see Dichloroisocyanuric acid etc.</i>												
	Sodium dinitro-o-cresolate, dry or wetted with less than 15 percent water, by mass.	1.3C	UN0234	II	1.3C ..		None	62	None	Forbidden	Forbidden	10	5E
	Sodium dinitro-o-cresolate, wetted with not less than 10% water, by mass.	4.1	UN3369	I	4.1	162, A8, A19, N41, N84	None	211	None	0.5 kg	0.5 kg	E	36
	Sodium dinitro-o-cresolate, wetted with not less than 15 percent water, by mass.	4.1	UN1348	I	4.1, 6.1.	23, A8, A19, A20, N41	None	211	None	1 kg	15 kg	E	28, 36
	Sodium dithionite or Sodium hy- drosulfite.	4.2	UN1384	II	4.2	A19, A20, IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	E	13
	Sodium fluoride, solid	6.1	UN1690	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	52

Sodium fluoride solution	6.1	UN3415	III	6.1	IB3, T4, TP1 IB7, IP1, T6, TP33	153	203	241	60 L 5 kg	220 L 50 kg	A E	52
Sodium fluoroacetate	6.1	UN2629	I	6.1		None	211	242
Sodium fluorosilicate	6.1	UN2674	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	52
Sodium hydrate, see Sodium hydroxide, solid.
Sodium hydride	4.3	UN1427	I	4.3	A19, N40 IB8, IP2, IP4, N3, N34, T3, TP33	None 154	211	242	Forbidden 15 kg	15 kg 50 kg	E A	52 12, 25, 40, 52
Sodium hydrogen difluoride	8	UN2439	II	8								
Sodium hydrosulfide, with less than 25 percent water of crystallization.	4.2	UN2318	II	4.2	A7, A19, A20, IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	A	52.
Sodium hydrosulfide with not less than 25 percent water of crystallization.	8	UN2949	II	8	A7, IB8, IP2, IP4, T7, TP2	154	212	240	15 kg	50 kg	A	52
Sodium hydrosulfite, see Sodium dithionite.
Sodium hydroxide, solid	8	UN1823	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	52.
Sodium hydroxide solution	8	UN1824	II	8	B2, IB2, N34, T7, TP2	154	202	242	1 L	30 L	A	52.
			III	8	IB3, N34, T4, TP1	154	203	241	5 L	60 L	A	52.
Sodium hypochlorite, solution, see Hypochlorite solutions etc.
Sodium metal, liquid alloy, see Alkali metal alloys, liquid, n.o.s..
Sodium methylate	4.2	UN1431	II	4.2, 8	A7, A19, IB5, IP2, T3, TP33	None	212	242	15 kg	50 kg	B
Sodium methylate solutions in alcohol.	3	UN1289	II	3, 8	IB2, T7, TP1, TP8	150	202	243	1 L	5 L	B
			III	3, 8	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A
Sodium monoxide	8	UN1825	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	52.
Sodium nitrate	5.1	UN1498	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
Sodium nitrate and potassium nitrate mixtures.	5.1	UN1499	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
Sodium nitrite	5.1	UN1500	III	5.1, 6.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	56, 58
Sodium pentachlorophenate	6.1	UN2567	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
Sodium perborate monohydrate	5.1	UN3377	III	5.1	IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	13, 48, 75
Sodium perchlorate	5.1	UN1502	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Sodium permanganate	5.1	UN1503	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	D	56, 58, 138
	Sodium peroxide	5.1	UN1504	I	5.1	A20, IB5, IP1, N34	None	211	None	Forbidden	15 kg	B	13, 52, 66, 75
	Sodium peroxoborate, anhy- drous.	5.1	UN3247	II	5.1	IB8, IP4, T3, TP33	152	212	240	5 kg	25 kg	A	13, 25
	Sodium persulfate	5.1	UN1505	III	5.1	A1, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	56, 58
	Sodium phosphide	4.3	UN1432	I	4.3, 6.1. 1.3C ..	A19, N40	None	211	None	Forbidden	15 kg	E	40, 52, 85
	Sodium picramate, dry or wetted with less than 20 percent water, by mass.	1.3C	UN0235	II	1.3C ..		None	62	None	Forbidden	Forbidden	10	5E
	Sodium picramate, wetted with not less than 20 percent water, by mass.	4.1	UN1349	I	4.1	23, A8, A19, N41	None	211	None	Forbidden	15 kg	E	28, 36
	Sodium picryl peroxide	Forbidden											
	Sodium potassium alloys, see Potassium sodium alloys.												
	Sodium selenate, see Selenates or Selenites.												
	Sodium sulfide, anhydrous or Sodium sulfide with less than 30 percent water of crys- tallization.	4.2	UN1385	II	4.2	A19, A20, IB6, IP2, N34, T3, TP33	None	212	241	15 kg	50 kg	A	52
	Sodium sulfide, hydrated with not less than 30 percent water.	8	UN1849	II	8	IB8, IP2, IP4, T3, TP33	154	212	240	15 kg	50 kg	A	52
	Sodium superoxide	5.1	UN2547	I	5.1	A20, IB6, IP1, N34	None	211	None	Forbidden	15 kg	E	13, 52, 66, 75
G	Sodium tetrinitride	Forbidden											
G	Solids containing corrosive liq- uid, n.o.s..	8	UN3244	II	8	49, IB5, T3, TP33	154	212	240	15 kg	50 kg	B	40
G	Solids containing flammable liq- uid, n.o.s..	4.1	UN3175	II	4.1	47, IB6, IP2, T3, TP33	151	212	240	15 kg	50 kg	B
G	Solids containing toxic liquid, n.o.s..	6.1	UN3243	II	6.1	48, IB2, T2, TP33	153	212	240	25 kg	100 kg	B	40
	Sounding devices, explosive	1.2F	UN0204	II	1.2F		None	62	None	Forbidden	Forbidden	08
	Sounding devices, explosive	1.1F	UN0296	II	1.1F		None	62	None	Forbidden	Forbidden	08
	Sounding devices, explosive	1.1D	UN0374	II	1.1D ..		None	62	None	Forbidden	Forbidden	07
	Sounding devices, explosive	1.2D	UN0375	II	1.2D ..		None	62	None	Forbidden	Forbidden	07

	<i>Spirits of salt, see Hydrochloric acid.</i>												
	<i>Squibs, see Igniters etc</i>												
	Stannic chloride, anhydrous	8	UN1827	II	8	B2, IB2, T7, TP2	154	202	242	1 L 25 kg	30 L 100 kg	C A
	Stannic chloride pentahydrate	8	UN2440	III	8	IB8, IP3, T1, TP33	154	213	240
	Stannic phosphide	4.3	UN1433	I	4.3, 6.1.	A19, N40	None	211	242	ForbIDDEN	15 kg	E	40, 52, 85
	<i>Steel swarf, see Ferrous metal borings, etc.</i>	
	Stibine	2.3	UN2676	2.3, 2.1.	1	None	304	None	ForbIDDEN	ForbIDDEN	D	40
	<i>Storage batteries, wet, see Batteries, wet etc.</i>	
	Strontium arsenite	6.1	UN1691	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Strontium chlorate	5.1	UN1506	II	5.1	A1, A9, IB8, IP2, IP4, N34, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Strontium nitrate	5.1	UN1507	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
	Strontium perchlorate	5.1	UN1508	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Strontium peroxide	5.1	UN1509	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	13, 52, 66, 75
	Strontium phosphide	4.3	UN2013	I	4.3, 6.1.	A19, N40	None	211	None	ForbIDDEN	15 kg	E	40, 52, 85
	Strychnine or Strychnine salts	6.1	UN1692	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
	Styphnic acid, see Trinitroresorcinol, etc.	
G	Styrene monomer, stabilized	3	UN2055	III	3	B1, IB3, T2, TP1	150	203	242	60 L ForbIDDEN	220 L ForbIDDEN	A 8E, 14E, 15E, 17E
G	Substances, explosive, n.o.s	1.1L	UN0357	II	1.1L	None	62	None
G	Substances, explosive, n.o.s	1.2L	UN0358	II	1.2L	None	62	None	ForbIDDEN	ForbIDDEN	8E, 14E, 15E, 17E
G	Substances, explosive, n.o.s	1.3L	UN0359	II	1.3L	None	62	None	ForbIDDEN	ForbIDDEN	8E, 14E, 15E, 17E
G	Substances, explosive, n.o.s	1.1A	UN0473	II	1.1A	111	None	62	None	ForbIDDEN	ForbIDDEN	12
G	Substances, explosive, n.o.s	1.1C	UN0474	II	1.1C	None	62	None	ForbIDDEN	ForbIDDEN	10
G	Substances, explosive, n.o.s	1.1D	UN0475	II	1.1D	None	62	None	ForbIDDEN	ForbIDDEN	10
G	Substances, explosive, n.o.s	1.1G	UN0476	II	1.1G	None	62	None	ForbIDDEN	ForbIDDEN	08
G	Substances, explosive, n.o.s	1.3C	UN0477	II	1.3C	None	62	None	ForbIDDEN	ForbIDDEN	10
G	Substances, explosive, n.o.s	1.3G	UN0478	II	1.3G	None	62	None	ForbIDDEN	ForbIDDEN	08

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

	Sulfur chlorides	8	UN1828	I	8	5, A3, A7, A10, B10, B77, N34, T20, TP2, TP12	None	201	243	Forbidden	2.5 L	C	40
	<i>Sulfur dichloride, see Sulfur chlorides.</i>
D	Sulfur dioxide	2.3	UN1079	2.3, 8	3, B14, T50, TP19	None	304	314, 315.	Forbidden	Forbidden	D	40
I	<i>Sulfur dioxide solution, see Sulfurous acid.</i>
+ +	Sulfur hexafluoride	2.2	UN1080	2.2	306	304	314, 315.	75 kg	150 kg	A
D	Sulfur, molten	9	NA2448	III	9	30, IB3, T1, TP3 30, IB1, T1, TP3	None	213	247	Forbidden	Forbidden	C	61
I	Sulfur, molten	4.1	UN2448	III	4.1	None	213	247	Forbidden	Forbidden	C	74
+ +	Sulfur tetrafluoride	2.3	UN2418	2.3, 8	1	None	302	245	Forbidden	Forbidden	D	40, 52
	Sulfur trioxide, stabilized	8	UN1829	I	8, 6.1	2, B9, B14, B32, B49, B74, B77, N34, T20, TP4, TP12, TP13, TP25, TP26, TP38, TP45	None	227	244	Forbidden	Forbidden	A	40
	<i>Sulfuretted hydrogen, see Hydrogen sulfide.</i>
	Sulfuric acid, fuming with less than 30 percent free sulfur trioxide.	8	UN1831	I	8	A3, A7, B84, N34, T20, TP2, TP12, TP13	None	201	243	Forbidden	2.5 L	C	14, 40
	Sulfuric acid, fuming with 30 percent or more free sulfur trioxide.	8	UN1831	I	8, 6.1	2, B9, B14, B32, B74, B77, B84, N34, T20, TP2, TP12, TP13	None	227	244	Forbidden	Forbidden	C	14, 40
	Sulfuric acid, spent	8	UN1832	II	8	A3, A7, B2, B83, B84, IB2, N34, T8, TP2, TP12	None	202	242	Forbidden	30 L	C	14
	Sulfuric acid with more than 51 percent acid.	8	UN1830	II	8	A3, A7, B3, B83, B84, IB2, N34, T8, TP2, TP12	154	202	242	1 L	30 L	C	14
	Sulfuric acid with not more than 51% acid.	8	UN2796	II	8	A3, A7, B2, B15, IB2, N6, N34, T8, TP2, TP12	154	202	242	1 L	30 L	B
	Sulfuric and hydrofluoric acid mixtures, see Hydrofluoric and sulfuric acid mixtures.
	<i>Sulfuric anhydride, see Sulfur trioxide, stabilized.</i>
+ +	Sulfurous acid	8	UN1833	II	8	B3, IB2, T7, TP2 1, B6, B9, B10, B14, B30, B74, B77, N34, T22, TP2, TP12, TP38, TP44	154	202	242	1 L	30 L	B	40
	Sulfuryl chloride	8	UN1834	I	8, 6.1	None	226	244	Forbidden	Forbidden	C	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Sulfuryl fluoride	2.3	UN2191	2.3	4	None	304	314, 315.	Forbidden	Forbidden	D	40
	Tars, liquid <i>including road asphalt and oils, bitumen and cut backs.</i>	3	UN1999	II	3	149, B13, IB2, T3, TP3, TP29	150	202	242	5 L	60 L	B
	Tear gas candles	6.1	UN1700	II	6.1, 4.1.	B1, B13, IB3, T1, TP3	150	203	242	60 L	220 L	A
D	Tear gas cartridges, see Ammunition, tear-producing, etc. Tear gas devices with more than 2 percent tear gas substances, by mass.	6.1	NA1693	I	6.1	None	340	None	Forbidden	50 kg	D	40
	Tear gas devices, with not more than 2 percent tear gas substances, by mass, see Aerosols, etc.	II	6.1	None	340	None	Forbidden	Forbidden	D	40
	Tear gas grenades, see Tear gas candles.
G	Tear gas substances, liquid, n.o.s..	6.1	UN1693	I	6.1	None	201	None	Forbidden	Forbidden	D	40
G	Tear gas substance, solid, n.o.s..	6.1	UN3448	II	6.1	IB2	None	202	None	Forbidden	5 L	D	40
	I	6.1	T6, TP33	None	211	242	Forbidden	Forbiden	D	40
	II	6.1	IB8, IP2, IP4, T3, TP33	None	212	242	Forbidden	25 kg	D	40
	Tellurium compound, n.o.s.	6.1	UN3284	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	B
	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B
	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	Tellurium hexafluoride	2.3	UN2195	2.3, 8	1	None	302	None	Forbidden	Forbidden	D	40
	Terpene hydrocarbons, n.o.s.	3	UN2319	III	3	B1, IB3, T4, TP1, TP29	150	203	242	60 L	220 L	A
	Terpinolene	3	UN2541	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Tetraazido benzene quinone	Forbidden
	Tetrabromoethane	6.1	UN2504	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	1,1,2,2-Tetrachloroethane	6.1	UN1702	II	6.1	IB2, N36, T7, TP2	153	202	243	5 L	60 L	A	40

	Tetrachloroethylene	6.1	UN1897	III	6.1	IB3, N36, T4, TP1	153	203	241	60 L	220 L	A	40
	Tetraethyl dithiopyrophosphate ..	6.1	UN1704	II	6.1	IB2, T7, TP2	153	212	242	25 kg 60 L	100 kg 220 L	D A	40
	Tetraethyl silicate	3	UN1292	III	3	B1, IB3, T2, TP1	150	203	242				
	<i>Tetraethylammonium per-</i> <i>chlorate (dry).</i>	Forbidden											
	Tetraethylenepentamine	8	UN2320	III	8	IB3, T4, TP1 T50	154	203	241	5 L	60 L	A	52.
	1,1,1,2-Tetrafluoroethane or Re- frigerant gas R 134a.	2.2	UN3159	2.2		306	304	314, 315.	75 kg	150 kg	A	
	Tetrafluoroethylene, stabilized ..	2.1	UN1081	2.1		306	304	None	ForbIDDEN	150 kg	E	40
	Tetrafluoromethane or Refrig- erant gas R 14.	2.2	UN1982	2.2		None	302	None	75 kg	150 kg	A	
	1,2,3,6-Tetrahydrobenzaldehyde	3	UN2498	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
	Tetrahydrofuran	3	UN2056	II	3	IB2, T4, TP1	None	202	242	5 L	60 L	B	
	Tetrahydrofurfurylamine	3	UN2943	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
	Tetrahydrophthalic anhydrides with more than 0.05 percent of maleic anhydride.	8	UN2698	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	
	1,2,3,6-Tetrahydropyridine	3	UN2410	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	
	Tetrahydrothiophene	3	UN2412	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	
	Tetramethylammonium hydrox- ide, solid.	8	UN3423	II	8	B2, IB8, IP2, IP4, T3, TP33	154	213	240	15 kg	50 kg	A	52
	Tetramethylammonium hydrox- ide solution.	8	UN1835	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	A	52
	Tetramethylene diperoxide dicarbamide.	Forbidden		III	8	B2, IB3, T7, TP2	154	203	241	5 L	60 L	A	52
	Tetramethylsilane	3	UN2749	I	3	A7, T14, TP2	None	201	243	ForbIDDEN	30 L	D	
+ 283	<i>Tetranitro diglycerin.</i>	Forbidden		II	1.1D ..								
	Tetranitroaniline	1.1D	UN0207	I	5.1 ..		None	62	None	ForbIDDEN	ForbIDDEN	10	
	Tetranitromethane	5.1	UN1510	I	6.1.	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP44	None	227	None	ForbIDDEN	ForbIDDEN	D	40, 66
	2,3,4,6-Tetranitrophenol	Forbidden											
	2,3,4,6-Tetranitrophenyl methyl nitramine.	Forbidden											
	2,3,4,6-Tetranitrophenylnitramine.	Forbidden											
	Tetranitroresorcinol (dry)	Forbidden											
	2,3,5,6-Tetranitroso-1,4- dinitrobenzene.	Forbidden											
	2,3,5,6-Tetranitroso nitrobenzene (dry).	Forbidden											
	Tetrapropylorthotitanate	3	UN2413	III	3	B1, IB3, T4, TP1	150	203	242	60 L	220 L	A	
	Tetrazene, see Guanyl nitrosaminoguanyltetrazene.											
	Tetrazine (dry)	Forbidden		II								
	Tetrazol-1-acetic acid	1.4C	UN0407	II	1.4C ..		None	62	None	ForbIDDEN	75 kg	09	
	1H-Tetrazole	1.1D	UN0504	II	1.1D ..		None	62	None	ForbIDDEN	ForbIDDEN	B	1E, 5E

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
A I W	Tetrazoyl azide (dry)	Forbidden
	Tetryl, see Trinitrophenylmethylnitramine.
	Textile waste, wet	4.2	UN1857	III	4.2	151	213	240	Forbidden	Forbidden	A
	Thallium chloride	5.1	UN2573	II	5.1, 6.1.	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Thallium compounds, n.o.s.	6.1	UN1707	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Thallium nitrate	6.1	UN2727	II	6.1, 5.1.	IB6, IP2, T3, TP33	153	212	242	5 kg	25 kg	A
	4-Thiapentanal	6.1	UN2785	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	D	25, 49
	Thioacetic acid	3	UN2436	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Thiocarbamate pesticide, liquid, flammable, toxic, <i>flash point</i> <i>less than 23 degrees C.</i>	3	UN2772	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40
	II	3, 6.1	IB2, T11, TP13, TP27	150	202	243	1 L	60 L	B	40
	Thiocarbamate pesticide, liquid, toxic, flammable, <i>flash point</i> <i>not less than 23 degrees C.</i>	6.1	UN3005	I	6.1, 3	T14, TP2, TP13	None	201	243	1 L	30 L	B	40
	II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
	III	6.1, 3	IB3, T7, TP2, TP28	153	203	242	60 L	220 L	A	40
	Thiocarbamate pesticide, liquid, toxic.	6.1	UN3006	I	6.1	T14, TP2, TP13	None	201	243	1 L	30 L	B	40
	II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
	III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40
	Thiocarbamate pesticides, solid, toxic.	6.1	UN2771	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40
	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40
	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
	<i>Thiocarbonylchloride,</i> see <i>Thiophosgene.</i>
	Thioglycol	6.1	UN2966	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A

Thioglycolic acid	8	UN1940	II	8	A7, B2, IB2, N34, T7, TP2	154	202	242	1 L	30 L	A	
Thiolactic acid	6.1	UN2936	II	6.1	IB2, T7, TP2	153	202	243	5 L Forbidden	60 L Forbidden	A C	40
Thionyl chloride	8	UN1836	I	8	B6, B10, N34, T10, TP2, TP12, TP13	None	201	243				
Thiophene	3	UN2414	II	3	IB2, T4, TP1 2, B9, B14, B32, B74, N33, N34, T20, TP2, TP38, TP45	150	202	242	5 L Forbidden	60 L Forbidden	B B	40
Thiophosgene	6.1	UN2474	II	6.1		None	227	244				40, 52
Thiophosphoryl chloride	8	UN1837	II	8	A3, A7, B2, B8, B25, IB2, N34, T7, TP2	None	202	242	Forbidden	30 L	C	40
Thiourea dioxide	4.2	UN3341	II	4.2	IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	D	
.....			III	4.2	IB8, IP3, T1, TP33	None	213	241	25 kg	100 kg	D	
Tin chloride, fuming, see Stannic chloride, anhydrous.		
Tin perchloride or Tin tetrachloride, see Stannic chloride, anhydrous.		
Tinctures, medicinal	3	UN1293	II	3	IB2, T4, TP1, TP8	150	202	242	5 L	60 L	B	
.....			III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
Tinning flux, see Zinc chloride		
Tires and tire assemblies, see Air, compressed or Nitrogen, compressed.		
Titanium disulphide	4.2	UN3174	III	4.2	IB8, IP3, T1, TP33	None	213	241	25 kg	100 kg	A	
Titanium hydride	4.1	UN1871	II	4.1	A19, A20, IB4, N34, T3, TP33	None	212	241	15 kg	50 kg	E	
Titanium powder, dry	4.2	UN2546	I	4.2	A19, A20, IB6, IP2, N5, N34, T3, TP33	None	211	242	Forbidden	Forbidd en 15 kg	D	
.....			II	4.2		None	212	241	15 kg	50 kg	D	
.....			III	4.2	IB8, IP3, T1, TP33	None	213	241	25 kg	100 kg	D	
Titanium powder, wetted with not less than 25 percent water (a visible excess of water must be present) (a) mechani- cally produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns.	4.1	UN1352	II	4.1	A19, A20, IB6, IP2, N34, T3, TP33	None	212	240	15 kg	50 kg	E	74
Titanium sponge granules or Ti- tanium sponge powders.	4.1	UN2878	III	4.1	A1, IB8, IP3, T1, TP33	None	213	240	25 kg	100 kg	D	74

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)			
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only	Loca- tion	Other
+	Titanium tetrachloride	8	UN1838	II	8, 6.1	2, B7, B9, B14, B32, B74, B77, T20, TP2, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	C	40
	Titanium trichloride mixtures	8	UN2869	II	8	A7, IB8, IP2, IP4, N34, T3, TP33	154	212	240	15 kg	50 kg	A	40
	III	8	A7, IB8, IP3, N34, T1, TP33	154	213	240	25 kg	100 kg	A	40
	Titanium trichloride, pyrophoric or Titanium trichloride mix- tures, pyrophoric.	4.2	UN2441	I	4.2, 8	N34	None	181	244	Forbidden	Forbidden	D	40
	<i>TNT mixed with aluminum, see Tritonal.</i>
	TNT, see Trinitrotoluene, etc
	Toluene	3	UN1294	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	+ Toluene diisocyanate	6.1	UN2078	II	6.1	IB2, T7, TP2, TP13	153	202	243	5 L	60 L	D	25, 40
	<i>Toluene sulfonic acid, see Alkyl, or Aryl sulfonic acid etc.</i>
	+ Toluidines, liquid	6.1	UN1708	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A
G	Toluidines, solid	6.1	UN3451	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	2,4-Toluylenediamine, solid or 2,4-Toluenediamine, solid.	6.1	UN1709	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
	2,4-Toluylenediamine solution or 2,4-Toluenediamine solution.	6.1	UN3418	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Torpedoes, liquid fueled, with <i>inert head.</i>	1.3J	UN0450	II	1.3J	62	None	Forbidden	Forbidden	04	23E
	Torpedoes, liquid fueled, with or <i>without bursting charge.</i>	1.1J	UN0449	II	1.1J	62	None	Forbidden	Forbidden	04	23E
	Torpedoes with bursting charge	1.1E	UN0329	II	1.1E	62	None	Forbidden	Forbidden	03
	Torpedoes with bursting charge	1.1F	UN0330	II	1.1F	62	None	Forbidden	Forbidden	08
	Torpedoes with bursting charge	1.1D	UN0451	II	1.1D	62	None	Forbidden	Forbidden	03
	Toxic by inhalation liquid, n.o.s. <i>with an inhalation toxicity lower than or equal to 200 ml/ m3 and saturated vapor con- centration greater than or equal to 500 LC50.</i>	6.1	UN3381	I	6.1	1, B9, B14, B30, B72, T22, TP2, TP13, TP27, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40

G	Toxic by inhalation liquid, n.o.s. with an <i>inhalation toxicity lower than or equal to 1000ml/m³ and saturated vapor concentration greater than or equal to 10 LC50.</i>	6.1	UN3382	I	6.1	2, B9, B14, B32, B74, T20, TP2, TP13, TP27, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
G	Toxic by inhalation liquid, flammable, n.o.s. with an <i>inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC50.</i>	6.1	UN3383	I	6.1, 3	1, B9, B14, B30, B72, T22, TP2, TP13, TP27, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40
G	Toxic by inhalation liquid, flammable, n.o.s. with an <i>inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC50.</i>	6.1	UN3384	I	6.1, 3	2, B9, B14, B32, B74, T20, TP2, TP13, TP27, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
G	Toxic by inhalation liquid, water-reactive, n.o.s. with an <i>inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC50.</i>	6.1	UN3385	I	6.1, 4.3.	1, B9, B14, B30, B72, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40
G	Toxic by inhalation liquid, water-reactive, n.o.s. with an <i>inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC50.</i>	6.1	UN3386	I	6.1, 4.3.	2, B9, B14, B32, B74, T20, TP2, TP13, TP38, TP44	None	227	244	Forbidden	Forbidden	D	40
G	Toxic by inhalation liquid, oxidizing, n.o.s. with an <i>inhalation toxicity lower than or equal to 200 ml/m³ and saturated vapor concentration greater than or equal to 500 LC50.</i>	6.1	UN3387	I	6.1, 5.1.	1, B9, B14, B30, B72, T22, TP2, TP13, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40
G	Toxic by inhalation liquid, oxidizing, n.o.s. with an <i>inhalation toxicity lower than or equal to 1000 ml/m³ and saturated vapor concentration greater than or equal to 10 LC50.</i>	6.1	UN3388	I	6.1, 5.1.	2, B9, B14, B32, T20, TP2, TP13, TP38, TP44	None	227	244	Forbidden	Forbidden	D	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (& 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (& 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Exceptions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
G	Toxic by inhalation liquid, corrosive, n.o.s. with an inhalation toxicity lower than or equal to 200 ml/m ³ and saturated vapor concentration greater than or equal to 500 LC50.	6.1	UN3389	I	6.1, 8	1, B9, B14, B30, B72, T22, TP2, TP13, TP27, TP38, TP44	None	226	244	Forbidden	Forbidden	D	40
G	Toxic by inhalation liquid, corrosive, n.o.s. with an inhalation toxicity lower than or equal to 1000 ml/m ³ and saturated vapor concentration greater than or equal to 10 LC50.	6.1	UN3390	I	6.1, 8	2, B9, B14, B32, B74, T20, TP2, TP13, TP27, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
G	Toxic liquid, corrosive, inorganic, n.o.s..	6.1	UN3289	I	6.1, 8	T14, TP2, TP13, TP27	None	201	243	0.5 L	2.5 L	A
			II	6.1, 8	IB2, T11, TP2, TP27	153	202	243	1 L	30 L	A
G	Toxic liquid, inorganic, n.o.s.	6.1	UN3287	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	A
			II	6.1	IB2, T11, TP2, TP27	153	202	243	5 L	60 L	A
			III	6.1	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A
G	Toxic liquids, corrosive, organic, n.o.s..	6.1	UN2927	I	6.1, 8	T14, TP2, TP13, TP27	None	201	243	0.5 L	2.5 L	B	40
			II	6.1, 8	IB2, T11, TP2, TP27	153	202	243	1 L	30 L	B	40
G	Toxic liquids, flammable, organic, n.o.s..	6.1	UN2929	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
			II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
G	Toxic liquids, organic, n.o.s.	6.1	UN2810	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40
			II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40
G	Toxic liquids, oxidizing, n.o.s.	6.1	UN3122	I	6.1, 5.1. A4	IB3, T7, TP1, TP28	153	203	241	60 L	220 L	A	40
			II	6.1, 5.1.	IB2	153	202	243	1 L	5 L	C

289	G	Toxic liquids, water-reactive, n.o.s..	6.1	UN3123	I	6.1, 4.3.	A4	None	201	243	Forbidden	1 L	E	40
	G	Toxic solid, corrosive, inorganic, n.o.s..	6.1	UN3290	I	6.1, 8	IB7, T6, TP33	None	202	243	1 L	5 L	E	40
	G	Toxic solid, inorganic, n.o.s.	6.1	UN3288	I	6.1	IB7, T6, TP33	None	211	242	1 kg	25 kg	A
	G	Toxic solid, inorganic, n.o.s.	6.1	UN3288	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	15 kg	50 kg	A
	G	Toxic solids, corrosive, organic, n.o.s..	6.1	UN2928	I	6.1, 8	IB7, T6, TP33	None	211	242	5 kg	50 kg	A
	G	Toxic solids, corrosive, organic, n.o.s..	6.1	UN2928	II	6.1, 8	IB6, IP2, T3, TP33	153	212	242	25 kg	100 kg	A
	G	Toxic solids, flammable, organic, n.o.s..	6.1	UN2930	I	6.1, 4.1.	IB6, T6, TP33	None	211	242	100 kg	200 kg	A
	G	Toxic solids, flammable, organic, n.o.s..	6.1	UN2930	II	6.1, 4.1.	IB8, IP2, IP4, T3, TP33	153	212	242	1 kg	25 kg	B	40
	G	Toxic solids, organic, n.o.s.	6.1	UN2811	I	6.1	IB7, T6, TP33	None	211	242	15 kg	50 kg	B	40
	G	Toxic solids, organic, n.o.s.	6.1	UN2811	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	5 kg	50 kg	B
	G	Toxic solids, organic, n.o.s.	6.1	UN2811	III	6.1	IB8, IP3, T1, TP33	153	213	240	25 kg	100 kg	B
	G	Toxic solids, oxidizing, n.o.s.	6.1	UN3086	I	6.1, 5.1.	T6, TP33	None	211	242	100 kg	200 kg	A
	G	Toxic solids, self-heating, n.o.s.	6.1	UN3124	I	6.1, 4.2.	IB6, IP2, T3, TP33	153	212	242	1 kg	15 kg	C
	G	Toxic solids, self-heating, n.o.s.	6.1	UN3124	II	6.1, 4.2.	A5, T6, TP33	None	211	242	15 kg	50 kg	C
	G	Toxic solids, water-reactive, n.o.s..	6.1	UN3125	I	6.1, 4.3.	IB6, IP2, T3, TP33	None	211	242	5 kg	15 kg	D	40
	G	Toxic solids, water-reactive, n.o.s..	6.1	UN3125	II	6.1, 4.3.	A5, T6, TP33	153	212	242	5 kg	15 kg	D	40
	G	Toxins, extracted from living sources, liquid, n.o.s..	6.1	UN3172	I	6.1	141	None	201	243	1 L	30 L	B	40
	G	Toxins, extracted from living sources, solid, n.o.s..	6.1	UN3462	II	6.1	141, IB2	None	202	243	5 L	60 L	B	40
	G	Toxins, extracted from living sources, solid, n.o.s..	6.1	UN3462	III	6.1	141, IB3	153	203	241	60 L	220 L	B	40
	G	Toxins, extracted from living sources, solid, n.o.s..	6.1	UN3462	I	6.1	141, IB7, IP1, T6, TP33	None	211	243	5 kg	50 kg	B
	G	Toxins, extracted from living sources, solid, n.o.s..	6.1	UN3462	II	6.1	141, IB8, IP2, IP4, T3 TP33	None	212	243	25 kg	100 kg	B
	G	Toxins, extracted from living sources, solid, n.o.s..	6.1	UN3462	III	6.1	141, IB8, IP3, T1 TP33	153	213	241	100 kg	200 kg	A
	D	Toy Caps	1.4S	NA0337	II	1.4S ...		None	62	None	25 kg	100 kg	05
	D	Tracers for ammunition	1.3G	UN0212	II	1.3G ..		None	62	None	Forbidden	Forbidd	07

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age		
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other	
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only			
	Tracers for ammunition	1.4G	UN0306	II	1.4G ..					None	62	None	Forbidden	75 kg
	Tractors, see Vehicle, etc
	Tri-(<i>b</i> -nitroxyethyl) ammonium nitrate.	Forbidden							
	Triallyl borate	6.1	UN2609	III	6.1	IB3	153	203	241	60 L	220 L	A	13	
	Triallylamine	3	UN2610	III	3, 8	B1, IB3, T4, TP1	None	203	242	5 L	60 L	A	40	
	Triazine pesticides, liquid, flammable, toxic, <i>flash point less than 23 degrees C.</i>	3	UN2764	I	3, 6.1	T14, TP2, TP13, TP27	None	201	243	Forbidden	30 L	B	40	
				II	3, 6.1	IB2, T11, TP2, TP13, TP27	150	202	243	1 L	60 L	B	40	
	Triazine pesticides, liquid, toxic	6.1	UN2998	I	6.1	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40	
				II	6.1	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40	
				III	6.1	IB3, T7, TP2, TP28	153	203	241	60 L	220 L	A	40	
	Triazine pesticides, liquid, toxic, flammable, <i>flash point not less than 23 degrees C.</i>	6.1	UN2997	I	6.1, 3	T14, TP2, TP13, TP27	None	201	243	1 L	30 L	B	40	
				II	6.1, 3	IB2, T11, TP2, TP13, TP27	153	202	243	5 L	60 L	B	40	
				III	6.1, 3	IB3, T7, TP2, TP28	153	203	242	60 L	220 L	A	40	
	Triazine pesticides, solid, toxic	6.1	UN2763	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	40	
				II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A	40	
				III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40	
	Tributylamine	6.1	UN2542	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	
	Tributylphosphane	4.2	UN3254	I	4.2	T21, TP7, TP33	None	211	242	Forbidden	Forbidden	D	136	
	Trichloro-s-triazinetrione dry, with more than 39 percent available chlorine, see Trichloroisocyanuric acid, dry.						
	Trichloroacetic acid	8	UN1839	II	8	A7, IB8, IP2, IP4, N34, T3, TP33	154	212	240	15 kg	50 kg	A	
	Trichloroacetic acid, solution	8	UN2564	II	8	A3, A6, A7, B2, IB2, N34, T7, TP2	154	202	242	1 L	30 L	B	

+	III	8	A3, A6, A7, IB3, N34, T4, TP1	154	203	241	5 L	60 L	B	8
	Trichloroacetyl chloride	8 UN2442	II	8, 6.1	2, B9, B14, B32, B74, N34, T20, TP2, TP38, TP45	None	227	244	Forbidden	Forbidden	D	40
	Trichlorobenzenes, liquid	6.1 UN2321	III	6.1	IB3, T4, TP1	153	203	241	60 L	220 L	A
	Trichlorobutene	6.1 UN2322	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	25, 40
	1,1,1-Trichloroethane	6.1 UN2831	III	6.1	IB3, N36, T4, TP1	153	203	241	60 L	220 L	A	40
	Trichloroethylene	6.1 UN1710	III	6.1	IB3, N36, T4, TP1	153	203	241	60 L	220 L	A	40
	Trichloroisocyanuric acid, dry	5.1 UN2468	II	5.1	IB8, IP4, T3, TP33	152	212	240	5 kg	25 kg	A	13
	<i>Trichloromethyl perchlorate</i>	Forbidden									
	Trichlorosilane	4.3 UN1295	I	4.3, 3, 8.	N34, T14, TP2, TP7, TP13	None	201	244	Forbidden	Forbidden	D	21, 28, 40, 49, 100
	Tricresyl phosphate with more than 3 percent ortho isomer.	6.1 UN2574	II	6.1	A3, IB2, N33, N34, T7, TP2	153	202	243	5 L	60 L	A
	Triethyl phosphite	3 UN2323	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Triethylamine	3 UN1296	II	3, 8	IB2, T7, TP1	150	202	243	1 L	5 L	B	40
	Triethylenetetramine	8 UN2259	II	8	B2, IB2, T7, TP2	154	202	242	1 L	30 L	B	40, 52
	Trifluoroacetic acid	8 UN2699	I	8	A3, A6, A7, B4, N3, N34, N36, T10, TP2, TP12	None	201	243	0.5 L	2.5 L	B	12, 40
	Trifluoroacetyl chloride	2.3 UN3057	2.3, 8	2, B7, B9, B14, T50, TP21	None	304	314, 315.	Forbidden	Forbidden	D	40
	Trifluorochloroethylene, stabilized.	2.3 UN1082	2.3, 2.1.	3, B14, T50	None	304	314, 315.	Forbidden	Forbidden	D	40
	Trifluoromethane or Refrigerant gas R 23.	2.2 UN1984	2.2		306	304	314, 315.	75 kg	150 kg	A
	Trifluoromethane, refrigerated liquid.	2.2 UN3136	2.2	T75, TP5	306	None	314, 315.	50 kg	500 kg	D
	1,1,1-Trifluoroethane or Refrigerant gas, R 143a.	2.1 UN2035	2.1	T50	306	304	314, 315.	Forbidden	150 kg	B	40
	2-Trifluoromethylaniline	6.1 UN2942	III	6.1	IB3	153	203	241	60 L	220 L	A
	3-Trifluoromethylaniline	6.1 UN2948	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	40
	<i>Triformoxime trinitrate</i>	Forbidden									
	Triisobutylene	3 UN2324	III	3	B1, IB3, T4, TP1	150	203	242	60 L	220 L	A
	Triisopropyl borate	3 UN2616	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	A
	Trimethoxysilane	6.1 NA9269	I	6.1, 3	B1, IB3, T2, TP1, 2, B9, B14, B32, B74, T20, TP4, TP12, TP13, TP38, TP45	None	227	244	Forbidden	Forbidden	E	40
	Trimethyl borate	3 UN2416	II	3	IB2, T7, TP1	150	202	242	5 L	60 L	B
	Trimethyl phosphite	3 UN2329	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	<i>1,3,5-Trimethyl-2,4,6-trinitrobenzene.</i>	Forbidden									

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only		
	Trimethylacetyl chloride	6.1	UN2438	I	6.1, 8, 3.	2, B3, B9, B14, B32, B74, N34, T20, TP2, TP13, TP38, TP45 N87, T50	None	227	244	Forbidden	Forbidden	D	25, 40
	Trimethylamine, anhydrous	2.1	UN1083	2.1	T11, TP1	306	304	314, 315.	Forbidden	150 kg	B	40
	Trimethylamine, aqueous solu-tions with not more than 50 percent trimethylamine by mass.	3	UN1297	I	3, 8		None	201	243	0.5 L	2.5 L	D	40, 135
				II	3, 8	B1, IB2, T7, TP1	150	202	243	1 L	5 L	B	40, 41
				III	3, 8	B1, IB3, T7, TP1	150	203	242	5 L	60 L	A	40, 41
	1,3,5-Trimethylbenzene	3	UN2325	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Trimethylchloro-silane	3	UN1298	II	3, 8	A3, A7, B77, IB2, N34, T7, TP2, TP13	None	202	243	1 L	5 L	E	40.
	Trimethylcyclohexylamine	8	UN2326	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Trimethylene glycol diperchlorate.	ForbIDDEN		
	Trimethylhexamethylene diisocyanate.	6.1	UN2328	III	6.1	IB3, T4, TP2, TP13	153	203	241	60 L	220 L	B
	Trimethylhexamethylenediamines.	8	UN2327	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Trimethylol nitromethane trinitrate.	ForbIDDEN		
	Trinitro-meta-cresol	1.1D	UN0216	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	5E
	2,4,6-Trinitro-1,3-diazobenzene	ForbIDDEN		
	2,4,6-Trinitro-1,3,5-triazido benzene (dry).	ForbIDDEN		
	Trinitroacetic acid	ForbIDDEN		
	Trinitroacetonitrile	ForbIDDEN		
	Trinitroamine cobalt	ForbIDDEN		
	Trinitroaniline or Picramide	1.1D	UN0153	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
	Trinitroanisole	1.1D	UN0213	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
	Trinitrobenzene, wetted, with not less than 10% water, by mass.	4.1	UN3367	I	4.1	162, A8, A19, N41, N84	None	211	None	0.5 kg	0.5 kg	E	36
	Trinitrobenzene, dry or wetted with less than 30 percent water, by mass.	1.1D	UN0214	II	1.1D ..		None	62	None	Forbidden	Forbidden	10

Trinitrobenzene, wetted with not less than 30 percent water, by mass.	4.1	UN1354	I	4.1	23, A2, A8, A19, N41	None	211	None	0.5 kg	0.5 kg	E	28
Trinitrobenzenesulfonic acid	1.1D	UN0386	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	5E
Trinitrobenzoic acid, dry or wetted with less than 30 percent water, by mass.	1.1D	UN0215	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
Trinitrobenzoic acid, wetted with not less than 10% water by mass.	4.1	UN3368	I	4.1	162, A8, A19, N41, N84	None	211	None	0.5 kg	0.5 kg	E	36
Trinitrobenzoic acid, wetted with not less than 30 percent water, by mass.	4.1	UN1355	I	4.1	23, A2, A8, A19, N41	None	211	None	0.5 kg	0.5 kg	E	28
Trinitrochlorobenzene or Picryl chloride.	1.1D	UN0155	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
Trinitrochlorobenzene (picryl chloride), wetted, with not less than 10% water by mass.	4.1	UN3365	I	4.1	162, A8, A19, N41, N84	None	211	None	0.5 kg	0.5 kg	E	36
Trinitroethanol	Forbidden		
Trinitroethyl nitrate	Forbidden		
Trinitrofluorenone	1.1D	UN0387	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
Trinitromethane	Forbidden		
1,3,5-Trinitronaphthalene	Forbidden		
Trinitronaphthalene	1.1D	UN0217	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
Trinitrophenetole	1.1D	UN0218	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
Trinitrophenol (picric acid), wetted, with not less than 10 percent water by mass.	4.1	UN3364	I	4.1	162, A8, A19, N41, N84	None	211	None	0.5 kg	0.5 kg	E	36
Trinitrophenol or Picric acid, dry or wetted with less than 30 percent water, by mass.	1.1D	UN0154	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	5E
Trinitrophenol, wetted with not less than 30 percent water, by mass.	4.1	UN1344	I	4.1	23, A8, A19, N41	None	211	None	1 kg	15 kg	E	28, 36
2,4,6-Trinitrophenyl guanidine (dry).	Forbidden		
2,4,6-Trinitrophenyl nitramine	Forbidden		
2,4,6-Trinitrophenyl trimethylol methyl nitramine trinitrate (dry).	Forbidden		
Trinitrophenylmethylnitramine or Tetryl.	1.1D	UN0208	II	1.1D ..		None	62	None	Forbidden	Forbidden	10
Trinitroresorcinol or Styphnic acid, dry or wetted with less than 20 percent water, or mixture of alcohol and water, by mass.	1.1D	UN0219	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	5E

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym-bols	Hazardous materials descrip-tions and proper shipping names	Hazard class or Di- vision	Identifica-tion Num-bers	PG	Label Codes	Special provi-sions (\$ 172.102)	(8)			(9)		(10) Vessel stow-age		
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca-tion	Other	
							Excep-tions	Non-bulk	Bulk	Passenger aircraft/rail	Cargo air-craft only			
	Trinitroresorcinol, wetted or Styphnic acid, wetted with not less than 20 percent water, or mixture of alcohol and water by mass.	1.1D	UN0394	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	5E	
	2,4,6-Trinitroso-3-methyl nitraminoanisole.	Forbidden			
	Trinitrotetraamine cobalt nitrate ...	Forbidden			
	Trinitrotoluene and Trinitrobenzene mixtures or TNT and trinitrobenzene mixtures or TNT and hexanitrostilbene mixtures or Trinitrotoluene and hexanitrostilbene mixtures.	1.1D	UN0388	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	
	Trinitrotoluene mixtures containing Trinitrobenzene and Hexanitrostilbene or TNT mixtures containing trinitrobenzene and hexanitrostilbene.	1.1D	UN0389	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	
	Trinitrotoluene or TNT, dry or wetted with less than 30 percent water, by mass.	1.1D	UN0209	II	1.1D ..		None	62	None	Forbidden	Forbidden	10	
	Trinitrotoluene (TNT), wetted, with not less than 10 percent water by mass.	4.1	UN3366	I	4.1	162, A8, A19, N41, N84	None	211	None	0.5 kg	0.5 kg	E	36	
	Trinitrotoluene, wetted with not less than 30 percent water, by mass.	4.1	UN1356	I	4.1	23, A2, A8, A19, N41	None	211	None	0.5 kg	0.5 kg	E	28	
	Tripropylamine	3	UN2260	III	3, 8	B1, IB3, T4, TP1	150	203	242	5 L	60 L	A	40	
	Tripropylene	3	UN2057	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B	
	Tris-(1-aziridinyl)phosphine oxide, solution.	6.1	UN2501	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	
	Tris, bis-bifluoroamino diethoxy propane (TVOPA).	Forbidden		II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A	
	Tritonal	1.1D	UN0390	II	1.1D ..		153	203	241	60 L	220 L	A	
	Tungsten hexafluoride	2.3	UN2196	2, 3, 8		None	62	None	Forbidden	Forbidden	D	40	
	Turpentine	3	UN1299	III	3	2, N86	None	338	None	Forbidden	Forbidden	220 L	A
						B1, IB3, T2, TP1	150	203	242	60 L				

Turpentine substitute	3	UN1300	I	3	T11, TP1, TP8, TP27	None	201	243	1 L	30 L	B
.....	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
.....	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Undecane	3	UN2330	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
Urea hydrogen peroxide	5.1	UN1511	III	5.1, 8	A1, A7, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	13
Urea nitrate, dry or wetted with less than 20 percent water, by mass.	1.1D	UN0220	II	1.1D ..	119	None	62	None	Forbidden	Forbidden	10
Urea nitrate, wetted, with not less than 10 percent water by mass.	4.1	UN3370	I	4.1	162, A8, A19, N41, N84	None	211	None	0.5 kg	0.5 kg	E	36
Urea nitrate, wetted with not less than 20 percent water, by mass.	4.1	UN1357	I	4.1	23, 39, A8, A19, N41	None	211	None	1 kg	15 kg	E	28, 36
Urea peroxide, see Urea hydrogen peroxide.
Valeraldehyde	3	UN2058	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
Valeric acid, see Corrosive liquids, n.o.s..
Valeryl chloride	8	UN2502	II	8, 3 ...	A3, A6, A7, B2, IB2, N34, T7, TP2	154	202	243	1 L	30 L	C	40
Vanadium compound, n.o.s.	6.1	UN3285	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	B
.....	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	B
.....	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A
Vanadium oxytrichloride	8	UN2443	II	8	A3, A6, A7, B2, B16, IB2, N34, T7, TP2	154	202	242	Forbidden	30 L	C	40
Vanadium pentoxide, non-fused form.	6.1	UN2862	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	40
Vanadium tetrachloride	8	UN2444	I	8	A3, A6, A7, B4, N34, T10, TP2	None	201	243	Forbidden	2.5 L	C	40
Vanadium trichloride	8	UN2475	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A	40
Vanadyl sulfate	6.1	UN2931	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
Vehicle, flammable gas powered	9	UN3166	9	135, 157	220	220	220	Forbidden	No limit	A
Vehicle, flammable liquid powered.	9	UN3166	9	135, 157	220	220	220	No limit	No limit	A
Very signal cartridge, see Cartridges, signal.
Vinyl acetate, stabilized	3	UN1301	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
Vinyl bromide, stabilized	2.1	UN1085	2.1	N86, T50	306	304	314, 315.	Forbidden	150 kg	B	40
Vinyl butyrate, stabilized	3	UN2838	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (\$ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (\$ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Vinyl chloride, stabilized	2.1	UN1086	2.1	21, B44, N86, T50	306	304	314, 315.	Forbidden	150 kg	B	40
	Vinyl chloroacetate	6.1	UN2589	II	6.1, 3	IB2, T7, TP2	153	202	243	5 L	60 L	A
	Vinyl ethyl ether, stabilized	3	UN1302	I	3	A3, T11, TP2	None	201	243	1 L	30 L	D
	Vinyl fluoride, stabilized	2.1	UN1860	2.1	N86	306	304	314, 315.	Forbidden	150 kg	E	40
	Vinyl isobutyl ether, stabilized	3	UN1304	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
	Vinyl methyl ether, stabilized	2.1	UN1087	2.1	B44, T50	306	304	314, 315.	Forbidden	150 kg	B	40
	Vinyl nitrate polymer	Forbidden
	Vinylidene chloride, stabilized	3	UN1303	I	3	T12, TP2, TP7	150	201	243	1 L	30 L	E	40
	Vinylpyridines, stabilized	6.1	UN3073	II	6.1, 3, 8.	IB1, T7, TP2, TP13	153	202	243	1 L	30 L	B	21, 40, 52.
	Vinytoluenes, stabilized	3	UN2618	III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Vinyltrichlorosilane, stabilized	3	UN1305	I	3, 8	A3, A7, B6, N34, T11, TP2, TP13	None	201	243	Forbidden	2.5 L	B	40
	Warheads, rocket with burster or expelling charge.	1.4D	UN0370	II	1.4D	None	62	None	Forbidden	75 kg	02
	Warheads, rocket with burster or expelling charge.	1.4F	UN0371	II	1.4F	None	62	None	Forbidden	Forbidden	08
	Warheads, rocket with bursting charge.	1.1D	UN0286	II	1.1D	None	62	None	Forbidden	Forbidden	03
	Warheads, rocket with bursting charge.	1.2D	UN0287	II	1.2D	None	62	None	Forbidden	Forbidden	03
	Warheads, rocket with bursting charge.	1.1F	UN0369	II	1.1F	None	62	None	Forbidden	Forbidden	08
	Warheads, torpedo with bursting charge.	1.1D	UN0221	II	1.1D	None	62	None	Forbidden	Forbidden	03
G	Water-reactive liquid, corrosive, n.o.s..	4.3	UN3129	I	4.3, 8	None	201	243	Forbidden	1 L	D
	II	4.3, 8	IB1	None	202	243	1 L	5 L	E	85
G	Water-reactive liquid, n.o.s..	4.3	UN3148	III	4.3, 8	IB2	None	203	242	5 L	60 L	E
	I	4.3	None	201	244	Forbidden	1 L	E	40
	II	4.3	IB1	None	202	243	1 L	5 L	E	40
G	Water-reactive liquid, toxic, n.o.s..	4.3	UN3130	III	4.3	IB2	None	203	242	5 L	60 L	E	40
	I	4.3, 6.1.	A4	None	201	243	Forbidden	1 L	D
	II	4.3, 6.1.	IB1	None	202	243	1 L	5 L	E	85
	III	4.3, 6.1.	IB2	None	203	242	5 L	60 L	E	85

	G	Water-reactive solid, corrosive, n.o.s..	4.3	UN3131	I	4.3, 8	IB4, IP1, N40	None	211	242	Forbidden	15 kg	D
				II	4.3, 8	IB6, IP2, T3, TP33	151	212	242	15 kg	50 kg	E	85
				III	4.3, 8	IB8, IP4, T1, TP33	151	213	241	25 kg	100 kg	E	85
	G	Water-reactive solid, flammable, n.o.s..	4.3	UN3132	I	4.3, 4.1.	IB4, N40	None	211	242	Forbidden	15 kg	D
				II	4.3, 4.1.	IB4, T3, TP33	151	212	242	15 kg	50 kg	E
				III	4.3, 4.1.	IB6, T1, TP33	151	213	241	25 kg	100 kg	E
	G	Water-reactive solid, n.o.s..	4.3	UN2813	I	4.3	IB4, N40	None	211	242	Forbidden	15 kg	E	40
				II	4.3	IB7, IP2, T3, TP33	151	212	242	15 kg	50 kg	E	40
				III	4.3	IB8, IP4, T1, TP33	151	213	241	25 kg	100 kg	E	40
	G	Water-reactive, solid, oxidizing, n.o.s..	4.3	UN3133	II	4.3, 5.1.		None	214	214	Forbidden	ForbIDDEN	E	40
				III	4.3, 5.1.		None	214	214	Forbidden	ForbIDDEN	E	40
	G	Water-reactive solid, self-heating, n.o.s..	4.3	UN3135	I	4.3, 4.2.	N40	None	211	242	Forbidden	15 kg	E
				II	4.3, 4.2.	IB5, IP2, T3, TP33	None	212	242	15 kg	50 kg	E
				III	4.3, 4.2.	IB8, IP4, T1, TP33	None	213	241	25 kg	100 kg	E
	G	Water-reactive solid, toxic, n.o.s..	4.3	UN3134	I	4.3, 6.1.	A8, IB4, IP1, N40	None	211	242	Forbidden	15 kg	D
				II	4.3, 6.1.	IB5, IP2, T3, TP33	151	212	242	15 kg	50 kg	E	85
				III	4.3, 6.1.	IB8, IP4, T1, TP33	151	213	241	25 kg	100 kg	E	85
		Wheel chair, electric, see Battery powered vehicle or Battery powered equipment.			
		White acid, see Hydrofluoric acid.			
	I	White asbestos (chrysotile, actinolite, anthophyllite, tremolite).	9	UN2590	III	9	156, IB8, IP2, IP3, T1, TP33	155	216	240	200 kg	200 kg	A	34, 40
		Wood preservatives, liquid	3	UN1306	II	3	149, IB2, T4, TP1, TP8	150	202	242	5 L	60 L	B
				III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A	40
		Wool waste, wet	4.2	UN1387	III	4.2	151	213	240	ForbIDDEN	ForbIDDEN	A	
	A I W	Xanthates	4.2	UN3342	II	4.2	IB6, IP2, T3, TP33	None	212	241	15 kg	50 kg	D	40
				III	4.2	IB8, IP3, T1, TP33	None	213	241	25 kg	100 kg	D	40

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Xenon	2.2	UN2036	2.2	T75, TP5	306	302	None	75 kg	150 kg	A
	Xenon, refrigerated liquid (<i>cryo- genic liquids</i>).	2.2	UN2591	2.2		320	None	None	50 kg	500 kg	B
	Xylenes	3	UN1307	II	3	IB2, T4, TP1	150	202	242	5 L	60 L	B
			III	3	B1, IB3, T2, TP1	150	203	242	60 L	220 L	A
	Xylenols, solid	6.1	UN2261	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Xylenols, liquid	6.1	UN3430	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A
	Xylidines, liquid	6.1	UN1711	II	6.1	IB2, T7, TP2	153	202	243	5 L	60 L	A
	Xylidines, solid	6.1	UN3452	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Xylyl bromide, liquid	6.1	UN1701	II	6.1	A3, A6, A7, IB2, N33, T7, TP2, TP13	None	340	None	Forbidden	60 L	D	40
	Xylyl bromide, solid	6.1	UN3417	II	6.1	A3, A6, A7, IB8, IP2, IP4, N33, T3, TP33	None	340	None	25 kg	100 kg	B	40
	p-Xylyl diazide	Forbidden		E
	Zinc ammonium nitrite	5.1	UN1512	II	5.1	IB8, IP4, T3, TP33	None	212	242	5 kg	25 kg	
	Zinc arsenate or Zinc arsenite or Zinc arsenate and zinc arsenite mixtures.	6.1	UN1712	II	6.1	IB8, IP2, IP4, T3, TP33	153	212	242	25 kg	100 kg	A
	Zinc ashes	4.3	UN1435	III	4.3	A1, A19, IB8, IP4, T1, TP33	151	213	241	25 kg	100 kg	A
	Zinc bisulfite solution, see Bisulfites, aqueous solutions, n.o.s..
	Zinc bromate	5.1	UN2469	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A	56, 58
	Zinc chlorate	5.1	UN1513	II	5.1	A9, IB8, IP2, IP4, N34, T3, TP33	152	212	242	5 kg	25 kg	A	56, 58
	Zinc chloride, anhydrous	8	UN2331	III	8	IB8, IP3, T1, TP33	None	213	240	25 kg	100 kg	A
	Zinc chloride, solution	8	UN1840	III	8	IB3, T4, TP1	154	203	241	5 L	60 L	A
	Zinc cyanide	6.1	UN1713	I	6.1	IB7, IP1, T6, TP33	None	211	242	5 kg	50 kg	A	52
	Zinc dithionite or Zinc hydro- sulfite.	9	UN1931	III	None	IB8, IP3, T1, TP33	155	204	240	100 kg	200 kg	A	49
	Zinc ethyl, see Diethylzinc

Zinc fluorosilicate	6.1	UN2855	III	6.1	IB8, IP3, T1, TP33	153	213	240	100 kg	200 kg	A	52
Zinc hydrosulfite, <i>see</i> Zinc dithionite.
Zinc muriate solution, <i>see</i> Zinc chloride, solution.
Zinc nitrate	5.1	UN1514	II	5.1	IB8, IP4, T3, TP33	152	212	240	5 kg	25 kg	A
Zinc permanganate	5.1	UN1515	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	D	56, 58, 138
Zinc peroxide	5.1	UN1516	II	5.1	IB6, IP2, T3, TP33	152	212	242	5 kg	25 kg	A	13, 52, 66, 75
Zinc phosphide	4.3	UN1714	I	4.3, 6.1.	A19, N40	None	211	None	ForbIDDEN	15 kg	E	40, 52, 85
Zinc powder or Zinc dust	4.3	UN1436	I	4.3, 4.2.	A19, IB4, IP1, N40	None	211	242	ForbIDDEN	15 kg	A	52, 53
.....	II	4.3, 4.2.	A19, IB7, IP2, T3, TP33	None	212	242	15 kg	50 kg	A	52, 53
.....	III	4.3, 4.2.	IB8, IP4, T1, TP33	None	213	242	25 kg	100 kg	A	52, 53
Zinc resinate	4.1	UN2714	III	4.1	A1, IB6, T1, TP33	151	213	240	25 kg	100 kg	A
Zinc selenate, <i>see</i> Selenates or Selenites.
Zinc selenite, <i>see</i> Selenates or Selenites.
Zinc silicofluoride, <i>see</i> Zinc fluorosilicate.
Zirconium, dry, coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns).	4.1	UN2858	III	4.1	A1	151	213	240	25 kg	100 kg	A
Zirconium, dry, finished sheets, strip or coiled wire.	4.2	UN2009	III	4.2	A1, A19	None	213	240	25 kg	100 kg	D
Zirconium hydride	4.1	UN1437	II	4.1	A19, A20, IB4, N34, T3, TP33	None	212	240	15 kg	50 kg	E
Zirconium nitrate	5.1	UN2728	III	5.1	A1, A29, IB8, IP3, T1, TP33	152	213	240	25 kg	100 kg	A
Zirconium picramate, dry or wetted with less than 20 percent water, by mass.	1.3C	UN0236	II	1.3C	None	62	None	ForbIDDEN	ForbIDDEN	10	5E
Zirconium picramate, wetted with not less than 20 percent water, by mass.	4.1	UN1517	I	4.1	23, N41	None	211	None	1 kg	15 kg	D	28, 36
Zirconium powder, dry	4.2	UN2008	I	4.2	T21, TP7, TP33	None	211	242	ForbIDDEN	ForbIDDEN	D
.....	II	4.2	A19, A20, IB6, IP2, N5, N34, T3, TP33	None	212	241	15 kg	50 kg	D
.....	III	4.2	IB8, IP3, T1, TP33	None	213	241	25 kg	100 kg	D

§172.101

§ 172.101 HAZARDOUS MATERIALS TABLE—Continued

Sym- bols	Hazardous materials descrip- tions and proper shipping names	Hazard class or Di- vision	Identifica- tion Num- bers	PG	Label Codes	Special provi- sions (§ 172.102)	(8)			(9)		(10) Vessel stow- age	
							Packaging (§ 173.***)			Quantity limitations (see §§ 173.27 and 175.75)		Loca- tion	Other
							Excep- tions	Non- bulk	Bulk	Passenger aircraft/rail	Cargo air- craft only		
	Zirconium powder, wetted with not less than 25 percent water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns.	4.1	UN1358	II	4.1	A19, A20, IB6, IP2, N34, T3, TP33	None	212	241	15 kg	50 kg	E	74
	Zirconium scrap	4.2	UN1932	III	4.2	IB8, IP3, N34, T1, TP33	None	213	240	Forbidden	Forbidden	D
	Zirconium suspended in a liquid	3	UN1308	I	3	IB2	None	201	243	Forbidden	Forbidden	B
			II	3		None	202	242	5 L	60 L	B
			III	3	B1, IB2	150	203	242	60 L	220 L	B
	Zirconium tetrachloride	8	UN2503	III	8	IB8, IP3, T1, TP33	154	213	240	25 kg	100 kg	A

APPENDIX A TO § 172.101—LIST OF HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES

1. This appendix lists materials and their corresponding reportable quantities (RQ's) that are listed or designated as "hazardous substances" under section 101(14) of the Comprehensive Environmental Response, Compensation, and Liability Act, 42 U.S.C. 9601(14) (CERCLA; 42 U.S.C. 9601 *et seq.*). This listing fulfills the requirement of CERCLA, 42 U.S.C. 9656(a), that all "hazardous substances," as defined in 42 U.S.C. 9601(14), be listed and regulated as hazardous materials under 49 U.S.C. 5101-5127. That definition includes substances listed under sections 311(b)(2)(A) and 307(a) of the Federal Water Pollution Control Act, 33 U.S.C. 1321(b)(2)(A) and 1317(a), section 3001 of the Solid Waste Disposal Act, 42 U.S.C. 6921, and section 112 of the Clean Air Act, 42 U.S.C. 7412. In addition, this list contains materials that the Administrator of the Environmental Protection Agency has determined to be hazardous substances in accordance with section 102 of CERCLA, 42 U.S.C. 9602. It should be noted that 42 U.S.C. 9656(b) provides that common and contract carriers may be held liable under laws other than CERCLA for the release of a hazardous substance as defined in that Act, during transportation that commenced before the effective date of the listing and regulating of that substance as a hazardous material under 49 U.S.C. 5101-5127.

2. This appendix is divided into two TABLES which are entitled "TABLE 1—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES" and "TABLE 2—RADIONUCLIDES." A material listed in this appendix is regulated as a hazardous material and a hazardous substance under this subchapter if it meets the definition of a hazardous substance in §171.8 of this subchapter.

3. The procedure for selecting a proper shipping name for a hazardous substance is set forth in §172.101(c).

4. Column 1 of TABLE 1, entitled "Hazardous substance", contains the names of those elements and compounds that are hazardous substances. Following the listing of elements and compounds is a listing of waste streams. These waste streams appear on the list in numerical sequence and are referenced by the appropriate "D", "F", or "K" numbers. Column 2 of TABLE 1, entitled "Reportable quantity (RQ)", contains the report-

able quantity (RQ), in pounds and kilograms, for each hazardous substance listed in Column 1 of TABLE 1.

5. A series of notes is used throughout TABLE 1 and TABLE 2 to provide additional information concerning certain hazardous substances. These notes are explained at the end of each TABLE.

6. TABLE 2 lists radionuclides that are hazardous substances and their corresponding RQ's. The RQ's in table 2 for radionuclides are expressed in units of curies and terabecquerels, whereas those in table 1 are expressed in units of pounds and kilograms. If a material is listed in both table 1 and table 2, the lower RQ shall apply. Radionuclides are listed in alphabetical order. The RQ's for radionuclides are given in the radiological unit of measure of curie, abbreviated "Ci", followed, in parentheses, by an equivalent unit measured in terabecquerels, abbreviated "TBq".

7. For mixtures of radionuclides, the following requirements shall be used in determining if a package contains an RQ of a hazardous substance: (i) if the identity and quantity (in curies or terabecquerels) of each radionuclide in a mixture or solution is known, the ratio between the quantity per package (in curies or terabecquerels) and the RQ for the radionuclide must be determined for each radionuclide. A package contains an RQ of a hazardous substance when the sum of the ratios for the radionuclides in the mixture or solution is equal to or greater than one; (ii) if the identity of each radionuclide in a mixture or solution is known but the quantity per package (in curies or terabecquerels) of one or more of the radionuclides is unknown, an RQ of a hazardous substance is present in a package when the total quantity (in curies or terabecquerels) of the mixture or solution is equal to or greater than the lowest RQ of any individual radionuclide in the mixture or solution; and (iii) if the identity of one or more radionuclides in a mixture or solution is unknown (or if the identity of a radionuclide by itself is unknown), an RQ of a hazardous substance is present when the total quantity (in curies or terabecquerels) in a package is equal to or greater than either one curie or the lowest RQ of any known individual radionuclide in the mixture or solution, whichever is lower.

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
A2213	5000 (2270)
Acenaphthene	100 (45.4)
Acenaphthylene	5000 (2270)
Acetaldehyde	1000 (454)
Acetaldehyde, chloro-	1000 (454)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Acetaldehyde, trichloro-	5000 (2270)
Acetamide	100 (45.4)
Acetamide, N-(aminothioxomethyl)-	1000 (454)
Acetamide, N-(4-ethoxyphenyl)-	100 (45.4)
Acetamide, N-9H-fluoren-2-yl-	1 (0.454)
Acetamide, 2-fluoro	100 (45.4)
Acetic acid	5000 (2270)
Acetic acid, (2,4-dichlorophenoxy)-, salts & esters	100 (45.4)
Acetic acid, ethyl ester	5000 (2270)
Acetic acid, fluoro-, sodium salt	10 (4.54)
Acetic acid, lead(2+) salt	10 (4.54)
Acetic acid, thallium(1+) salt	100 (45.4)
Acetic acid, (2,4,5-trichlorophenoxy)-	1000 (454)
Acetic anhydride	5000 (2270)
Acetone	5000 (2270)
Acetone cyanohydrin	10 (4.54)
Acetonitrile	5000 (2270)
Acetophenone	5000 (2270)
2-Acetylaminofluorene	1 (0.454)
Acetyl bromide	5000 (2270)
Acetyl chloride	5000 (2270)
1-Acetyl-2-thiourea	1000 (454)
Acrolein	1 (0.454)
Acrylamide	5000 (2270)
Acrylic acid	5000 (2270)
Acrylonitrile	100 (45.4)
Adipic acid	5000 (2270)
Aldicarb	1 (0.454)
Aldicarb sulfone	100 (45.4)
Aldrin	1 (0.454)
Allyl alcohol	100 (45.4)
Allyl chloride	1000 (454)
Aluminum phosphide	100 (45.4)
Aluminum sulfate	5000 (2270)
4-Aminobiphenyl	1 (0.454)
5-(Aminomethyl)-3-isoxazolol	1000 (454)
4-Aminopyridine	1000 (454)
Amitrole	10 (4.54)
Ammonia	100 (45.4)
Ammonium acetate	5000 (2270)
Ammonium benzoate	5000 (2270)
Ammonium bicarbonate	5000 (2270)
Ammonium bichromate	10 (4.54)
Ammonium bifluoride	100 (45.4)
Ammonium bisulfite	5000 (2270)
Ammonium carbamate	5000 (2270)
Ammonium carbonate	5000 (2270)
Ammonium chloride	5000 (2270)
Ammonium chromate	10 (4.54)
Ammonium citrate, dibasic	5000 (2270)
Ammonium dichromate [®]	10 (4.54)
Ammonium fluoroborate	5000 (2270)
Ammonium fluoride	100 (45.4)
Ammonium hydroxide	1000 (454)
Ammonium oxalate	5000 (2270)
Ammonium picrate	10 (4.54)
Ammonium silicofluoride	1000 (454)
Ammonium sulfamate	5000 (2270)
Ammonium sulfide	100 (45.4)
Ammonium sulfite	5000 (2270)
Ammonium tartrate	5000 (2270)
Ammonium thiocyanate	5000 (2270)
Ammonium vanadate	1000 (454)
Amyl acetate	5000 (2270)
iso-Amyl acetate.	
sec-Amyl acetate.	
tert-Amyl acetate.	
Aniline	5000 (2270)
o-Anisidine	100 (45.4)
Anthracene	5000 (2270)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Antimony cent:	5000 (2270)
Antimony pentachloride	1000 (454)
Antimony potassium tartrate	100 (45.4)
Antimony tribromide	1000 (454)
Antimony trichloride	1000 (454)
Antimony trifluoride	1000 (454)
Antimony trioxide	1000 (454)
Argentate(1-), bis(cyano-C)-, potassium	1 (0.454)
Aroclor 1016	1 (0.454)
Aroclor 1221	1 (0.454)
Aroclor 1232	1 (0.454)
Aroclor 1242	1 (0.454)
Aroclor 1248	1 (0.454)
Aroclor 1254	1 (0.454)
Aroclor 1260	1 (0.454)
Aroclors	1 (0.454)
Arsenic cent:	1 (0.454)
Arsenic acid H ₃ AsO ₄	1 (0.454)
Arsenic disulfide	1 (0.454)
Arsenic oxide As ₂ O ₃	1 (0.454)
Arsenic oxide As ₂ O ₅	1 (0.454)
Arsenic pentoxide	1 (0.454)
Arsenic trichloride	1 (0.454)
Arsenic trioxide	1 (0.454)
Arsenic trisulfide	1 (0.454)
Arsine, diethyl-	1 (0.454)
Arsinic acid, dimethyl-	1 (0.454)
Arsonous dichloride, phenyl-	1 (0.454)
Asbestos cent; cent:	1 (0.454)
Auramine	100 (45.4)
Azaserine	1 (0.454)
Aziridine	1 (0.454)
Aziridine, 2-methyl-	1 (0.454)
Azirino[2',3':3,4]pyrrolo[1,2-a]indole-4,7-dione, 6-amino-8-[[[(aminocarbonyl)oxy]methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-, [1aS-(1alpha,8beta,8aalpha, 8balpha)]-	10 (4.54)
Barban	10 (4.54)
Barium cyanide	10 (4.54)
Bendiocarb	100 (45.4)
Bendiocarb phenol	1000 (454)
Benomyl	10 (4.54)
Benz[il]aceanthrylene, 1,2-dihydro-3-methyl-	10 (4.54)
Benz[c]acridine	100 (45.4)
Benzal chloride	5000 (2270)
Benzamide, 3,5-dichloro-N-(1,1-dimethyl-2-propynyl)-	5000 (2270)
Benz[a]anthracene	10 (4.54)
1,2-Benzanthracene	10 (4.54)
Benz[a]anthracene, 7,12-dimethyl-	1 (0.454)
Benzenamine	5000 (2270)
Benzenamine, 4,4'-carbonimidoylbis (N,N dimethyl-	100 (45.4)
Benzenamine, 4-chloro-	1000 (454)
Benzenamine, 4-chloro-2-methyl-, hydrochloride	100 (45.4)
Benzenamine, N,N-dimethyl-4-(phenylazo)-	10 (4.54)
Benzenamine, 2-methyl-	100 (45.4)
Benzenamine, 4-methyl-	100 (45.4)
Benzenamine, 4,4'-methylenebis[2-chloro-	10 (4.54)
Benzenamine, 2-methyl-, hydrochloride	100 (45.4)
Benzenamine, 2-methyl-5-nitro-	100 (45.4)
Benzenamine, 4-nitro	5000 (2270)
Benzene	10 (4.54)
Benzeneacetic acid, 4-chloro- α -(4-chlorophenyl)- α -hydroxy-, ethyl ester	10 (4.54)
Benzene, 1-bromo-4-phenoxy-	100 (45.4)
Benzenebutanoic acid, 4-[bis(2-chloroethyl)amino]-	10 (4.54)
Benzene, chloro-	100 (45.4)
Benzene, (chloromethyl)-	100 (45.4)
Benzenediamine, ar-methyl-	10 (4.54)
1,2-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester	100 (45.4)
1,2-Benzenedicarboxylic acid, dibutyl ester	10 (4.54)
1,2-Benzenedicarboxylic acid, diethyl ester	1000 (454)
1,2-Benzenedicarboxylic acid, dimethyl ester	5000 (2270)
1,2-Benzenedicarboxylic acid, dioctyl ester	5000 (2270)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Benzene, 1,2-dichloro-	100 (45.4)
Benzene, 1,3-dichloro-	100 (45.4)
Benzene, 1,4-dichloro-	100 (45.4)
Benzene, 1,1'-(2,2-dichloroethylidene) bis[4-chloro-	1 (0.454)
Benzene, (dichloromethyl)-	5000 (2270)
Benzene, 1,3-diisocyanatomethyl-	100 (45.4)
Benzene, dimethyl-	100 (45.4)
1,3-Benzenediol	5000 (2270)
1,2-Benzenediol,4-[1-hydroxy-2-(methylamino) ethyl]-	1000 (454)
Benzeneethanamine, alpha,alpha-dimethyl-	5000 (2270)
Benzene, hexachloro-	10 (4.54)
Benzene, hexahydro-	1000 (454)
Benzene, methyl-	1000 (454)
Benzene, 1-methyl-2,4-dinitro-	10 (4.54)
Benzene, 2-methyl-1,3-dinitro-	100 (45.4)
Benzene, (1-methylethyl)-	5000 (2270)
Benzene, nitro-	1000 (454)
Benzene, pentachloro-	10 (4.54)
Benzene, pentachloronitro-	100 (45.4)
Benzenesulfonic acid chloride	100 (45.4)
Benzenesulfonyl chloride	100 (45.4)
Benzene,1,2,4,5-tetrachloro-	5000 (2270)
Benzenthiool	100 (45.4)
Benzene,1,1'-(2,2,2-trichloroethylidene) bis[4-chloro-	1 (0.454)
Benzene,1,1'-(2,2,2-trichloroethylidene) bis[4-methoxy-	1 (0.454)
Benzene, (trichloromethyl)-	10 (4.54)
Benzene, 1,3,5-trinitro-	10 (4.54)
Benzidine	1 (0.454)
1,2-Benzothiazol-3(2H)-one, 1,1-dioxide, & salts	100 (45.4)
Benzo[a]anthracene	10 (4.54)
1,3-Benzodioxole, 5-(1-propenyl)-1	100 (45.4)
1,3-Benzodioxole, 5-(2-propenyl)-	100 (45.4)
1,3-Benzodioxole, 5-propyl-	10 (4.54)
1,3-Benzodioxol-4-ol, 2,2-dimethyl-	1000 (454)
1,3-Benzodioxol-4-ol, 2,2-dimethyl-, methyl carbamate	100 (45.4)
Benzo[b]fluoranthene	1 (0.454)
Benzo(k)fluoranthene	5000 (2270)
7-Benzofuranol, 2,3-dihydro-2,2-dimethyl-	10 (4.54)
7-Benzofuranol, 2,3-dihydro-2,2-dimethyl-, methylcarbamate	10 (4.54)
Benzoic acid	5000 (2270)
Benzoic acid, 2-hydroxy-, compd. with (3aS-cis)-1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethylpyrrolo [2,3-b]indol-5-yl methylcarbamate ester (1:1)	100 (45.4)
Benzonitrile	100 (45.4)
Benzo[rst]pentaphene	5000 (2270)
Benzo[ghi]perylene	10 (4.54)
2H-1-Benzopyran-2-one, 4-hydroxy-3-(3-oxo-1-phenylbutyl)-, & salts	5000 (2270)
Benzo[a]pyrene	100 (45.4)
3,4-Benzopyrene	1 (0.454)
p-Benzozuquione	10 (4.54)
Benzotrichloride	10 (4.54)
Benzoyl chloride	1000 (454)
Benzyl chloride	100 (45.4)
Beryllium cent.	10 (4.54)
Beryllium chloride	1 (0.454)
Beryllium fluoride	1 (0.454)
Beryllium nitrate	1 (0.454)
Beryllium powder cent.	10 (4.54)
alpha-BHC	10 (4.54)
beta-BHC	1 (0.454)
delta-BHC	1 (0.454)
gamma-BHC	1 (0.454)
2,2'-Bioxirane	10 (4.54)
Biphenyl	100 (45.4)
[1,1'-Biphenyl]-4,4'-diamine	1 (0.454)
[1,1'-Biphenyl]-4,4'-diamine,3,3'-dichloro-	1 (0.454)
[1,1'-Biphenyl]-4,4'-diamine,3,3'-dimethoxy-	100 (45.4)
[1,1'-Biphenyl]-4,4'-diamine,3,3'-dimethyl-	10 (4.54)
Bis(2-chloroethoxy) methane	1000 (454)
Bis(2-chloroethyl) ether	10 (4.54)
Bis(chloromethyl) ether	10 (4.54)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Bis(2-ethylhexyl) phthalate	100 (45.4)
Bromacetone	1000 (454)
Bromoform	100 (45.4)
Bromomethane	1000 (454)
4-Bromophenyl phenyl ether	100 (45.4)
Brucine	100 (45.4)
1,3-Butadiene	10 (4.54)
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1 (0.454)
1-Butanamine, N-butyl-N-nitroso-	10 (4.54)
1-Butanol	5000 (2270)
2-Butanone	5000 (2270)
2-Butanone, 3,3-dimethyl-1(methylthio)-, O [(methylamino) carbonyl] oxime	100 (45.4)
2-Butanone peroxide	10 (4.54)
2-Butenal	100 (45.4)
2-Butene, 1,4-dichloro-	1 (0.454)
2-Butenoic acid, 2-methyl-, 7-[{2,3-dihydroxy-2-(1-methoxyethyl)-3-methyl-1-oxobutoxy} methyl]-2,3,5,7a-tetrahydro-1H-pyrolizin-1-yl ester, [1S-[1alpha(Z), 7(2S*,3R*),7alpha]]-	10 (4.54)
Butyl acetate	5000 (2270)
iso-Butyl acetate.	
sec-Butyl acetate.	
tert-Butyl acetate.	
n-Butyl alcohol	5000 (2270)
Butylamine	1000 (454)
iso-Butylamine.	
sec-Butylamine.	
tert-Butylamine.	
Butyl benzyl phthalate	100 (45.4)
n-Butyl phthalate	10 (4.54)
Butyric acid	5000 (2270)
iso-Butyric acid.	
Cacodylic acid	1 (0.454)
Cadmium cent:	10 (4.54)
Cadmium acetate	10 (4.54)
Cadmium bromide	10 (4.54)
Cadmium chloride	10 (4.54)
Calcium arsenate	1 (0.454)
Calcium arsenite	1 (0.454)
Calcium carbide	10 (4.54)
Calcium chromate	10 (4.54)
Calcium cyanamide	1000 (454)
Calcium cyanide Ca(CN) ₂	10 (4.54)
Calcium dodecylbenzenesulfonate	1000 (454)
Calcium hypochlorite	10 (4.54)
Captan	10 (4.54)
Carbamic acid, 1H-benzimidazol-2-yl, methyl ester	10 (4.54)
Carbamic acid, [1-[(butylamino)carbonyl]-1H-benzimidazol-2-yl]-, methyl ester	10 (4.54)
Carbamic acid, (3-chlorophenyl)-, 4-chloro-2-butynyl ester	10 (4.54)
Carbamic acid, [(dibutylamino)-thio]methyl-, 2,3-dihydro-2,2-dimethyl-7-benzofuranyl ester	1000 (454)
Carbamic acid, dimethyl-, 1-[(dimethyl-amino)carbonyl]-5-methyl-1H-pyrazol-3-yl ester	1 (0.454)
Carbamic acid, dimethyl-, 3-methyl-1-(1-methylethyl)-1H-pyrazol-5-yl ester	100 (45.4)
Carbamic acid, ethyl ester	100 (45.4)
Carbamic acid, methyl-, 3-methylphenyl ester	1000 (454)
Carbamic acid, methylnitroso-, ethyl ester	1 (0.454)
Carbamic acid, [1,2-phenylenebis(iminocarbonothioyl)] bis-, dimethyl ester	10 (4.54)
Carbamic acid, phenyl-, 1-methylethyl ester	1000 (454)
Carbamic chloride, dimethyl-	1 (0.454)
Carbamodithioic acid, 1,2-ethanediylibis-, salts & esters	5000 (2270)
Carbamothioic acid, bis(1-methylethyl)-, S-(2,3-dichloro-2-propenyl) ester	100 (45.4)
Carbamothioic acid, bis(1-methylethyl)-, S-(2,3,3-trichloro-2-propenyl) ester	100 (45.4)
Carbamothioic acid, dipropyl-, S-(phenylmethyl) ester	5000 (2270)
Carbaryl	100 (45.4)
Carbendazim	10 (4.54)
Carbofuran	10 (4.54)
Carbofuran phenol	10 (4.54)
Carbon disulfide	100 (45.4)
Carbonic acid, dithallium(1+) salt	100 (45.4)
Carbonic dichloride	10 (4.54)
Carbonic difluoride	1000 (454)
Carbonochloridic acid, methyl ester	1000 (454)
Carbon oxyfluoride	1000 (454)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Carbon tetrachloride	10 (4.54)
Carbonyl sulfide	100 (45.4)
Carbosulfan	1000 (454)
Catechol	100 (45.4)
Chloral	5000 (2270)
Chloramben	100 (45.4)
Chlorambucil	10 (4.54)
Chlordane	1 (0.454)
Chlordane, alpha & gamma isomers	1 (0.454)
CHLORDANE (TECHNICAL MIXTURE AND METABOLITES)	1 (0.454)
Chlorinated camphene	1 (0.454)
Chlorine	10 (4.54)
Chlornaphazine	100 (45.4)
Chloroacetaldehyde	1000 (454)
Chloroacetic acid	100 (45.4)
2-Chloroacetophenone	100 (45.4)
p-Chloroaniline	1000 (454)
Chlorobenzene	100 (45.4)
Chlorobenzilate	10 (4.54)
p-Chloro-m-cresol	5000 (2270)
Chlorodibromomethane	100 (45.4)
1-Chloro-2,3-epoxypropane	100 (45.4)
Chloroethane	100 (45.4)
2-Chloroethyl vinyl ether	1000 (454)
Chloroform	10 (4.54)
Chloromethane	100 (45.4)
Chloromethyl methyl ether	10 (4.54)
beta-Chloronaphthalene	5000 (2270)
2-Chloronaphthalene	5000 (2270)
2-Chlorophenol	100 (45.4)
o-Chlorophenol	100 (45.4)
4-Chlorophenyl phenyl ether	5000 (2270)
1-(o-Chlorophenyl)thiourea	100 (45.4)
Chloroprene	100 (45.4)
3-Chloropropionitrile	1000 (454)
Chlorosulfonic acid	1000 (454)
4-Chloro-o-toluidine, hydrochloride	100 (45.4)
Chlorpyrifos	1 (0.454)
Chromic acetate	1000 (454)
Chromic acid	10 (4.54)
Chromic acid H ₂ CrO ₄ , calcium salt	10 (4.54)
Chromic sulfate	1000 (454)
Chromium cent:	5000 (2270)
Chromous chloride	1000 (454)
Chrysene	100 (45.4)
Cobaltous bromide	1000 (454)
Cobaltous formate	1000 (454)
Cobaltous sulfamate	1000 (454)
Coke Oven Emissions	1 (0.454)
Copper cent:	5000 (2270)
Copper chloride @	10 (4.54)
Copper cyanide Cu(CN)	10 (4.54)
Coumaphos	10 (4.54)
Creosote	1 (0.454)
Cresol (cresylic acid)	100 (45.4)
m-Cresol	100 (45.4)
o-Cresol	100 (45.4)
p-Cresol	100 (45.4)
Cresols (isomers and mixture)	100 (45.4)
Cresylic acid (isomers and mixture)	100 (45.4)
Crotonaldehyde	100 (45.4)
Cumene	5000 (2270)
m-Cumanyl methylcarbamate	10 (4.54)
Cupric acetate	100 (45.4)
Cupric acetoarsenite	1 (0.454)
Cupric chloride	10 (4.54)
Cupric nitrate	100 (45.4)
Cupric oxalate	100 (45.4)
Cupric sulfate	10 (4.54)
Cupric sulfate, ammoniated	100 (45.4)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Cupric tartrate	100 (45.4)
Cyanides (soluble salts and complexes) not otherwise specified	10 (4.54)
Cyanogen	100 (45.4)
Cyanogen bromide (CN)Br	1000 (454)
Cyanogen chloride (CN)Cl	10 (4.54)
2,5-Cyclohexadiene-1,4-dione	10 (4.54)
Cyclohexane	1000 (454)
Cyclohexane, 1,2,3,4,5,6-hexachloro-, (1 α , 2 α , 3 β -, 4 α , 5 α , 6 β)	1 (0.454)
Cyclohexanone	5000 (2270)
2-Cyclohexyl-4,6-dinitrophenol	100 (45.4)
1,3-Cyclopentadiene, 1,2,3,4,5,5-hexachloro-	10 (4.54)
Cyclophosphamide	10 (4.54)
2,4-D Acid	100 (45.4)
2,4-D Ester	100 (45.4)
2,4-D, salts and esters	100 (45.4)
Daunomycin	10 (4.54)
DDD	1 (0.454)
4,4'-DDD	1 (0.454)
DDE (72-55-9) [#]	1 (0.454)
DDE (3547-04-4) [#]	5000 (2270)
4,4'-DDE	1 (0.454)
DDT	1 (0.454)
4,4'-DDT	1 (0.454)
DEHP	100 (45.4)
Diallate	100 (45.4)
Diazinon	1 (0.454)
Diazomethane	100 (45.4)
Dibenz[a,h]anthracene	1 (0.454)
1,2,5,6-Dibenzanthracene	1 (0.454)
Dibenzo[a,h]anthracene	1 (0.454)
Dibenzofuran	100 (45.4)
Dibenzo[a,i]pyrene	10 (4.54)
1,2-Dibromo-3-chloropropane	1 (0.454)
Dibromoethane	1 (0.454)
Dibutyl phthalate	10 (4.54)
Di-n-butyl phthalate	10 (4.54)
Dicamba	1000 (454)
Dichlobenil	100 (45.4)
Dichlone	1 (0.454)
Dichlorobenzene	100 (45.4)
1,2-Dichlorobenzene	100 (45.4)
1,3-Dichlorobenzene	100 (45.4)
1,4-Dichlorobenzene	100 (45.4)
m-Dichlorobenzene	100 (45.4)
o-Dichlorobenzene	100 (45.4)
p-Dichlorobenzene	100 (45.4)
3,3'-Dichlorobenzidine	1 (0.454)
Dichlorobromomethane	5000 (2270)
1,4-Dichloro-2-butene	1 (0.454)
Dichlorodifluoromethane	5000 (2270)
1,1-Dichloroethane	1000 (454)
1,2-Dichloroethane	100 (45.4)
1,1-Dichloroethylene	100 (45.4)
1,2-Dichloroethylene	1000 (454)
Dichloroethyl ether	10 (4.54)
Dichloroisopropyl ether	1000 (454)
Dichloromethane	1000 (454)
Dichloromethoxyethane	1000 (454)
Dichloromethyl ether	10 (4.54)
2,4-Dichlorophenol	100 (45.4)
2,6-Dichlorophenol	100 (45.4)
Dichlorophenylarsine	1 (0.454)
Dichloropropane	1000 (454)
1,1-Dichloropropane	
1,3-Dichloropropane	
1,2-Dichloropropane	1000 (454)
Dichloropropane-Dichloropropene (mixture)	100 (45.4)
Dichloropropene	100 (45.4)
2,3-Dichloropropene	
1,3-Dichloropropene	100 (45.4)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
2,2-Dichloropropionic acid	5000 (2270)
Dichlorvos	10 (4.54)
Dicofol	10 (4.54)
Dieldrin	1 (0.454)
1,2,3,4-Diepoxybutane	10 (4.54)
Diethanolamine	100 (45.4)
Diethylamine	100 (45.4)
N,N-Diethylaniline	1000 (454)
Diethylarsine	1 (0.454)
Diethylene glycol, dicarbamate	5000 (2270)
1,4-Diethyleneoxide	100 (45.4)
Diethylhexyl phthalate	100 (45.4)
N,N'-Diethylhydrazine	10 (4.54)
O,O-Diethyl S-methyl dithiophosphate	5000 (2270)
Diethyl-p-nitrophenyl phosphate	100 (45.4)
Diethyl phthalate	1000 (454)
O,O-Diethyl O-pyrazinyl phosphorothioate	100 (45.4)
Diethylstilbestrol	1 (0.454)
Diethyl sulfate	10 (4.54)
Dihydrosafrole	10 (4.54)
Disopropylfluorophosphate (DFP)	100 (45.4)
1,4:5,8-Dimethanophthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha, 4alpha, 4beta, 5alpha, 8alpha, 8beta)-	1 (0.454)
1,4:5,8-Dimethanophthalene, 1,2,3,4,10,10-hexachloro-1,4,4a,5,8,8a-hexahydro-, (1alpha, 4alpha, 4beta, 5beta, 8beta, 8beta)-1 (0.454).	
2,7:3,6-Dimethanophth[2,3-b]oxirene,3,4,5,6,9,9-hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-, (1aalpha, 2beta, 2aalpha, 3beta, 6beta, 6aalpha, 7beta, 7aalpha)-	1 (0.454)
2,7:3,6-Dimethanophth[2,3-b]oxirene,3,4,5,6,9,9-hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-, (1aalpha, 2beta, 2aalpha, 3alpha, 6alpha, 6abeta, 7beta, 7aalpha)-, & metabolites	1 (0.454)
Dimethoate	10 (4.54)
3,3'-Dimethoxybenzidine	100 (45.4)
Dimethylamine	1000 (454)
Dimethyl aminoazobenzene	10 (4.54)
p-Dimethylaminoazobenzene	10 (4.54)
N,N-Dimethylaniline	100 (45.4)
7,12-Dimethylbenz[a]anthracene	1 (0.454)
3,3'-Dimethylbenzidine	10 (4.54)
alpha,alpha-Dimethylbenzylhydroperoxide	10 (4.54)
Dimethylcarbamoyl chloride	1 (0.454)
Dimethylformamide	100 (45.4)
1,1-Dimethylhydrazine	10 (4.54)
1,2-Dimethylhydrazine	1 (0.454)
Dimethylhydrazine, unsymmetrical @	10 (4.54)
alpha,alpha-Dimethylphenethylamine	5000 (2270)
2,4-Dimethylphenol	100 (45.4)
Dimethyl phthalate	5000 (2270)
Dimethyl sulfate	100 (45.4)
Dimetilan	1 (0.454)
Dinitrobenzene (mixed)	100 (45.4)
m-Dinitrobenzene.	
o-Dinitrobenzene.	
p-Dinitrobenzene.	
4,6-Dinitro-o-cresol, and salts	10 (4.54)
Dinitrogen tetroxide @	10 (4.54)
Dinitrophenol	10 (4.54)
2,5-Dinitrophenol.	
2,6-Dinitrophenol.	
2,4-Dinitrophenol	10 (4.54)
Dinitrotoluene	10 (4.54)
3,4-Dinitrotoluene.	
2,4-Dinitrotoluene	10 (4.54)
2,6-Dinitrotoluene	100 (45.4)
Dinoseb	1000 (454)
Di-n-octyl phthalate	5000 (2270)
1,4-Dioxane	100 (45.4)
1,2-Diphenylhydrazine	10 (4.54)
Diphosphoramide, octamethyl-	100 (45.4)
Diphosphoric acid, tetraethyl ester	10 (4.54)
Dipropylamine	5000 (2270)
Di-n-propylnitrosamine	10 (4.54)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Diquat	1000 (454)
Disulfoton	1 (0.454)
Dithiobiuret	100 (45.4)
1,3-Dithiolane-2-carboxaldehyde, 2,4-dimethyl-, O-[(methylamino)-carbonyl]oxime	100 (45.4)
Diuron	100 (45.4)
Dodecylbenzenesulfonic acid	1000 (454)
Endosulfan	1 (0.454)
alpha-Endosulfan	1 (0.454)
beta-Endosulfan	1 (0.454)
Endosulfan sulfate	1 (0.454)
Endothall	1000 (454)
Endrin	1 (0.454)
Endrin aldehyde	1 (0.454)
Endrin, & metabolites	1 (0.454)
Epichlorohydrin	100 (45.4)
Epinephrine	1000 (454)
1,2-Epoxybutane	100 (45.4)
Ethanal	1000 (454)
Ethanamine, N,N-diethyl-	5000 (2270)
Ethanamine, N-ethyl-N-nitroso-	1 (0.454)
1,2-Ethanediame, N,N-dimethyl-N'-2-pyridinyl-N'-(2-thienylmethyl)-	5000 (2270)
Ethane, 1,2-dibromo-	1 (0.454)
Ethane, 1,1-dichloro-	1000 (454)
Ethane, 1,2-dichloro-	100 (45.4)
Ethanedinitrile	100 (45.4)
Ethane, hexachloro-	100 (45.4)
Ethane, 1,1'-[methylenebis(oxy)]bis[2-chloro-	1000 (454)
Ethane, 1,1'-oxybis-	100 (45.4)
Ethane, 1,1'-oxybis[2-chloro-	10 (4.54)
Ethane, pentachloro-	10 (4.54)
Ethane, 1,1,1,2-tetrachloro-	100 (45.4)
Ethane, 1,1,2,2-tetrachloro-	100 (45.4)
Ethanethioamide	10 (4.54)
Ethane, 1,1,1-trichloro-	1000 (454)
Ethane, 1,1,2-trichloro-	100 (45.4)
Ethanimidohioic acid, 2-(dimethylamino)-N-hydroxy-2-oxo-, methyl ester	5000 (2270)
Ethanimidohioic acid, 2-(dimethylamino)-N-[(methylamino) carbonyl]oxy]-2-oxo-, methyl ester	100 (45.4)
Ethanimidohioic acid, N-[(methylamino) carbonyl]oxy-, methyl ester	100 (45.4)
Ethanimidohioic acid, N,N'[thiobis[(methylimino)carbonyloxy]] bis-, dimethyl ester	100 (45.4)
Ethanol, 2-ethoxy	1000 (454)
Ethanol, 2,2'-(nitrosoimino)bis-	1 (0.454)
Ethanol, 2,2'-oxybis-, dicarbamate	5000 (2270)
Ethanone, 1-phenyl-	5000 (2270)
Ethene, chloro-	1 (0.454)
Ethene, (2-chloroethoxy)-	1000 (454)
Ethene, 1,1-dichloro-	100 (45.4)
Ethene, 1,2-dichloro-(E)	1000 (454)
Ethene, tetrachloro-	100 (45.4)
Ethene, trichloro-	100 (45.4)
Ethion	5000 (2270)
Ethyl acetate	1000 (454)
Ethyl acrylate	1000 (454)
Ethylbenzene	100 (45.4)
Ethyl carbamate	100 (45.4)
Ethyl chloride	100 (45.4)
Ethyl cyanide	10 (4.54)
Ethylenedithiocarbamic acid, salts & esters	5000 (2270)
Ethylenediamine	5000 (2270)
Ethylenediamine-tetraacetic acid (EDTA)	5000 (2270)
Ethylene dibromide	1 (0.454)
Ethylene dichloride	100 (45.4)
Ethylene glycol	5000 (2270)
Ethylene glycol monoethyl ether	1000 (454)
Ethylene oxide	10 (4.54)
Ethylenethiourea	10 (4.54)
Ethyliminium	1 (0.454)
Ethyl ether	100 (45.4)
Ethyldene dichloride	1000 (454)
Ethyl methacrylate	1000 (454)
Ethyl methanesulfonate	1 (0.454)

§ 172.101**49 CFR Ch. I (10-1-08 Edition)**

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Ethyl methyl ketone ^②	5000 (2270)
Famphur	1000 (454)
Ferric ammonium citrate	1000 (454)
Ferric ammonium oxalate	1000 (454)
Ferric chloride	1000 (454)
Ferric fluoride	100 (45.4)
Ferric nitrate	1000 (454)
Ferric sulfate	1000 (454)
Ferrous ammonium sulfate	1000 (454)
Ferrous chloride	100 (45.4)
Ferrous sulfate	1000 (454)
Fluoranthene	100 (45.4)
Fluorene	5000 (2270)
Fluorine	10 (4.54)
Fluoracetamide	100 (45.4)
Fluoroacetic acid, sodium salt	10 (4.54)
Formaldehyde	100 (45.4)
Formetanate hydrochloride	5000 (2270)
Formic acid	100 (45.4)
Formparanate	100 (45.4)
Fulminic acid, mercury(2+)salt	5000 (2270)
Fumaric acid	10 (4.54)
Furan	5000 (2270)
2-Furancarboxyaldehyde	100 (45.4)
2,5-Furandione	5000 (2270)
Furan, tetrahydro-	5000 (2270)
Furfural	1000 (454)
Furfuran	5000 (2270)
Glucopyranose, 2-deoxy-2-(3-methyl-3-nitrosoureido)-, D-	100 (45.4)
D-Glucose, 2-deoxy-2-[(methylnitrosoamino)-carbonyl]amino-	1 (0.454)
Glycidylaldehyde	10 (4.54)
Guanidine, N-methyl-N'-nitro-N-nitroso-	10 (4.54)
Guthion	1 (0.454)
Heptachlor	1 (0.454)
Heptachlor epoxide	1 (0.454)
Hexachlorobenzene	10 (4.54)
Hexachlorobutadiene	1 (0.454)
Hexachlorocyclopentadiene	10 (4.54)
Hexachloroethane	100 (45.4)
Hexachlorophene	100 (45.4)
Hexachloropropene	1000 (454)
Hexaethyl tetraphosphate	100 (45.4)
Hexamethylene-1,6-diisocyanate	100 (45.4)
Hexamethylphosphoramide	1 (0.454)
Hexane	5000 (2270)
Hexone	5000 (2270)
Hydrazine	1 (0.454)
Hydrazinecarbothioamide	100 (45.4)
Hydrazine, 1,2-diethyl-	10 (4.54)
Hydrazine, 1,1-dimethyl-	10 (4.54)
Hydrazine, 1,2-dimethyl-	1 (0.454)
Hydrazine, 1,2-diphenyl-	10 (4.54)
Hydrazine, methyl-	10 (4.54)
Hydrochloric acid	5000 (2270)
Hydrocyanic acid	10 (4.54)
Hydrofluoric acid	100 (45.4)
Hydrogen chloride	5000 (2270)
Hydrogen cyanide	10 (4.54)
Hydrogen fluoride	100 (45.4)
Hydrogen phosphide	100 (45.4)
Hydrogen sulfide H2S	100 (45.4)
Hydroperoxide, 1-methyl-1-phenylethyl-	10 (4.54)
Hydroquinone	100 (45.4)
2-Imidazolidinethione	10 (4.54)
Indeno(1,2,3-cd)pyrene	100 (45.4)
Iodomethane	100 (45.4)
1,3-Isobenzofurandione	5000 (2270)
Isobutyl alcohol	5000 (2270)
Isodrin	1 (0.454)
Isolan	100 (45.4)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Isophorone	5000 (2270)
Isoprene	100 (45.4)
Isopropanolamine dodecylbenzenesulfonate	1000 (454)
3-Isopropylphenyl N-methylcarbamate	10 (4.54)
Isosafrole	100 (45.4)
3(2H)-Isoxazolone, 5-(aminomethyl)-.....	1000 (454)
Kepone	1 (0.454)
Lasiocarpine	10 (4.54)
Lead cent	10 (4.54)
Lead acetate	10 (4.54)
Lead arsenate	1 (0.454)
Lead, bis(acetato-O)tetrahydroxytri-.....	10 (4.54)
Lead chloride	10 (4.54)
Lead fluoborate	10 (4.54)
Lead fluoride	10 (4.54)
Lead iodide	10 (4.54)
Lead nitrate	10 (4.54)
Lead phosphate	10 (4.54)
Lead stearate	10 (4.54)
Lead subacetate	10 (4.54)
Lead sulfate	10 (4.54)
Lead sulfide	10 (4.54)
Lead thiocyanate	10 (4.54)
Lindane	1 (0.454)
Lindane (all isomers)	1 (0.454)
Lithium chromate	10 (4.54)
Malathion	100 (45.4)
Maleic acid	5000 (2270)
Maleic anhydride	5000 (2270)
Maleic hydrazide	5000 (2270)
Malononitrile	1000 (454)
Manganese, bis(dimethylcarbamodithioato-S,S')	10 (4.54)
Manganese dimethylthiocarbamate	10 (4.54)
MDI	5000 (2270)
MEK	5000 (2270)
Melphalan	1 (0.454)
Mercaptodimethur	10 (4.54)
Mercuric cyanide	1 (0.454)
Mercuric nitrate	10 (4.54)
Mercuric sulfate	10 (4.54)
Mercuric thiocyanate	10 (4.54)
Mercurous nitrate	10 (4.54)
Mercury	1 (0.454)
Mercury, (acetato-O)phenyl-	100 (45.4)
Mercury fulminate	10 (4.54)
Methacrylonitrile	1000 (454)
Methanamine, N-methyl-	1000 (454)
Methanamine, N-methyl-N-nitroso-	10 (4.54)
Methane, bromo-	1000 (454)
Methane, chloro-	100 (45.4)
Methane, chloromethoxy-	10 (4.54)
Methane, dibromo-	1000 (454)
Methane, dichloro-	1000 (454)
Methane, dichlorodifluoro-	5000 (2270)
Methane, iodo-	100 (45.4)
Methane, isocyanato-	10 (4.54)
Methane, oxybis(chloro-	10 (4.54)
Methanesulfenyl chloride, trichloro-	100 (45.4)
Methanesulfonic acid, ethyl ester	1 (0.454)
Methane, tetrachloro-	10 (4.54)
Methane, tetranitro-	10 (4.54)
Methanethiol	100 (45.4)
Methane, tribromo-	100 (45.4)
Methane, trichloro-	10 (4.54)
Methane, trichlorofluoro-	5000 (2270)
Methanimidamide, N,N-dimethyl-N'-[3-[(methylamino) carbonyl] oxy] phenyl]-, monohydrochloride	100 (45.4)
Methanimidamide, N,N-dimethyl-N'-[2-methyl-4-[[[(methylamino)carbonyl] oxy]phenyl]-	100 (45.4)
6,9-Methano-2,4,3-benzodioxathiepin,6,7,8,9,10,10-hexachloro-1,5,5a,6,9,9a-hexahydro-, 3-oxide	1 (0.454)
4,7-Methano-1H-indene, 1,4,5,6,7,8,8-heptachloro-3a,4,7,7a-tetrahydro-	1 (0.454)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
4,7-Methano-1H-indene, 1,2,4,5,6,7,8,8-octachloro-2,3,3a,4,7,7a-hexahydro-	1 (0.454)
Methanol	5000 (2270)
Methaprylene	5000 (2270)
1,3,4-Metheno-2H-cyclobuta[cd]pentalen-2-one, 1,1a,3,3a,4,5,5,5a,5b,6-decachlorooctahydro-	1 (0.454)
Methiocarb	10 (4.54)
Methiomyl	100 (45.4)
Methoxychlor	1 (0.454)
Methyl alcohol	5000 (2270)
Methylamine [®]	100 (45.4)
2-Methyl aziridine	1 (0.454)
Methyl bromide	1000 (454)
1-Methylbutadiene	100 (45.4)
Methyl chloride	100 (45.4)
Methyl chlorocarbonate	1000 (454)
Methyl chloroform	1000 (454)
Methyl chloroformate [®]	1000 (454)
Methyl chloromethyl ether [®]	10 (4.54)
3-Methylcholanthrene	10 (4.54)
4,4'-Methylenebis(2-chloroaniline)	10 (4.54)
Methylene bromide	1000 (454)
Methylene chloride	1000 (454)
4,4'-Methylenedianiline	10 (4.54)
Methylene diphenyl diisocyanate	5000 (2270)
Methyl ethyl ketone	5000 (2270)
Methyl ethyl ketone peroxide	10 (4.54)
Methyl hydrazine	10 (4.54)
Methyl iodide	100 (45.4)
Methyl isobutyl ketone	5000 (2270)
Methyl isocyanate	10 (4.54)
2-Methyl lactonitrile	10 (4.54)
Methyl mercaptan	100 (45.4)
Methyl methacrylate	1000 (454)
Methyl parathion	100 (45.4)
4-Methyl-2-pentanone	5000 (2270)
Methyl tert-butyl ether	1000 (454)
Methylthiouracil	10 (4.54)
Metolcarb	1000 (454)
Mevinphos	10 (4.54)
Mexacarbate	1000 (454)
Mitomycin C	10 (4.54)
MNNG	10 (4.54)
Monoethylamine	100 (45.4)
Monomethylamine	100 (45.4)
Naled	10 (4.54)
5,12-Naphthacenedione, 8-acetyl-10-[(3-amino-2,3,6-trideoxy-alpha-L-lyxo-hexopyranosyl)oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-1-methoxy-, (8S-cis)-	10 (4.54)
1-Naphthalenamine	100 (45.4)
2-Naphthalenamine	10 (4.54)
Naphthalenamine, N,N'-bis(2-chloroethyl)-	100 (45.4)
Naphthalene	100 (45.4)
Naphthalene, 2-chloro-	5000 (2270)
1,4-Naphthalenedione	5000 (2270)
2,7-Naphthalenedisulfonic acid, 3,3'-(3,3'-dimethyl-(1,1'-biphenyl)-4,4'-diyl)-bis(azo)]bis(5-amino-4-hydroxy)-tetrasodium salt	10 (4.54)
1-Naphthalenol, methylcarbamate	100 (45.4)
Naphthenic acid	100 (45.4)
1,4-Naphthoquinone	5000 (2270)
alpha-Naphthylamine	100 (45.4)
beta-Naphthylamine	10 (4.54)
alpha-Naphthylthiourea	100 (45.4)
Nickel ^{cent} ;	100 (45.4)
Nickel ammonium sulfate	100 (45.4)
Nickel carbonyl Ni(CO) ₄ , (T-4)-	10 (4.54)
Nickel chloride	100 (45.4)
Nickel cyanide Ni(CN) ₂	10 (4.54)
Nickel hydroxide	10 (4.54)
Nickel nitrate	100 (45.4)
Nickel sulfate	100 (45.4)
Nicotine, & salts	100 (45.4)
Nitric acid	1000 (454)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Nitric acid, thallium (1+) salt	100 (45.4)
Nitric oxide	10 (4.54)
p-Nitroaniline	5000 (2270)
Nitrobenzene	1000 (454)
4-Nitrobiphenyl	10 (4.54)
Nitrogen dioxide	10 (4.54)
Nitrogen oxide NO	10 (4.54)
Nitrogen oxide NO ₂	10 (4.54)
Nitroglycerine	10 (4.54)
Nitrophenol (mixed)	100 (45.4)
m-Nitrophenol.	
o-Nitrophenol	100 (45.4)
p-Nitrophenol	100 (45.4)
2-Nitrophenol	100 (45.4)
4-Nitrophenol	100 (45.4)
2-Nitropropane	10 (4.54)
N-Nitrosodi-n-butylamine	10 (4.54)
N-Nitrosodiethanolamine	1 (0.454)
N-Nitrosodiethylamine	1 (0.454)
N-Nitrosodimethylamine	10 (4.54)
N-Nitrosodiphenylamine	100 (45.4)
N-Nitroso-N-ethylurea	1 (0.454)
N-Nitroso-N-methylurea	1 (0.454)
N-Nitroso-N-methylurethane	1 (0.454)
N-Nitrosomethylvinylamine	10 (4.54)
N-Nitrosomorpholine	1 (0.454)
N-Nitrosopiperidine	10 (4.54)
N-Nitrosopyrrolidine	1 (0.454)
Nitrotoluene	1000 (454)
m-Nitrotoluene.	
o-Nitrotoluene.	
p-Nitrotoluene.	
5-Nitro-o-toluidine	100 (45.4)
Octamethylpyrophosphoramido	100 (45.4)
Osmium oxide OsO ₄ , (T-4)-	1000 (454)
Osmium tetroxide	1000 (454)
7-Oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid	1000 (454)
Oxamyl	100 (45.4)
1,2-Oxathiolane, 2,2-dioxide	10 (4.54)
2H-1,3,2-Oxazaphosphorin-2-amine, N,N-bis(2-chloroethyl) tetrahydro-, 2-oxide	10 (4.54)
Oxirane	10 (4.54)
Oxiranecarboxyaldehyde	10 (4.54)
Oxirane, (chloromethyl)-	100 (45.4)
Paraformaldehyde	1000 (454)
Paraldehyde	1000 (454)
Parathion	10 (4.54)
PCBs	1 (0.454)
PCNB	100 (45.4)
Pentachlorobenzene	10 (4.54)
Pentachloroethane	10 (4.54)
Pentachloronitrobenzene	100 (45.4)
Pentachlorophenol	10 (4.54)
1,3-Pentadiene	100 (45.4)
Perchloroethylene	100 (45.4)
Perchloromethyl mercaptan [®]	100 (45.4)
Phenacetin	100 (45.4)
Phenanthrene	5000 (2270)
Phenol	1000 (454)
Phenol, 2-chloro-	100 (45.4)
Phenol, 4-chloro-3-methyl-	5000 (2270)
Phenol, 2-cyclohexyl-4,6-dinitro-	100 (45.4)
Phenol, 2,4-dichloro-	100 (45.4)
Phenol, 2,6-dichloro-	100 (45.4)
Phenol, 4,4'-(1,2-diethyl-1,2-ethenediyl)bis-, (E)	1 (0.454)
Phenol, 2,4-dimethyl-	100 (45.4)
Phenol, 4-(dimethylamino)-3,5-dimethyl-, methylcarbamate (ester)	1000 (454)
Phenol, (3,5-dimethyl-4-(methylthio)-, methylcarbamate	10 (4.54)
Phenol, 2,4-dinitro-	10 (4.54)
Phenol, methyl-	100 (45.4)
Phenol, 2-methyl-4,6-dinitro-, & salts	10 (4.54)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Phenol, 2,2'-methylenebis[3,4,6-trichloro-	100 (45.4)
Phenol, 2-(1-methylethoxy)-, methylcarbamate	100 (45.4)
Phenol, 3-(1-methylethyl)-, methyl carbamate	10 (4.54)
Phenol, 3-methyl-5-(1-methylethyl)-, methyl carbamate	1000 (454)
Phenol, 2-(1-methylpropyl)-4,6-dinitro-	1000 (454)
Phenol, 4-nitro-	100 (45.4)
Phenol, pentachloro-	10 (4.54)
Phenol, 2,3,4,6-tetrachloro-	10 (4.54)
Phenol, 2,4,5-trichloro-	10 (4.54)
Phenol, 2,4,6-trichloro-	10 (4.54)
Phenol, 2,4,6-trinitro-, ammonium salt	10 (4.54)
L-Phenylalanine, 4-[bis(2-chloroethyl)amino]-	1 (0.454)
p-Phenylenediamine	5000 (2270)
Phenyl mercaptan [®]	100 (45.4)
Phenylmercury acetate	100 (45.4)
Phenyliothiourea	100 (45.4)
Phorate	10 (4.54)
Phosgene	10 (4.54)
Phosphine	100 (45.4)
Phosphoric acid	5000 (2270)
Phosphoric acid, diethyl 4-nitrophenyl ester	100 (45.4)
Phosphoric acid, lead(2+) salt (2:3)	10 (4.54)
Phosphorodithioic acid, O,O-diethyl S-[2-(ethylthio)ethyl] ester	1 (0.454)
Phosphorodithioic acid, O,O-diethyl S-[ethylthio]methyl ester	10 (4.54)
Phosphorodithioic acid, O,O-diethyl S-methyl ester	5000 (2270)
Phosphorodithioic acid, O,O-dimethyl S-[2-(methylamino)-2-oxoethyl] ester	10 (4.54)
Phosphorofluoridic acid, bis(1-methylethyl) ester	100 (45.4)
Phosphorothioic acid, O,O-diethyl O-(4-nitrophenyl) ester	10 (4.54)
Phosphorothioic acid, O,O-diethyl O-pyrazinyl ester	100 (45.4)
Phosphorothioic acid, O-[4-[(dimethylamino) sulfonyl]phenyl] O,O-dimethyl ester	1000 (454)
Phosphorothioic acid, O,O-dimethyl O-(4-nitrophenyl) ester	100 (45.4)
Phosphorus	1 (0.454)
Phosphorus oxychloride	1000 (454)
Phosphorus pentasulfide	100 (45.4)
Phosphorus sulfide	100 (45.4)
Phosphorus trichloride	1000 (454)
Phthalic anhydride	5000 (2270)
Physostigmine	100 (45.4)
Physostigmine salicylate	100 (45.4)
2-Picoline	5000 (2270)
Piperidine, 1-nitro-	10 (4.54)
Plumbane, tetraethyl-	10 (4.54)
POLYCHLORINATED BIPHENYLS	1 (0.454)
Potassium arsenate	1 (0.454)
Potassium arsenite	1 (0.454)
Potassium bichromate	10 (4.54)
Potassium chromate	10 (4.54)
Potassium cyanide K(CN)	10 (4.54)
Potassium hydroxide	1000 (454)
Potassium permanganate	100 (45.4)
Potassium silver cyanide	1 (0.454)
Promecarb	1000 (454)
Pronamide	5000 (2270)
Propanal, 2-methyl-2-(methyl-sulfonyl)-, O-[(methylamino)carbonyl] oxime	100 (45.4)
Propanal, 2-methyl-2-(methylthio)-, O-[(methylamino)carbonyl] oxime	1 (0.454)
1-Propanamine	5000 (2270)
1-Propanamine, N-propyl-	5000 (2270)
1-Propanamine, N-nitroso-N-propyl-	10 (4.54)
Propane, 1,2-dibromo-3-chloro-	1 (0.454)
Propane, 1,2-dichloro-	1000 (454)
Propanedinitrile	1000 (454)
Propanenitrile	10 (4.54)
Propanenitrile, 3-chloro-	1000 (454)
Propanenitrile, 2-hydroxy-2-methyl-	10 (4.54)
Propane, 2-nitro-	10 (4.54)
Propane, 2,2'-oxybis[2-chloro-	1000 (454)
1,3-Propane sultone	10 (4.54)
1,2,3-Propanetriol, trinitrate	10 (4.54)
Propanoic acid, 2-(2,4,5-trichlorophenoxy)-	100 (45.4)
1-Propanol, 2,3-dibromo-, phosphate (3:1)	10 (4.54)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
1-Propanol, 2-methyl-	5000 (2270)
2-Propanone	5000 (2270)
2-Propanone, 1-bromo-	1000 (454)
Propargite	10 (4.54)
Propargyl alcohol	1000 (454)
2-Propenal	1 (0.454)
2-Propenamide	5000 (2270)
1-Propene, 1,3-dichloro-	100 (45.4)
1-Propene, 1,1,2,3,3,3-hexachloro-	1000 (454)
2-Propenenitrile	100 (45.4)
2-Propenenitrile, 2-methyl-	1000 (454)
2-Propenoic acid	5000 (2270)
2-Propenoic acid, ethyl ester	1000 (454)
2-Propenoic acid, 2-methyl-, ethyl ester	1000 (454)
2-Propenoic acid, 2-methyl-, methyl ester	1000 (454)
2-Propen-1-ol	100 (45.4)
Proham	1000 (454)
beta-Propiolactone	10 (4.54)
Propionaldehyde	1000 (454)
Propionic acid	5000 (2270)
Propionic anhydride	5000 (2270)
Propoxur (Baygon)	100 (45.4)
n-Propylamine	5000 (2270)
Propylene dichloride	1000 (454)
Propylene oxide	100 (45.4)
1,2-Propylenimine	1 (0.454)
2-Propyn-1-ol	1000 (454)
Prosulfocarb	5000 (2270)
Pyrene	5000 (2270)
Pyrethrins	1 (0.454)
3,6-Pyridazinedione, 1,2-dihydro-	5000 (2270)
4-Pyridinamine	1000 (454)
Pyridine	1000 (454)
Pyridine, 2-methyl-	5000 (2270)
Pyridine, 3-(1-methyl-2-pyrrolidinyl)-, (S)-, & salts	100 (45.4)
2,4-(1H,3H)-Pyrimidinedione, 5-[bis(2-chloroethyl)amino]-	10 (4.54)
4(1H)-Pyrimidinone, 2,3-dihydro-6-methyl-2-thioxo-	10 (4.54)
Pyrrolidine, 1-nitroso-	1 (0.454)
Pyrrololo[2,3-b] indol-5-ol, 1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethyl-, methylcarbamate (ester), (3aS-cis)-	100 (45.4)
Quinoline	5000 (2270)
Quinone	10 (4.54)
Quintobenzene	100 (45.4)
RADIONUCLIDES	See Table 2
Reserpine	5000 (2270)
Resorcinol	5000 (2270)
Saccharin & salts	100 (45.4)
Safrole	100 (45.4)
Selenious acid	10 (4.54)
Selenious acid, dithallium (1+) salt	1000 (454)
Selenium cent:	100 (45.4)
Selenium dioxide	10 (4.54)
Selenium oxide	10 (4.54)
Selenium sulfide SeS ₂	10 (4.54)
Selenourea	1000 (454)
L-Serine, diazoacetate (ester)	1 (0.454)
Silver cent:	1000 (454)
Silver cyanide Ag(CN)	1 (0.454)
Silver nitrate	1 (0.454)
Silvex (2,4,5-TP)	100 (45.4)
Sodium	10 (4.54)
Sodium arsenate	1 (0.454)
Sodium arsenite	1 (0.454)
Sodium azide	1000 (454)
Sodium bichromate	10 (4.54)
Sodium bifluoride	100 (45.4)
Sodium bisulfite	5000 (2270)
Sodium chromate	10 (4.54)
Sodium cyanide Na(CN)	10 (4.54)
Sodium dodecylbenzenesulfonate	1000 (454)
Sodium fluoride	1000 (454)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Sodium hydrosulfide	5000 (2270)
Sodium hydroxide	1000 (454)
Sodium hypochlorite	100 (45.4)
Sodium methylate	1000 (454)
Sodium nitrite	100 (45.4)
Sodium phosphate, dibasic	5000 (2270)
Sodium phosphate, tribasic	5000 (2270)
Sodium selenite	100 (45.4)
Streptozotocin	1 (0.454)
Strontium chromate	10 (4.54)
Strychnidin-10-one, & salts	10 (4.54)
Strychnine, & salts	100 (45.4)
Styrene	1000 (454)
Styrene oxide	100 (45.4)
Sulfur chlorides @	1000 (454)
Sulfuric acid	1000 (454)
Sulfuric acid, dimethyl ester	100 (45.4)
Sulfuric acid, dithallium (1+) salt	100 (45.4)
Sulfur monochloride	1000 (454)
Sulfur phosphide	100 (45.4)
2,4,5-T	1000 (454)
2,4,5-T acid	1000 (454)
2,4,5-T amines	5000 (2270)
2,4,5-T esters	1000 (454)
2,4,5-T salts	1000 (454)
TCDD	1 (0.454)
TDE	1 (0.454)
1,2,4,5-Tetrachlorobenzene	5000 (2270)
2,3,7,8-Tetrachlorodibenzo-p-dioxin	1 (0.454)
1,1,1,2-Tetrachloroethane	100 (45.4)
1,1,2,2-Tetrachloroethane	100 (45.4)
Tetrachloroethylene	100 (45.4)
2,3,4,6-Tetrachlorophenol	10 (4.54)
Tetraethyl pyrophosphate	10 (4.54)
Tetraethyl lead	10 (4.54)
Tetraethylthiopyrophosphate	100 (45.4)
Tetrahydrofuran	1000 (454)
Tetranitromethane	10 (4.54)
Tetraphosphoric acid, hexaethyl ester	100 (45.4)
Thallic oxide	100 (45.4)
Thallium cent;	1000 (454)
Thallium (I) acetate	100 (45.4)
Thallium (I) carbonate	100 (45.4)
Thallium chloride TlCl	100 (45.4)
Thallium (I) nitrate	100 (45.4)
Thallium oxide Tl_2O_3	100 (45.4)
Thallium (I) selenite	1000 (454)
Thallium (I) sulfate	100 (45.4)
Thioacetamide	10 (4.54)
Thiodicarb	100 (45.4)
Thiodiphosphoric acid, tetraethyl ester	100 (45.4)
Thiofanox	100 (45.4)
Thiomimidocarbonic diamide $[(H_2N)C(S)]_2NH$	100 (45.4)
Thiomethanol	100 (45.4)
Thioperoxydicarbonic diamide $[(H_2N)C(S)]_2S_2$, tetramethyl-	10 (4.54)
Thiophanate-methyl	10 (4.54)
Thiophenol	100 (45.4)
Thiosemicarbazide	100 (45.4)
Thiourea	10 (4.54)
Thiourea, (2-chlorophenyl)-	100 (45.4)
Thiourea, 1-naphthalenyl-	100 (45.4)
Thiourea, phenyl-	100 (45.4)
Thiram	10 (4.54)
Tirpate	100 (45.4)
Titanium tetrachloride	1000 (454)
Toluene	1000 (454)
Toluenediamine	10 (4.54)
2,4-Toluene diamine	10 (4.54)
Toluene diisocyanate	100 (45.4)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
2,4-Toluene diisocyanate	100 (45.4)
o-Toluidine	100 (45.4)
p-Toluidine	100 (45.4)
o-Toluidine hydrochloride	100 (45.4)
Toxaphen	1 (0.454)
2,4,5-TP acid	100 (45.4)
2,4,5-TP esters	100 (45.4)
Triallate	100 (45.4)
1H-1,2,4-Triazol-3-amine	10 (4.54)
Trichlorfon	100 (45.4)
1,2,4-Trichlorobenzene	100 (45.4)
1,1,1-Trichloroethane	1000 (454)
1,1,2-Trichloroethane	100 (45.4)
Trichloroethylene	100 (45.4)
Trichloromethanesulfonyl chloride	100 (45.4)
Trichloromonofluoromethane	5000 (2270)
Trichlorophenol	10 (4.54)
2,3,4-Trichlorophenol.	
2,3,5-Trichlorophenol.	
2,3,6-Trichlorophenol.	
3,4,5-Trichlorophenol.	
2,4,5-Trichlorophenol	10 (4.54)
2,4,6-Trichlorophenol	10 (4.54)
Triethanolamine dodecylbenzenesulfonate	1000 (454)
Triethylamine	5000 (2270)
Trifluralin	10 (4.54)
Trimethylamine	100 (45.4)
2,2,4-Trimethylpentane	1000 (454)
1,3,5-Trinitrobenzene	10 (4.54)
1,3,5-Trioxane, 2,4,6-trimethyl-	1000 (454)
Tris(2,3-dibromopropyl) phosphate	10 (4.54)
Trypan blue	10 (4.54)
D002 Unlisted Hazardous Wastes Characteristic of Corrosivity	100 (45.4)
D001 Unlisted Hazardous Wastes Characteristic of Ignitability	100 (45.4)
D003 Unlisted Hazardous Wastes Characteristic of Reactivity	100 (45.4)
D004–D043 Unlisted Hazardous Wastes Characteristic of Toxicity:	
Arsenic (D004)	1 (0.454)
Barium (D005)	1000 (454)
Benzene (D018)	10 (4.54)
Cadmium (D006)	10 (4.54)
Carbon tetrachloride (D019)	10 (4.54)
Chlordane (D020)	1 (0.454)
Chlorobenzene (D021)	100 (45.4)
Chloroform (D022)	10 (4.54)
Chromium (D007)	10 (4.54)
o-Cresol (D023)	100 (45.4)
m-Cresol (D024)	100 (45.4)
p-Cresol (D025)	100 (45.4)
Cresol (D026)	100 (45.4)
2,4-D (D016)	100 (45.4)
1,4-Dichlorobenzene (D027)	100 (45.4)
1,2-Dichloroethane (D028)	100 (45.4)
1,1-Dichloroethylene (D029)	100 (45.4)
2,4-Dinitrotoluene (D030)	10 (4.54)
Endrin (D012)	1 (0.454)
Heptachlor (and epoxide) (D031)	1 (0.454)
Hexachlorobenzene (D032)	10 (4.54)
Hexachlorobutadiene (D033)	1 (0.454)
Hexachloroethane (D034)	100 (45.4)
Lead (D008)	10 (4.54)
Lindane (D013)	1 (0.454)
Mercury (D009)	1 (0.454)
Methoxychlor (D014)	1 (0.454)
Methyl ethyl ketone (D035)	5000 (2270)
Nitrobenzene (D036)	1000 (454)
Pentachlorophenol (D037)	10 (4.54)
Pyridine (D038)	1000 (454)
Selenium (D010)	10 (4.54)
Silver (D011)	1 (0.454)
Tetrachloroethylene (D039)	100 (45.4)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
Toxaphene (D015)	1 (0.454)
Trichloroethylene (D040)	100 (45.4)
2,4,5-Trichlorophenol (D041)	10 (4.54)
2,4,6-Trichlorophenol (D042)	10 (4.54)
2,4,5-TP (D017)	100 (45.4)
Vinyl chloride (D043)	1 (0.454)
Uracil mustard	10 (4.54)
Uranyl acetate	100 (45.4)
Uranyl nitrate	100 (45.4)
Urea, N-ethyl-N-nitroso-	1 (0.454)
Urea, N-methyl-N-nitroso-	1 (0.454)
Urethane	100 (45.4)
Vanadic acid, ammonium salt	1000 (454)
Vanadium oxide V ₂ O ₅	1000 (454)
Vanadium pentoxide	1000 (454)
Vanadyl sulfate	1000 (454)
Vinyl acetate	5000 (2270)
Vinyl acetate monomer	5000 (2270)
Vinylamine, N-methyl-N-nitroso-	10 (4.54)
Vinyl bromide	100 (45.4)
Vinyl chloride	1 (0.454)
Vinylidene chloride	100 (45.4)
Warfarin, & salts	100 (45.4)
Xylene	100 (45.4)
m-Xylene	1000 (454)
o-Xylene	1000 (454)
p-Xylene	100 (45.4)
Xylene (mixed)	100 (45.4)
Xylenes (isomers and mixture)	100 (45.4)
Xylenol	1000 (454)
Yohimban-16-carboxylic acid,11,17-dimethoxy-18-[3,4,5-trimethoxybenzoyl]oxy-, methyl ester (3beta,16beta,17alpha,18beta, 20alpha)	5000 (2270)
Zinc ^{cent}	1000 (454)
Zinc acetate	1000 (454)
Zinc ammonium chloride	1000 (454)
Zinc, bis(dimethylcarbamodithioato-S,S')-	10 (4.54)
Zinc borate	1000 (454)
Zinc bromide	1000 (454)
Zinc carbonate	1000 (454)
Zinc chloride	1000 (454)
Zinc cyanide Zn(CN) ₂	10 (4.54)
Zinc fluoride	1000 (454)
Zinc formate	1000 (454)
Zinc hydrosulfite	1000 (454)
Zinc nitrate	1000 (454)
Zinc phenolsulfonate	5000 (2270)
Zinc phosphide Zn ₃ P ₂	100 (45.4)
Zinc silicofluoride	5000 (2270)
Zinc sulfate	1000 (454)
Ziram	10 (4.54)
Zirconium nitrate	5000 (2270)
Zirconium potassium fluoride	1000 (454)
Zirconium sulfate	5000 (2270)
Zirconium tetrachloride	5000 (2270)
F001	10 (4.54)
(a) Tetrachloroethylene	100 (45.4)
(b) Trichloroethylene	100 (45.4)
(c) Methylene chloride	1000 (454)
(d) 1,1,1-Trichloroethane	1000 (454)
(e) Carbon tetrachloride	10 (4.54)
(f) Chlorinated fluorocarbons	5000 (2270)
F002	10 (4.54)
(a) Tetrachloroethylene	100 (45.4)
(b) Methylene chloride	1000 (454)
(c) Trichloroethylene	100 (45.4)
(d) 1,1,1-Trichloroethane	1000 (454)
(e) Chlorobenzene	100 (45.4)
(f) 1,1,2-Trichloro-1,2,2-trifluoroethane	5000 (2270)
(g) o-Dichlorobenzene	100 (45.4)
(h) Trichlorofluoromethane	5000 (2270)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
F003 (i) 1,1,2-Trichloroethane	100 (45.4) 100 (45.4)
(a) Xylene	1000 (454)
(b) Acetone	5000 (2270)
(c) Ethyl acetate	5000 (2270)
(d) Ethylbenzene	1000 (454)
(e) Ethyl ether	100 (45.4)
(f) Methyl isobutyl ketone	5000 (2270)
(g) n-Butyl alcohol	5000 (2270)
(h) Cyclohexanone	5000 (2270)
(i) Methanol	5000 (2270)
F004 (a) Cresols/Cresylic acid	100 (45.4)
(b) Nitrobenzene	100 (45.4) 1000 (454)
F005 (a) Toluene	100 (45.4)
(b) Methyl ethyl ketone	5000 (2270)
(c) Carbon disulfide	100 (45.4)
(d) Isobutanol	5000 (2270)
(e) Pyridine	1000 (454)
F006	10 (4.54)
F007	10 (4.54)
F008	10 (4.54)
F009	10 (4.54)
F010	10 (4.54)
F011	10 (4.54)
F012	10 (4.54)
F019	10 (4.54)
F020	1 (0.454)
F021	1 (0.454)
F022	1 (0.454)
F023	1 (0.454)
F024	1 (0.454)
F025	1 (0.454)
F026	1 (0.454)
F027	1 (0.454)
F028	1 (0.454)
F032	1 (0.454)
F034	1 (0.454)
F035	1 (0.454)
F037	1 (0.454)
F038	1 (0.454)
F039	1 (0.454)
K001	1 (0.454)
K002	10 (4.54)
K003	10 (4.54)
K004	10 (4.54)
K005	10 (4.54)
K006	10 (4.54)
K007	10 (4.54)
K008	10 (4.54)
K009	10 (4.54)
K010	10 (4.54)
K011	10 (4.54)
K013	10 (4.54)
K014	5000 (2270)
K015	10 (4.54)
K016	1 (0.454)
K017	10 (4.54)
K018	1 (0.454)
K019	1 (0.454)
K020	1 (0.454)
K021	10 (4.54)
K022	1 (0.454)
K023	5000 (2270)
K024	5000 (2270)
K025	10 (4.54)
K026	1000 (454)
K027	10 (4.54)
K028	1 (0.454)

§ 172.101**49 CFR Ch. I (10-1-08 Edition)**

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
K029	1 (0.454)
K030	1 (0.454)
K031	1 (0.454)
K032	10 (4.54)
K033	10 (4.54)
K034	10 (4.54)
K035	1 (0.454)
K036	1 (0.454)
K037	1 (0.454)
K038	10 (4.54)
K039	10 (4.54)
K040	10 (4.54)
K041	1 (0.454)
K042	10 (4.54)
K043	10 (4.54)
K044	10 (4.54)
K045	10 (4.54)
K046	10 (4.54)
K047	10 (4.54)
K048	10 (4.54)
K049	10 (4.54)
K050	10 (4.54)
K051	10 (4.54)
K052	10 (4.54)
K060	1 (0.454)
K061	10 (4.54)
K062	10 (4.54)
K064	10 (4.54)
K065	10 (4.54)
K066	10 (4.54)
K069	10 (4.54)
K071	1 (0.454)
K073	10 (4.54)
K083	100 (45.4)
K084	1 (0.454)
K085	10 (4.54)
K086	10 (4.54)
K087	100 (45.4)
K088	10 (4.54)
K090	10 (4.54)
K091	10 (4.54)
K093	5000 (2270)
K094	5000 (2270)
K095	100 (45.4)
K096	100 (45.4)
K097	1 (0.454)
K098	1 (0.454)
K099	10 (4.54)
K100	10 (4.54)
K101	1 (0.454)
K102	1 (0.454)
K103	100 (45.4)
K104	10 (4.54)
K105	10 (4.54)
K106	1 (0.454)
K107	10 (4.54)
K108	10 (4.54)
K109	10 (4.54)
K110	10 (4.54)
K111	10 (4.54)
K112	10 (4.54)
K113	10 (4.54)
K114	10 (4.54)
K115	10 (4.54)
K116	10 (4.54)
K117	1 (0.454)
K118	1 (0.454)
K123	10 (4.54)
K124	10 (4.54)
K125	10 (4.54)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 1 TO APPENDIX A—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES—Continued

Hazardous substance	Reportable quantity (RQ) pounds (kilograms)
K126	10 (4.54)
K131	100 (45.4)
K132	1000 (454)
K136	1 (0.454)
K141	1 (0.454)
K142	1 (0.454)
K143	1 (0.454)
K144	1 (0.454)
K145	1 (0.454)
K147	1 (0.454)
K148	1 (0.454)
K149	10 (4.54)
K150	10 (4.54)
K151	10 (4.54)
K156	10 (4.54)
K157	10 (4.54)
K158	10 (4.54)
K159	10 (4.54)
K161	1 (0.454)
K169	10 (4.54)
K170	1 (0.454)
K171	1 (0.454)
K172	1 (0.454)
K174	1 (0.454)
K175	1 (0.454)
K176	1 (0.454)
K177	5000 (2270)
K178	1000 (454)
K181	1 (0.454)

cent: The RQ for these hazardous substances is limited to those pieces of the metal having a diameter smaller than 100 micrometers (0.004 inches).

cent: cent: The RQ for asbestos is limited to friable forms only.

® Indicates that the name was added by PHMSA because (1) the name is a synonym for a specific hazardous substance and (2) the name appears in the Hazardous Materials Table as a proper shipping name.

To provide consistency with EPA regulations, two entries with different CAS numbers are provided. Refer to the EPA Table 302.4—List of Hazardous Substances and Reportable Quantities for an explanation of the two entries.

LIST OF HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES

TABLE 2 TO APPENDIX A—RADIONUCLIDES

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Actinium-224	89	100 (3.7)
Actinium-225	89	1 (.037)
Actinium-226	89	10 (.37)
Actinium-227	89	0.001 (.000037)
Actinium-228	89	10 (.37)
Aluminum-26	13	10 (.37)
Americium-237	95	1000 (37)
Americium-238	95	100 (3.7)
Americium-239	95	100 (3.7)
Americium-240	95	10 (.37)
Americium-241	95	0.01 (.00037)
Americium-242	95	100 (3.7)
Americium-242m	95	0.01 (.00037)
Americium-243	95	0.01 (.00037)
Americium-244	95	10 (.37)
Americium-244m	95	1000 (37)
Americium-245	95	1000 (37)
Americium-246	95	1000 (37)
Americium-246m	95	1000 (37)
Antimony-115	51	1000 (37)
Antimony-116	51	1000 (37)

TABLE 2 TO APPENDIX A—RADIONUCLIDES—Continued

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Antimony-116m	51	100 (3.7)
Antimony-117	51	1000 (37)
Antimony-118m	51	10 (.37)
Antimony-119	51	1000 (37)
Antimony-120 (16 min)	51	1000 (37)
Antimony-120 (5.76 day)	51	10 (.37)
Antimony-122	51	10 (.37)
Antimony-124	51	10 (.37)
Antimony-124m	51	1000 (37)
Antimony-125	51	10 (.37)
Antimony-126	51	10 (.37)
Antimony-126m	51	1000 (37)
Antimony-127	51	10 (.37)
Antimony-128 (10.4 min)	51	1000 (37)
Antimony-128 (9.01 hr)	51	10 (.37)
Antimony-129	51	100 (3.7)
Antimony-130	51	100 (3.7)
Antimony-131	51	1000 (37)
Argon-39	18	1000 (37)
Argon-41	18	10 (.37)
Arsenic-69	33	1000 (37)
Arsenic-70	33	100 (3.7)
Arsenic-71	33	100 (3.7)

§ 172.101

TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Arsenic-72	33	10 (.37)
Arsenic-73	33	100 (.37)
Arsenic-74	33	10 (.37)
Arsenic-76	33	100 (.37)
Arsenic-77	33	1000 (.37)
Arsenic-78	33	100 (.37)
Astatine-207	85	100 (.37)
Astatine-211	85	100 (.37)
Barium-126	56	1000 (.37)
Barium-128	56	10 (.37)
Barium-131	56	10 (.37)
Barium-131m	56	1000 (.37)
Barium-133	56	10 (.37)
Barium-133m	56	100 (.37)
Barium-135m	56	1000 (.37)
Barium-139	56	1000 (.37)
Barium-140	56	10 (.37)
Barium-141	56	1000 (.37)
Barium-142	56	1000 (.37)
Berkelium-245	97	100 (.37)
Berkelium-246	97	10 (.37)
Berkelium-247	97	0.01 (.00037)
Berkelium-249	97	1 (.037)
Berkelium-250	97	100 (.37)
Beryllium-10	4	1 (.037)
Beryllium-7	4	100 (.37)
Bismuth-200	83	100 (.37)
Bismuth-201	83	100 (.37)
Bismuth-202	83	1000 (.37)
Bismuth-203	83	10 (.37)
Bismuth-205	83	10 (.37)
Bismuth-206	83	10 (.37)
Bismuth-207	83	10 (.37)
Bismuth-210	83	10 (.37)
Bismuth-210m	83	0.1 (.00037)
Bismuth-212	83	100 (.37)
Bismuth-213	83	100 (.37)
Bismuth-214	83	100 (.37)
Bromine-74	35	100 (.37)
Bromine-74m	35	100 (.37)
Bromine-75	35	100 (.37)
Bromine-76	35	10 (.37)
Bromine-77	35	100 (.37)
Bromine-80	35	1000 (.37)
Bromine-80m	35	1000 (.37)
Bromine-82	35	10 (.37)
Bromine-83	35	1000 (.37)
Bromine-84	35	100 (.37)
Cadmium-104	48	1000 (.37)
Cadmium-107	48	1000 (.37)
Cadmium-109	48	1 (.037)
Cadmium-113	48	0.1 (.00037)
Cadmium-113m	48	0.1 (.00037)
Cadmium-115	48	100 (.37)
Cadmium-115m	48	10 (.37)
Cadmium-117	48	100 (.37)
Cadmium-117m	48	10 (.37)
Calcium-41	20	10 (.37)
Calcium-45	20	10 (.37)
Calcium-47	20	10 (.37)
Californium-244	98	1000 (.37)
Californium-246	98	10 (.37)
Californium-248	98	0.1 (.00037)
Californium-249	98	0.01 (.00037)
Californium-250	98	0.01 (.00037)
Californium-251	98	0.01 (.00037)
Californium-252	98	0.1 (.00037)
Californium-253	98	10 (.37)

49 CFR Ch. I (10-1-08 Edition)

TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Californium-254	98	0.1 (.00037)
Carbon-11	6	1000 (.37)
Carbon-14	6	10 (.37)
Cerium-134	58	10 (.37)
Cerium-135	58	10 (.37)
Cerium-137	58	1000 (.37)
Cerium-137m	58	100 (.37)
Cerium-139	58	100 (.37)
Cerium-141	58	10 (.37)
Cerium-143	58	100 (.37)
Cerium-144	58	1 (.037)
Cesium-125	55	1000 (.37)
Cesium-127	55	100 (.37)
Cesium-129	55	100 (.37)
Cesium-130	55	1000 (.37)
Cesium-131	55	1000 (.37)
Cesium-132	55	10 (.37)
Cesium-134	55	1 (.037)
Cesium-134m	55	1000 (.37)
Cesium-135	55	10 (.37)
Cesium-135m	55	100 (.37)
Cesium-136	55	10 (.37)
Cesium-137	55	1 (.037)
Cesium-138	55	100 (.37)
Chlorine-36	17	10 (.37)
Chlorine-38	17	100 (.37)
Chlorine-39	17	100 (.37)
Chromium-48	24	100 (.37)
Chromium-49	24	1000 (.37)
Chromium-51	24	1000 (.37)
Cobalt-55	27	10 (.37)
Cobalt-56	27	10 (.37)
Cobalt-57	27	100 (.37)
Cobalt-58	27	10 (.37)
Cobalt-58m	27	1000 (.37)
Cobalt-60	27	10 (.37)
Cobalt-60m	27	1000 (.37)
Cobalt-61	27	1000 (.37)
Cobalt-62m	27	1000 (.37)
Copper-60	29	100 (.37)
Copper-61	29	100 (.37)
Copper-64	29	1000 (.37)
Copper-67	29	100 (.37)
Curium-238	96	1000 (.37)
Curium-240	96	1 (.037)
Curium-241	96	10 (.37)
Curium-242	96	1 (.037)
Curium-243	96	0.01 (.00037)
Curium-244	96	0.01 (.00037)
Curium-245	96	0.01 (.00037)
Curium-246	96	0.01 (.00037)
Curium-247	96	0.01 (.00037)
Curium-248	96	0.001 (.000037)
Curium-249	96	1000 (.37)
Dysprosium-155	66	100 (.37)
Dysprosium-157	66	100 (.37)
Dysprosium-159	66	100 (.37)
Dysprosium-165	66	1000 (.37)
Dysprosium-166	66	10 (.37)
Einsteinium-250	99	10 (.37)
Einsteinium-251	99	1000 (.37)
Einsteinium-253	99	10 (.37)
Einsteinium-254	99	0.1 (.0037)
Einsteinium-254m	99	1 (.037)
Erbium-161	68	100 (.37)
Erbium-165	68	1000 (.37)
Erbium-169	68	100 (.37)
Erbium-171	68	100 (.37)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Erbium-172	68	10 (.37)
Europium-145	63	10 (.37)
Europium-146	63	10 (.37)
Europium-147	63	10 (.37)
Europium-148	63	10 (.37)
Europium-149	63	100 (.37)
Europium-150 (12.6 hr)	63	1000 (.37)
Europium-150 (34.2 yr)	63	10 (.37)
Europium-152	63	10 (.37)
Europium-152m	63	100 (.37)
Europium-154	63	10 (.37)
Europium-155	63	10 (.37)
Europium-156	63	10 (.37)
Europium-157	63	10 (.37)
Europium-158	63	1000 (.37)
Fermium-252	100	10 (.37)
Fermium-253	100	10 (.37)
Fermium-254	100	100 (.37)
Fermium-255	100	100 (.37)
Fermium-257	100	1 (.037)
Fluorine-18	9	1000 (.37)
Francium-222	87	100 (.37)
Francium-223	87	100 (.37)
Gadolinium-145	64	100 (.37)
Gadolinium-146	64	10 (.37)
Gadolinium-147	64	10 (.37)
Gadolinium-148	64	0.001 (.000037)
Gadolinium-149	64	100 (.37)
Gadolinium-151	64	100 (.37)
Gadolinium-152	64	0.001 (.000037)
Gadolinium-153	64	10 (.37)
Gadolinium-159	64	1000 (.37)
Gallium-65	31	1000 (.37)
Gallium-66	31	10 (.37)
Gallium-67	31	100 (.37)
Gallium-68	31	1000 (.37)
Gallium-70	31	1000 (.37)
Gallium-72	31	10 (.37)
Gallium-73	31	100 (.37)
Germanium-66	32	100 (.37)
Germanium-67	32	1000 (.37)
Germanium-68	32	10 (.37)
Germanium-69	32	10 (.37)
Germanium-71	32	1000 (.37)
Germanium-75	32	1000 (.37)
Germanium-77	32	10 (.37)
Germanium-78	32	1000 (.37)
Gold-193	79	100 (.37)
Gold-194	79	10 (.37)
Gold-195	79	100 (.37)
Gold-198	79	100 (.37)
Gold-198m	79	10 (.37)
Gold-199	79	100 (.37)
Gold-200	79	1000 (.37)
Gold-200m	79	10 (.37)
Gold-201	79	1000 (.37)
Hafnium-170	72	100 (.37)
Hafnium-172	72	1 (.037)
Hafnium-173	72	100 (.37)
Hafnium-175	72	100 (.37)
Hafnium-177m	72	1000 (.37)
Hafnium-178m	72	0.1 (.0037)
Hafnium-179m	72	100 (.37)
Hafnium-180m	72	100 (.37)
Hafnium-181	72	10 (.37)
Hafnium-182	72	0.1 (.0037)
Hafnium-182m	72	100 (.37)
Hafnium-183	72	100 (.37)

TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Hafnium-184	72	100 (.37)
Holmium-155	67	1000 (.37)
Holmium-157	67	1000 (.37)
Holmium-159	67	1000 (.37)
Holmium-161	67	1000 (.37)
Holmium-162	67	1000 (.37)
Holmium-162m	67	1000 (.37)
Holmium-164	67	1000 (.37)
Holmium-164m	67	1000 (.37)
Holmium-166	67	100 (.37)
Holmium-166m	67	1 (.037)
Holmium-167	67	100 (.37)
Hydrogen-3	1	100 (.37)
Indium-109	49	100 (.37)
Indium-110 (4.9 hr)	49	10 (.37)
Indium-110 (69.1 min)	49	100 (.37)
Indium-111	49	100 (.37)
Indium-112	49	1000 (.37)
Indium-113m	49	1000 (.37)
Indium-114m	49	10 (.37)
Indium-115	49	0.1 (.0037)
Indium-115m	49	100 (.37)
Indium-116m	49	100 (.37)
Indium-117	49	1000 (.37)
Indium-117m	49	100 (.37)
Indium-119m	49	1000 (.37)
Iodine-120	53	10 (.37)
Iodine-120m	53	100 (.37)
Iodine-121	53	100 (.37)
Iodine-123	53	10 (.37)
Iodine-124	53	0.1 (.0037)
Iodine-125	53	0.01 (.00037)
Iodine-126	53	0.01 (.00037)
Iodine-128	53	1000 (.37)
Iodine-129	53	0.001 (.000037)
Iodine-130	53	1 (.037)
Iodine-131	53	0.01 (.00037)
Iodine-132	53	10 (.37)
Iodine-132m	53	10 (.37)
Iodine-133	53	0.1 (.0037)
Iodine-134	53	100 (.37)
Iodine-135	53	10 (.37)
Iridium-182	77	1000 (.37)
Iridium-184	77	100 (.37)
Iridium-185	77	100 (.37)
Iridium-186	77	10 (.37)
Iridium-187	77	100 (.37)
Iridium-188	77	10 (.37)
Iridium-189	77	100 (.37)
Iridium-190	77	10 (.37)
Iridium-190m	77	1000 (.37)
Iridium-192	77	10 (.37)
Iridium-192m	77	100 (.37)
Iridium-194	77	100 (.37)
Iridium-194m	77	10 (.37)
Iridium-195	77	1000 (.37)
Iridium-195m	77	100 (.37)
Iron-52	26	100 (.37)
Iron-55	26	100 (.37)
Iron-59	26	10 (.37)
Iron-60	26	0.1 (.0037)
Krypton-74	36	10 (.37)
Krypton-76	36	10 (.37)
Krypton-77	36	10 (.37)
Krypton-79	36	100 (.37)
Krypton-81	36	1000 (.37)
Krypton-83m	36	1000 (.37)
Krypton-85	36	1000 (.37)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

**TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued**

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Krypton-85m	36	100 (3.7)
Krypton-87	36	10 (.37)
Krypton-88	36	10 (.37)
Lanthanum-131	57	1000 (37)
Lanthanum-132	57	100 (3.7)
Lanthanum-135	57	1000 (37)
Lanthanum-137	57	10 (.37)
Lanthanum-138	57	1 (.037)
Lanthanum-140	57	10 (.37)
Lanthanum-141	57	1000 (37)
Lanthanum-142	57	100 (3.7)
Lanthanum-143	57	1000 (37)
Lead-195m	82	1000 (37)
Lead-198	82	100 (3.7)
Lead-199	82	100 (3.7)
Lead-200	82	100 (3.7)
Lead-201	82	100 (3.7)
Lead-202	82	1 (.037)
Lead-202m	82	10 (.37)
Lead-203	82	100 (3.7)
Lead-205	82	100 (3.7)
Lead-209	82	1000 (37)
Lead-210	82	0.01 (.00037)
Lead-211	82	100 (3.7)
Lead-212	82	10 (.37)
Lead-214	82	100 (3.7)
Lutetium-169	71	10 (.37)
Lutetium-170	71	10 (.37)
Lutetium-171	71	10 (.37)
Lutetium-172	71	10 (.37)
Lutetium-173	71	100 (3.7)
Lutetium-174	71	10 (.37)
Lutetium-174m	71	10 (.37)
Lutetium-176	71	1 (.037)
Lutetium-176m	71	1000 (37)
Lutetium-177	71	100 (3.7)
Lutetium-177m	71	10 (.37)
Lutetium-178	71	1000 (37)
Lutetium-178m	71	1000 (37)
Lutetium-179	71	1000 (37)
Magnesium-28	12	10 (.37)
Manganese-51	25	1000 (37)
Manganese-52	25	10 (.37)
Manganese-52m	25	1000 (37)
Manganese-53	25	1000 (37)
Manganese-54	25	10 (.37)
Manganese-56	25	100 (3.7)
Mendelevium-257	101	100 (3.7)
Mendelevium-258	101	1 (.037)
Mercury-193	80	100 (3.7)
Mercury-193m	80	10 (.37)
Mercury-194	80	0.1 (.0037)
Mercury-195	80	100 (3.7)
Mercury-195m	80	100 (3.7)
Mercury-197	80	1000 (37)
Mercury-197m	80	1000 (37)
Mercury-199m	80	1000 (37)
Mercury-203	80	10 (.37)
Molybdenum-101	42	1000 (37)
Molybdenum-90	42	100 (3.7)
Molybdenum-93	42	100 (3.7)
Molybdenum-93m	42	10 (.37)
Molybdenum-99	42	100 (3.7)
Neodymium-136	60	1000 (37)
Neodymium-138	60	1000 (37)
Neodymium-139	60	1000 (37)
Neodymium-139m	60	100 (3.7)
Neodymium-141	60	1000 (37)

**TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued**

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Neodymium-147	60	10 (.37)
Neodymium-149	60	100 (3.7)
Neodymium-151	60	1000 (37)
Neptunium-232	93	1000 (37)
Neptunium-233	93	1000 (37)
Neptunium-234	93	10 (.37)
Neptunium-235	93	1000 (37)
Neptunium-236 (1.2 E 5 yr)	93	0.1 (.0037)
Neptunium-236 (22.5 hr)	93	100 (3.7)
Neptunium-237	93	0.01 (.00037)
Neptunium-238	93	10 (.37)
Neptunium-239	93	100 (3.7)
Neptunium-240	93	100 (3.7)
Nickel-56	28	10 (.37)
Nickel-57	28	10 (.37)
Nickel-59	28	100 (3.7)
Nickel-63	28	100 (3.7)
Nickel-65	28	100 (3.7)
Nickel-66	28	10 (.37)
Niobium-88	41	100 (3.7)
Niobium-89 (122 min)	41	100 (3.7)
Niobium-89 (66 min)	41	100 (3.7)
Niobium-90	41	10 (.37)
Niobium-93m	41	100 (3.7)
Niobium-94	41	10 (.37)
Niobium-95	41	10 (.37)
Niobium-95m	41	100 (3.7)
Niobium-96	41	10 (.37)
Niobium-97	41	100 (3.7)
Niobium-98	41	1000 (37)
Osmium-180	76	1000 (37)
Osmium-181	76	100 (3.7)
Osmium-182	76	100 (3.7)
Osmium-185	76	10 (.37)
Osmium-189m	76	1000 (37)
Osmium-191	76	100 (3.7)
Osmium-191m	76	1000 (37)
Osmium-193	76	100 (3.7)
Osmium-194	76	1 (.037)
Palladium-100	46	100 (3.7)
Palladium-101	46	100 (3.7)
Palladium-103	46	100 (3.7)
Palladium-107	46	100 (3.7)
Palladium-109	46	1000 (37)
Phosphorus-32	15	0.1 (.0037)
Phosphorus-33	15	1 (.037)
Platinum-186	78	100 (3.7)
Platinum-188	78	100 (3.7)
Platinum-189	78	100 (3.7)
Platinum-191	78	100 (3.7)
Platinum-193	78	1000 (37)
Platinum-193m	78	100 (3.7)
Platinum-195m	78	100 (3.7)
Platinum-197	78	1000 (37)
Platinum-197m	78	1000 (37)
Platinum-199	78	1000 (37)
Platinum-200	78	100 (3.7)
Plutonium-234	94	1000 (37)
Plutonium-235	94	1000 (37)
Plutonium-236	94	0.1 (.0037)
Plutonium-237	94	1000 (37)
Plutonium-238	94	0.01 (.00037)
Plutonium-239	94	0.01 (.00037)
Plutonium-240	94	0.01 (.00037)
Plutonium-244	94	0.01 (.00037)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Plutonium-245	94	100 (3.7)
Polonium-203	84	100 (3.7)
Polonium-205	84	100 (3.7)
Polonium-207	84	10 (.37)
Polonium-210	84	0.01 (.00037)
Potassium-40	19	1 (.037)
Potassium-42	19	100 (3.7)
Potassium-43	19	10 (.37)
Potassium-44	19	100 (3.7)
Potassium-45	19	1000 (37)
Praseodymium-136	59	1000 (37)
Praseodymium-137	59	1000 (37)
Praseodymium-138m	59	100 (3.7)
Praseodymium-139	59	1000 (37)
Praseodymium-142	59	100 (3.7)
Praseodymium-142m	59	1000 (37)
Praseodymium-143	59	10 (.37)
Praseodymium-144	59	1000 (37)
Praseodymium-145	59	1000 (37)
Praseodymium-147	59	1000 (37)
Promethium-141	61	1000 (37)
Promethium-143	61	100 (3.7)
Promethium-144	61	10 (.37)
Promethium-145	61	100 (3.7)
Promethium-146	61	10 (.37)
Promethium-147	61	10 (.37)
Promethium-148	61	10 (.37)
Promethium-148m	61	10 (.37)
Promethium-149	61	100 (3.7)
Promethium-150	61	100 (3.7)
Promethium-151	61	100 (3.7)
Protactinium-227	91	100 (3.7)
Protactinium-228	91	10 (.37)
Protactinium-230	91	10 (.37)
Protactinium-231	91	0.01 (.00037)
Protactinium-232	91	10 (.37)
Protactinium-233	91	100 (3.7)
Protactinium-234	91	10 (.37)
RADIONUCLIDES \$†		1 (.037)
Radium-223	88	1 (.037)
Radium-224	88	10 (.37)
Radium-225	88	1 (.037)
Radium-226 **	88	0.1 (.0037)
Radium-227	88	1000 (37)
Radium-228	88	0.1 (.0037)
Radon-220	86	0.1 (.0037)
Radon-222	86	0.1 (.0037)
Rhenium-177	75	1000 (37)
Rhenium-178	75	1000 (37)
Rhenium-181	75	100 (3.7)
Rhenium-182 (12.7 hr)	75	10 (.37)
Rhenium-182 (64.0 hr)	75	10 (.37)
Rhenium-184	75	10 (.37)
Rhenium-184m	75	10 (.37)
Rhenium-186	75	100 (3.7)
Rhenium-186m	75	10 (.37)
Rhenium-187	75	1000 (37)
Rhenium-188	75	1000 (37)
Rhenium-188m	75	1000 (37)
Rhenium-189	75	1000 (37)
Rhodium-100	45	10 (.37)
Rhodium-101	45	10 (.37)
Rhodium-101m	45	100 (3.7)
Rhodium-102	45	10 (.37)
Rhodium-102m	45	10 (.37)
Rhodium-103m	45	1000 (37)
Rhodium-105	45	100 (3.7)
Rhodium-106m	45	10 (.37)

TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Rhodium-107	45	1000 (37)
Rhodium-99	45	10 (.37)
Rhodium-99m	45	100 (3.7)
Rubidium-79	37	1000 (37)
Rubidium-81	37	100 (3.7)
Rubidium-81m	37	1000 (37)
Rubidium-82m	37	10 (.37)
Rubidium-83	37	10 (.37)
Rubidium-84	37	10 (.37)
Rubidium-86	37	10 (.37)
Rubidium-87	37	10 (.37)
Rubidium-88	37	1000 (37)
Rubidium-89	37	1000 (37)
Ruthenium-103	44	10 (.37)
Ruthenium-105	44	100 (3.7)
Ruthenium-106	44	1 (.037)
Ruthenium-94	44	1000 (37)
Ruthenium-97	44	100 (3.7)
Samarium-141	62	1000 (37)
Samarium-141m	62	1000 (37)
Samarium-142	62	1000 (37)
Samarium-145	62	100 (3.7)
Samarium-146	62	0.01 (.00037)
Samarium-147	62	0.01 (.00037)
Samarium-151	62	10 (.37)
Samarium-153	62	100 (3.7)
Samarium-155	62	1000 (37)
Samarium-156	62	100 (3.7)
Scandium-43	21	1000 (37)
Scandium-44	21	100 (3.7)
Scandium-44m	21	10 (.37)
Scandium-46	21	10 (.37)
Scandium-47	21	100 (3.7)
Scandium-48	21	10 (.37)
Scandium-49	21	1000 (37)
Selenium-70	34	1000 (37)
Selenium-73	34	10 (.37)
Selenium-73m	34	100 (3.7)
Selenium-75	34	10 (.37)
Selenium-79	34	10 (.37)
Selenium-81	34	1000 (37)
Selenium-81m	34	1000 (37)
Selenium-83	34	1000 (37)
Silicon-31	14	1000 (37)
Silicon-32	14	1 (.037)
Silver-102	47	100 (3.7)
Silver-103	47	1000 (37)
Silver-104	47	1000 (37)
Silver-104m	47	1000 (37)
Silver-105	47	10 (.37)
Silver-106	47	1000 (37)
Silver-106m	47	10 (.37)
Silver-108m	47	10 (.37)
Silver-110m	47	10 (.37)
Silver-111	47	10 (.37)
Silver-112	47	100 (3.7)
Silver-115	47	1000 (37)
Sodium-22	11	10 (.37)
Sodium-24	11	10 (.37)
Strontium-80	38	100 (3.7)
Strontium-81	38	1000 (37)
Strontium-83	38	100 (3.7)
Strontium-85	38	10 (.37)
Strontium-85m	38	1000 (37)
Strontium-87m	38	100 (3.7)
Strontium-89	38	10 (.37)
Strontium-90	38	0.1 (.0037)
Strontium-91	38	10 (.37)

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

**TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued**

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Strontium-92	38	100 (.37)
Sulfur-35	16	1 (.037)
Tantalum-172	73	100 (.37)
Tantalum-173	73	100 (.37)
Tantalum-174	73	100 (.37)
Tantalum-175	73	100 (.37)
Tantalum-176	73	10 (.37)
Tantalum-177	73	1000 (.37)
Tantalum-178	73	1000 (.37)
Tantalum-179	73	1000 (.37)
Tantalum-180	73	100 (.37)
Tantalum-180m	73	1000 (.37)
Tantalum-182	73	10 (.37)
Tantalum-182m	73	1000 (.37)
Tantalum-183	73	100 (.37)
Tantalum-184	73	10 (.37)
Tantalum-185	73	1000 (.37)
Tantalum-186	73	1000 (.37)
Technetium-101	43	1000 (.37)
Technetium-104	43	1000 (.37)
Technetium-93	43	100 (.37)
Technetium-93m	43	1000 (.37)
Technetium-94	43	10 (.37)
Technetium-94m	43	100 (.37)
Technetium-96	43	10 (.37)
Technetium-96m	43	1000 (.37)
Technetium-97	43	100 (.37)
Technetium-97m	43	100 (.37)
Technetium-98	43	10 (.37)
Technetium-99	43	10 (.37)
Technetium-99m	43	100 (.37)
Tellurium-116	52	1000 (.37)
Tellurium-121	52	10 (.37)
Tellurium-121m	52	10 (.37)
Tellurium-123	52	10 (.37)
Tellurium-123m	52	10 (.37)
Tellurium-125m	52	10 (.37)
Tellurium-127	52	1000 (.37)
Tellurium-127m	52	10 (.37)
Tellurium-129	52	1000 (.37)
Tellurium-129m	52	10 (.37)
Tellurium-131	52	1000 (.37)
Tellurium-131m	52	10 (.37)
Tellurium-132	52	10 (.37)
Tellurium-133	52	1000 (.37)
Tellurium-133m	52	1000 (.37)
Tellurium-134	52	1000 (.37)
Terbium-147	65	100 (.37)
Terbium-149	65	100 (.37)
Terbium-150	65	100 (.37)
Terbium-151	65	10 (.37)
Terbium-153	65	100 (.37)
Terbium-154	65	10 (.37)
Terbium-155	65	100 (.37)
Terbium-156	65	10 (.37)
Terbium-156m (24.4 hr)	65	1000 (.37)
Terbium-156m (5.0 hr)	65	1000 (.37)
Terbium-157	65	100 (.37)
Terbium-158	65	10 (.37)
Terbium-160	65	10 (.37)
Terbium-161	65	100 (.37)
Thallium-194	81	1000 (.37)
Thallium-194m	81	100 (.37)
Thallium-195	81	100 (.37)
Thallium-197	81	100 (.37)
Thallium-198	81	10 (.37)
Thallium-198m	81	100 (.37)
Thallium-199	81	100 (.37)

**TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued**

(1)—Radionuclide	(2)—Atomic Number	(3)—Reportable Quantity (RQ) Ci (TBq)
Thallium-200	81	10 (.37)
Thallium-201	81	1000 (.37)
Thallium-202	81	10 (.37)
Thallium-204	81	10 (.37)
Thorium (Irradiated)	90	***
Thorium (Natural)	90	**
Thorium-226	90	100 (.37)
Thorium-227	90	1 (.037)
Thorium-228	90	.001 (.00037)
Thorium-229	90	.001 (.00037)
Thorium-230	90	.01 (.00037)
Thorium-231	90	100 (.37)
Thorium-232 **	90	.001 (.00037)
Thorium-234	90	100 (.37)
Thulium-162	69	1000 (.37)
Thulium-166	69	10 (.37)
Thulium-167	69	100 (.37)
Thulium-170	69	10 (.37)
Thulium-171	69	100 (.37)
Thulium-172	69	100 (.37)
Thulium-173	69	100 (.37)
Thulium-175	69	1000 (.37)
Tin-110	50	100 (.37)
Tin-111	50	1000 (.37)
Tin-113	50	10 (.37)
Tin-117m	50	100 (.37)
Tin-119m	50	10 (.37)
Tin-121	50	1000 (.37)
Tin-121m	50	10 (.37)
Tin-123	50	10 (.37)
Tin-123m	50	1000 (.37)
Tin-125	50	10 (.37)
Tin-126	50	1 (.037)
Tin-127	50	100 (.37)
Tin-128	50	1000 (.37)
Titanium-44	22	1 (.037)
Titanium-45	22	1000 (.37)
Tungsten-176	74	1000 (.37)
Tungsten-177	74	100 (.37)
Tungsten-178	74	100 (.37)
Tungsten-179	74	1000 (.37)
Tungsten-181	74	100 (.37)
Tungsten-185	74	10 (.37)
Tungsten-187	74	100 (.37)
Tungsten-188	74	10 (.37)
Uranium (Depleted)	92	***
Uranium (Irradiated)	92	**
Uranium (Natural)	92	**
Uranium Enriched 20% or greater	92	***
Uranium Enriched less than 20%	92	***
Uranium-230	92	1 (.037)
Uranium-231	92	1000 (.37)
Uranium-232	92	.001 (.00037)
Uranium-233	92	.01 (.0037)
Uranium-234 **	92	.01 (.0037)
Uranium-235 **	92	.01 (.0037)
Uranium-236	92	.01 (.0037)
Uranium-237	92	100 (.37)
Uranium-238 **	92	.01 (.0037)
Uranium-239	92	1000 (.37)
Uranium-240	92	1000 (.37)
Vanadium-47	23	1000 (.37)
Vanadium-48	23	10 (.37)
Vanadium-49	23	1000 (.37)
Xenon-120	54	100 (.37)
Xenon-121	54	10 (.37)

Pipeline and Hazardous Materials Safety Admin., DOT

§ 172.101

TABLE 2 TO APPENDIX A—RADIONUCLIDES—
Continued

(1)—Radionuclide	(2)— Atomic Num- ber	(3)—Reportable Quantity (RQ) Ci (TBq)
Xenon-122	54	100 (3.7)
Xenon-123	54	10 (.37)
Xenon-125	54	100 (3.7)
Xenon-127	54	100 (3.7)
Xenon-129m	54	1000 (37)
Xenon-131m	54	1000 (37)
Xenon-133	54	1000 (37)
Xenon-133m	54	1000 (37)
Xenon-135	54	100 (3.7)
Xenon-135m	54	10 (.37)
Xenon-138	54	10 (.37)
Ytterbium-162	70	1000 (37)
Ytterbium-166	70	10 (.37)
Ytterbium-167	70	1000 (37)
Ytterbium-169	70	10 (.37)
Ytterbium-175	70	100 (3.7)
Ytterbium-177	70	1000 (37)
Ytterbium-178	70	1000 (37)
Yttrium-86	39	10 (.37)
Yttrium-86m	39	1000 (37)
Yttrium-87	39	10 (.37)
Yttrium-88	39	10 (.37)
Yttrium-90	39	10 (.37)
Yttrium-90m	39	100 (3.7)
Yttrium-91	39	10 (.37)
Yttrium-91m	39	1000 (37)
Yttrium-92	39	100 (3.7)
Yttrium-93	39	100 (3.7)
Yttrium-94	39	1000 (37)
Yttrium-95	39	1000 (37)
Zinc-62	30	100 (3.7)
Zinc-63	30	1000 (37)
Zinc-65	30	10 (.37)
Zinc-69	30	1000 (37)
Zinc-69m	30	100 (3.7)
Zinc-71m	30	100 (3.7)
Zinc-72	30	100 (3.7)
Zirconium-86	40	100 (3.7)
Zirconium-88	40	10 (.37)
Zirconium-89	40	100 (3.7)
Zirconium-93	40	1 (.037)
Zirconium-95	40	10 (.37)
Zirconium-97	40	10 (.37)

[§]The RQs for all radionuclides apply to chemical compounds containing the radionuclides and elemental forms regardless of the diameter of pieces of solid material.

[†]The RQ of one curie applies to all radionuclides not otherwise listed. Whenever the RQs in TABLE 1—HAZARDOUS SUBSTANCES OTHER THAN RADIONUCLIDES and this table conflict, the lowest RQ shall apply. For example, uranyl acetate and uranyl nitrate have RQs shown in TABLE 1 of 100 pounds, equivalent to about one-tenth the RQ level for uranium-238 in this table.

^{**}The method to determine the RQs for mixtures or solutions of radionuclides can be found in paragraph 7 of the note preceding TABLE 1 of this appendix. RQs for the following four common radionuclide mixtures are provided: radium-226 in secular equilibrium with its daughters (0.053 curie); natural uranium (0.1 curie); natural uranium in secular equilibrium with its daughters (0.052 curie); and natural thorium in secular equilibrium with its daughters (0.011 curie).

^{***}Indicates that the name was added by PHMSA because it appears in the list of radionuclides in 49 CFR 173.435. The reportable quantity (RQ), if not specifically listed elsewhere in this appendix, shall be determined in accordance with the procedures in paragraph 7 of this appendix.

APPENDIX B TO § 172.101—LIST OF MARINE POLLUTANTS

1. See § 171.4 of this subchapter for applicability to marine pollutants. This appendix lists potential marine pollutants as defined in § 171.8 of this subchapter.

2. Marine pollutants listed in this appendix are not necessarily listed by name in the § 172.101 Table. If a marine pollutant not listed by name or by synonym in the § 172.101 Table meets the definition of any hazard Class 1 through 8, then you must determine the class and division of the material in accordance with § 173.2a of this subchapter. You must also select the most appropriate hazardous material description and proper shipping name. If a marine pollutant not listed by name or by synonym in the § 172.101 Table does not meet the definition of any Class 1 through 8, then you must offer it for transportation under the most appropriate of the following two Class 9 entries: “Environmentally hazardous substances, liquid, n.o.s.” UN3082, or “Environmentally hazardous substances, solid, n.o.s.” UN3077.

3. This appendix contains two columns. The first column, entitled “S.M.P.” (for severe marine pollutants), identifies whether a material is a severe marine pollutant. If the letters “PP” appear in this column for a material, the material is a severe marine pollutant, otherwise it is not. The second column, entitled “Marine Pollutant”, lists the marine pollutants.

4. If a material is not listed in this appendix and meets the criteria for a marine pollutant as provided in Chapter 2.10 of the IMDG Code, “Guidelines for the Identification of Harmful Substances in Packaged Form” (incorporated by reference; see § 171.7 of this subchapter), the material may be transported as a marine pollutant in accordance with the applicable requirements of this subchapter.

5. If a material listed in this appendix does not meet the criteria for a marine pollutant as provided in Chapter 2.10 of the IMDG Code, “Guidelines for the Identification of Harmful Substances in Packaged Form” (incorporated by reference; see § 171.7 of this subchapter), it may be excepted from the requirements of this subchapter as a marine pollutant if that exception is approved by the Associate Administrator.

LIST OF MARINE POLLUTANTS

S.M.P. (1)	Marine pollutant (2)
	Acetone cyanohydrin, stabilized
	Acetylene tetrabromide
	Acetylene tetrachloride
	Acraldehyde, inhibited
	Acrolein, inhibited
	Acrolein, stabilized
	Acrylic aldehyde, inhibited
	Alcohol C-12 - C-16 poly(1-6) ethoxylate

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

LIST OF MARINE POLLUTANTS—Continued

S.M.P. (1)	Marine pollutant (2)
PP	Alcohol C-6 - C-17 (secondary)poly(3-6) ethoxylate Aldicarb Aldrin Alkyl (c12-c14) dimethylamine Alkyl (c7-c9) nitrates Alkybenzenesulphonates, branched and straight chain (excluding C11-C13 straight chain or branched chain homologues) Allyl bromide ortho-Aminoanisole Aminocarb Ammonium dinitro-o-cresolate n-Amylbenzene Azinphos-ethyl Azinphos-methyl Barium cyanide Bendiocarb Benomyl Benquinox Benzyl chlorocarbonate Benzyl chloroformate Binapacryl <i>N,N</i> -Bis (2-hydroxyethyl) oleamide (LOA) Brodifacoum Bromine cyanide Bromoacetone Bromoallylene Bromobenzene ortho-Bromobenzyl cyanide Bromocyanne Bromoform Bromophos-ethyl 3-Bromopropene Bromoxynil Butanedione 2-Butenal, stabilized Butyl benzyl phthalate <i>N</i> -tert-butyl- <i>N</i> -cyclopoly-6-methylthio-1,3,5-triazine-2,4-diamine 2,4-Di-tert-butylphenol 2, 6-Di-tert-Butylphenol para-tertiary-butyltoluene Cadmium compounds Cadmium sulphide Calcium arsenate Calcium arsenate and calcium arsenite, mixtures, solid Calcium cyanide Camphechlor Carbaryl Carbendazim Carbofuran Carbon tetrabromide Carbon tetrachloride Carbophenothion Cartap hydrochloride Chlordane Chlorfenvinphos Chlorinated paraffins (C10 - C-13) Chlorinated paraffins (C14-C17), with more than 1% shorter chain length Chlorine Chlorine cyanide, inhibited Chlormephos Chloracetone, stabilized 1-Chloro-2,3-Epoxypropane 2-Chloro-6-nitrotoluene 4-Chloro-2-nitrotoluene Chloro-ortho-nitrotoluene 2-Chloro-5-trifluoromethylnitrobenzene para-Chlorobenzyl chloride, liquid or solid

LIST OF MARINE POLLUTANTS—Continued

S.M.P. (1)	Marine pollutant (2)
PP	Chlorodinitrobenzenes, liquid or solid 1-Chloroheptane 1-Chlorohexane Chloronitroanilines Chloronitrotoluenes, <i>liquid</i> Chloronitrotoluenes, <i>solid</i> 1-Chlorooctane Chlorophenolates, liquid Chlorophenolates, solid Chlorophenyltrichlorosilane Chloropicrin alpha-Chloropropylene Chlortoluenes (meta-;para-) Chlorpyriphos Chlorthiophos Coccus Cononitrite Copper acetoarsenite Copper arsenite Copper chloride Copper chloride solution Copper cyanide Copper metal powder Copper sulphate, anhydrous, hydrates Counachlor Counaphos Cresyl diphenyl phosphate Crotonaldehyde, stabilized Crotonic aldehyde, stabilized Crotoxyphos Cupric arsenite Cupric chloride Cupric cyanide Cupric sulfate Cupriethylenediamine solution Cuprous chloride Cyanide mixtures Cyanide solutions Cyanides, inorganic, n.o.s. Cyanogen bromide Cyanogen chloride, inhibited Cyanogen chloride, stabilized Cyanophos 1,5,9-Cyclododecatriene Cyhexatin Cymenes (o;-m;-p-) Cypermethrin Decyl acrylate DDT Decycloxytetrahydrothiophene dioxide DEF Desmedipham Di-allate Di-n-Butyl phthalate Dialfos 4,4'-Diaminodiphenylmethane Diazinon 1,3-Dibromobenzene Dichlofenthion Dichloroanilines 1,3-Dichlorobenzene 1,4-Dichlorobenzene Dichlorobenzene (meta-; para-) 2,2-Dichlorodiethyl ether Dichlorodimethyl ether, symmetrical Di-(2-chloroethyl) ether 1,1-Dichloroethylene, inhibited 1,6-Dichlorohexane Dichlorophenyltrichlorosilane Dichlorvos Diclofop-methyl

LIST OF MARINE POLLUTANTS—Continued

S.M.P. (1)	Marine pollutant (2)
PP	Dicrotophos
	Dieldrin
	Diisopropylbenzenes
	Diisopropylnaphthalenes, mixed isomers
PP	Dimethoate
PP	N,N-Dimethyldecylamine
	Dimethylhydrazine, symmetrical
	Dimethylhydrazine, unsymmetrical
	Dinitro-o-cresol, <i>solid</i>
	Dinitro-o-cresol, <i>solution</i>
	Dinitrochlorobenzenes, liquid or solid
	Dinitrophenol, <i>dry or wetted with less than 15 per cent water, by mass</i>
	Dinitrophenol, <i>solutions</i>
	Dinitrophenol, <i>wetted with not less than 15 per cent water, by mass</i>
	Dinitrophenolates, <i>alkali metals, dry or wetted with less than 15 per cent water, by mass</i>
	Dinitrophenolates, <i>wetted with not less than 15 per cent water, by mass</i>
PP	Dinobuton
PP	Dinoseb
	Dinoseb acetate
	Dioxacarb
	Dioxathion
	Dipentene
	Diphacinone
	Diphenyl
PP	Diphenylamine chloroarsine
PP	Diphenylchloroarsine, solid or liquid
	Disulfoton
	1,4-Di- <i>tert</i> -butylbenzene
	DNOC
	DNOC (pesticide)
PP	Dodecyl diphenyl oxide disulphonate
	Dodecyl hydroxypropyl sulfide
	1-Dodecyldamine
PP	Dodecylphenol
	Drazoxolon
	Edifenphos
PP	Endosulfan
PP	Endrin
	Epi bromohydrin
	Epichlorohydrin
PP	EPN
PP	Esfenvalerate
PP	Ethion
	Ethoprophos
	Ethyl fluid
	Ethyl mercaptan
	2-Ethylhexyl nitrate
	5-Ethyl-2-picoline
	Ethyl propenoate, inhibited
	2-Ethyl-3-propylacrolein
	Ethyl tetraphosphate
	Ethyldichloroarsine
	Ethylene dibromide and methyl bromide mixtures, liquid
	2-Ethylhexaldehyde
	Fenamiphos
PP	Fenbutatin oxide
PP	Fenchlorazole-ethyl
PP	Fenitrothion
PP	Fenoxapro-ethyl
PP	Fenoxaprop-P-ethyl
PP	Fenpropothrin
	Fensulfothion
PP	Fenthion
PP	Fentin acetate
PP	Fentin hydroxide
	Ferric arsenate

LIST OF MARINE POLLUTANTS—Continued

S.M.P. (1)	Marine pollutant (2)
PP	Ferric arsenite
	Ferrous arsenate
	Fonofo
	Formetanate
PP	Furathiocarb (ISO)
PP	gamma-BHC
	Gasoline, leaded
	Heptachlor
	Heptenophos
	n-Heptaldehyde
	n-Heptylbenzene
	normal-Heptyl chloride
PP	Hexachlorobutadiene
PP	1,3-Hexachlorobutadiene
	Hexaethyl tetraphosphate <i>liquid</i>
	Hexaethyl tetraphosphate, <i>solid</i>
	normal-Hexyl chloride
	n-Hexylbenzene
	Hydrocyanic acid, anhydrous, stabilized, containing less than 3% water
	Hydrocyanic acid, anhydrous, stabilized, containing less than 3% water and absorbed in a porous inert material
	Hydrocyanic acid, aqueous solutions <i>not more than 20% hydrocyanic acid</i>
	Hydrogen cyanide solution in alcohol, <i>with not more than 45% hydrogen cyanide</i>
	Hydrogen cyanide, stabilized <i>with less than 3% water</i>
	Hydrogen cyanide, stabilized <i>with less than 3% water and absorbed in a porous inert material</i>
	Hydroxydimethylbenzenes, liquid or solid
	Ioxynil
	Isobenzan
	Isobutyl butyrate
	Isobutylbenzene
	Isodecyl acrylate
	Isodecyl diphenyl phosphate
	Isopenphos
	Isooctyl nitrate
	Isoprocab
	Isopropenylbenzene
	Isotetramethylbenzene
PP	Isoxathion
	Lead acetate
	Lead arsenates
	Lead arsenites
	Lead compounds, soluble, n.o.s.
	Lead cyanide
	Lead nitrate
	Lead perchlorate, solid or solution
	Lead tetraethyl
	Lead tetramethyl
	Lindane
	Linuron
	London Purple
	Magnesium arsenate
	Malathion
	Mancozeb (ISO)
	Maneb
	Maneb preparations <i>with not less than 60% maneb</i>
	Maneb preparation, stabilized against self-heating
	Maneb stabilized or Maneb preparations, stabilized <i>against self-heating</i>
	Manganese ethylene-1,2-bis dithiocarbamate
	Manganese ethylene-1,2-bis-dithiocarbamate, stabilized against self-heating
	Mecarbam
	Mephosfolan
	Mercaptodimethylur
PP	Mercuric acetate

§ 172.101

49 CFR Ch. I (10-1-08 Edition)

LIST OF MARINE POLLUTANTS—Continued

S.M.P. (1)	Marine pollutant (2)
PP	Mercuric ammonium chloride
PP	Mercuric arsenate
PP	Mercuric benzoate
PP	Mercuric bisulphate
PP	Mercuric bromide
PP	Mercuric chloride
PP	Mercuric cyanide
PP	Mercuric gluconate
	Mercuric iodide
PP	Mercuric nitrate
PP	Mercuric oleate
PP	Mercuric oxide
PP	Mercuric oxycyanide, desensitized
PP	Mercuric potassium cyanide
PP	Mercuric Sulphate
PP	Mercuric thiocyanate
PP	Mercurol
PP	Mercurous acetate
PP	Mercurous bisulphate
PP	Mercurous bromide
PP	Mercurous chloride
PP	Mercurous nitrate
PP	Mercurous salicylate
PP	Mercurous sulphate
PP	Mercury acetates
PP	Mercury ammonium chloride
PP	Mercury based pesticide, liquid, flammable, toxic
PP	Mercury based pesticides, liquid, toxic, flammable
PP	Mercury based pesticides, liquid, toxic
PP	Mercury based pesticides, solid, toxic
PP	Mercury benzoate
PP	Mercury bichloride
PP	Mercury bisulphates
PP	Mercury bromides
PP	Mercury compounds, liquid, n.o.s.
PP	Mercury compounds, solid, n.o.s.
PP	Mercury cyanide
PP	Mercury gluconate
PP	Mercury (I) (mercurous) compounds (pesticides)
PP	Mercury (II) (mercuric) compounds (pesticides)
	Mercury iodide
PP	Mercury nucleate
PP	Mercury oleate
PP	Mercury oxide
PP	Mercury oxycyanide, desensitized
PP	Mercury potassium cyanide
PP	Mercury potassium iodide
PP	Mercury salicylate
PP	Mercury sulfates
PP	Mercury thiocyanate
	Metam-sodium
	Methamidophos
	Methanethiol
	Methidathion
	Methomyl
	ortho-Methoxyaniline
	Methyl bromide and ethylene dibromide mixtures, liquid
	Methyl mercaptan
	3-Methylacroleine, stabilized
	Methylchlorobenzenes
	Methylnitrophenols
	3-Methylpyradine
	Methyltrithion
	Methylvinylbenzenes, inhibited
PP	Mevinphos
	Mexacarbate
	Mirex
	Monocrotophos
	Motor fuel anti-knock mixtures
	Motor fuel anti-knock mixtures or compounds

LIST OF MARINE POLLUTANTS—Continued

S.M.P. (1)	Marine pollutant (2)
	Nabam
	Naled
PP	Nickel carbonyl
PP	Nickel cyanide
PP	Nickel tetracarbonyl
	3-Nitro-4-chlorobenzotrifluoride
	Nitrobenzene
	Nitrobenzotrifluorides, liquid or solid
	Nonylphenol
	<i>normal</i> -Octaldehyde
	Oleylamine
	Organotin compounds, liquid, n.o.s.
PP	Organotin compounds (pesticides)
PP	Organotin compounds, solid, n.o.s.
PP	Organotin pesticides, liquid, flammable, toxic, n.o.s., <i>flash point less than 23deg C</i>
PP	Organotin pesticides, liquid, toxic, flammable, n.o.s.
PP	Organotin pesticides, liquid, toxic, n.o.s.
PP	Organotin pesticides, solid, toxic, n.o.s.
	Orthoarsenic acid
PP	Osmium tetroxide
	Oxamyl
	Oxydisulfoton
	Paraoxon
PP	Parathion
PP	Parathion-methyl
PP	PCBs.
	Pentachloroethane
PP	Pentachlorophenol
	Pentalin
	n-Pentylbenzene
	Perchloroethylene
	Perchloromethylmercaptan
	Petrol, leaded
	Phenarsazine chloride
	d-Phenothrin
PP	Phenthroate
	1-Phenylbutane
	2-Phenylbutane
	Phenylcyclohexane
PP	Phenylmercuric acetate
PP	Phenylmercuric compounds, n.o.s.
PP	Phenylmercuric hydroxide
PP	Phenylmercuric nitrate
	2-Phenylpropene
PP	Phorate
	Phosalone
	Phosmet
PP	Phosphamidon
PP	Phosphorus, white, molten
PP	Phosphorus, white or yellow dry or under water or in solution
PP	Phosphorus white, or yellow, molten
PP	Phosphorus, yellow, molten
	Pindone (and salts of)
	Pirimicarb
	Pirimiphos-ethyl
	Polychlorinated biphenyls
	Polyhalogenated biphenyls, liquid or Terphenyls liq- uid
PP	Polyhalogenated biphenyls, solid or Terphenyls, solid
PP	Potassium cuprocyanide
	Potassium cyanide, solid
	Potassium cyanide, solution
PP	Potassium cyanocuprate (I)
PP	Potassium cyanomercurate
	Potassium mercuric iodide
	Promecarb
	Propachlor
	Propaphos

LIST OF MARINE POLLUTANTS—Continued

S.M.P. (1)	Marine pollutant (2)	
PP	Propenal, inhibited Propoxur Prothoate Prussic acid, anhydrous, stabilized Prussic acid, anhydrous, stabilized, absorbed in a porous inert material	
PP	Pyrazophos	
PP	Quinalphos	
PP	Quizalofop Quizalofop-p-ethyl	
PP	Rotenone Salithion	
PP	Silafluofen Silver arsenite Silver cyanide Silver orthoarsenite	
PP	Sodium copper cyanide, solid	
PP	Sodium copper cyanide solution	
PP	Sodium cuprocyanide, solid	
PP	Sodium cuprocyanide, solution Sodium cyanide, solid Sodium cyanide, solution Sodium dinitro-o-cresolate, dry or wetted with less than 15 per cent water, by mass	
PP	Sodium dinitro-ortho-cresolate, wetted with not less than 15 per cent water, by mass Sodium pentachlorophenate Strychnine or Strychnine salts Sulfotep	
PP	Sulprophos Tallow nitrile Temephos TEPP	
PP	Terbufos Tetrabromoethane Tetrabromomethane 1,1,2,2-Tetrachloroethane Tetrachloroethylene Tetrachloromethane Tetraethyl dithiopyrophosphate Tetraethyl lead, liquid Tetramethrin Tetramethyllead Thallium chloride Thallium compounds, n.o.s. Thallium compounds (pesticides) Thallium nitrate Thallium sulfate Thallous chloride Thiocarbonyl tetrachloride Triaryl phosphates, isopropylated Triaryl phosphates, n.o.s. Triazophos Tribromomethane Tributyltin compounds Trichlorfon PP	1,2,3—Trichlorobenzene Trichlorobenzenes, liquid Trichlorobutene Trichlorobutylene Trichloromethane sulphuryl chloride Trichloromethyl sulphochloride Trichloronat Tricresyl phosphate (less than 1% ortho-isomer) Tricresyl phosphate, not less than 1% ortho-isomer but not more than 3% orthoisomer Tricresyl phosphate with more than 3 per cent ortho isomer Triethylbenzene Triisopropylated phenyl phosphates Trimethylene dichloride

LIST OF MARINE POLLUTANTS—Continued

S.M.P. (1)	Marine pollutant (2)
PP	Triphenylphosphate Triphenyl phosphate/tert-butylated triphenyl phosphates mixtures containing 5% to 10% triphenyl phosphates
PP	Triphenyl phosphate/tert-butylated triphenyl phosphates mixtures containing 10% to 48% triphenyl phosphates
PP	Triphenyltin compounds
PP	Tritolyl phosphate (less than 1% ortho-isomer)
PP	Tritolyl phosphate (not less than 1% ortho-isomer)
PP	Trixylenil phosphate Vinylidene chloride, stabilized
PP	Warfarin (and salts of) White phosphorus, dry
PP	White phosphorus, wet
PP	White spirit, low (15-20%) aromatic Yellow phosphorus, dry
PP	Yellow phosphorus, wet Zinc bromide Zinc cyanide

[Amdt. 172-173, 55 FR 52474, Dec. 21, 1990]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 172.101, see the List of CFR Sections Affected which appears in the Finding Aids section of the printed volume and on GPO Access.

EDITORIAL NOTE: At 70 FR 34388, June 14, 2005, § 172.101 was amended; however, two amendments could not be incorporated due to inaccurate amendatory instruction.

§ 172.102 Special provisions.

(a) *General.* When column 7 of the § 172.101 table refers to a special provision for a hazardous material, the meaning and requirements of that provision are as set forth in this section. When a special provision specifies packaging or packaging requirements—

(1) The special provision is in addition to the standard requirements for all packagings prescribed in § 173.24 of this subchapter and any other applicable packaging requirements in subparts A and B of part 173 of this subchapter; and

(2) To the extent a special provision imposes limitations or additional requirements on the packaging provisions set forth in column 8 of the § 172.101 table, packagings must conform to the requirements of the special provision.

(b) *Description of codes for special provisions.* Special provisions contain packaging provisions, prohibitions, exceptions from requirements for particular quantities or forms of materials